

Holz-Wörterbuch. - Dictionary of wood and woodworking practice.

Bauverlag - CAB Direct



Description: -

-

Television

Science/Mathematics

Television Engineering

Television technology

English language -- Dictionaries -- German.

Woodwork -- Dictionaries.

Wood -- Dictionaries.

German language -- Dictionaries -- English.

Woodwork -- Dictionaries -- German.

Wood -- Dictionaries -- German. Holz-Wörterbuch. - Dictionary of wood and woodworking practice.

- Holz-Wörterbuch. - Dictionary of wood and woodworking practice.

Notes: Preface and introduction in English and German.

This edition was published in 1967



Filesize: 39.11 MB

Tags: #Dictionary #of #Woodworking #Terms

Woodworking Terms Glossary

Recommended for use in protective gloves and clothing. In plain-sawed lumber the rays show up as short dashes dispersed uniformly over the surface. It cuts fast but clogs easily.

Dictionary of Woodworking Terms

It can be adjustable so that after one taper has been cut, it can be readjusted to cut another taper on the same piece of stock Tee-bar clamp-A clamp that has a bar or T-section Tenon-The projecting end of a member that fits into a corresponding recess or mortise Through dovetail-A joint in which both dovetails and pins go through the entire thickness of the stock and, therefore, the joint is exposed on both sides of the corner Tongue-A protruding member of the edge of the stock that fits into an adjoining groove that has been cut into another piece of stock Tool post-A casting that is fitted to the lathe bed to which the tool rest is anchored Tracking-Adjusting the top wheel on a bandsaw to keep the blade running centrally on the wheel and referring to the same operation on a belt sander to keep the sanding belt running straight on the drums Try square-A tool used for marking and testing wood for squareness Urea-formaldehyde resins-Thermal-setting synthetic resins which are made by condensing urea with formaldehyde. The edge of the stock rests against the edge of a board and the blade rests across the face. It is derived from the safflower plant.

Sam Allen's Dictionary of Woodworking Terms

Grain also refers to the direction of the wood fibres. It comes as a thick paste that must be thinned before mixing it with other products.

Sam Allen's Dictionary of Woodworking Terms

It should not be confused with water stain which uses transparent dyes to stain the wood. It may be formulated to dissolve in oil, water, or alcohol.

Woodworking Terms Glossary

It should be thinned before mixing with the finish. While it is usually not thought of as such, water is actually a solvent.

Related Books

- [Media in the digital age](#)
- [Sárospataki Rákóczi Múzeum - vezető](#)
- [Womens liberation in labour history - a case study from Nottingham](#)
- [Vietnam poems II - the war poems of today : a new collection](#)
- [Abbon de Fleury - un moine savant et combatif \(vers 950 - 1004\)](#)