

# Shorter contributions to the stratigraphy and geochronology of Upper Cretaceous rocks in the Western Interior of the United States.

## U.S. G.P.O. - Chapter 1: Integrated, High

Description: -

-

Education / Teaching

General

Novelty

Non-Classifiable

Art, Indic -- India -- Tamil Nadu

Tēnukā -- Criticism and interpretation

Comprehensive Data Systems Program

Algebra -- Study and teaching (Primary)

Spokane County (Wash.) -- Economic conditions -- Statistics

Politics/International Relations

India

Exports

Commerce

Business / Economics / Finance

Business & Economics / International

Public Affairs & Administration

International - General

International trade

Business & Management

Medical

Science

Reference

Chemistry - Organic

Organic chemistry

Education / Teaching

Education

Bilingual Education

Poplar -- Pakistan.

Commerce de gros -- Canada -- Histoire.

Épicerie -- Canada -- Histoire.

Aliments -- Industrie et commerce -- Canada -- Histoire.

Wholesale trade -- Canada -- History.

Grocery trade -- Canada -- History.

Food industry and trade -- Canada -- History.

Kelly, Douglas and Company -- Histoire.

Kelly, Douglas and Company -- History.

Mann, Thomas, -- 1875-1955

Geology -- Montana.

Geology, Stratigraphic -- Cretaceous. Shorter contributions to the stratigraphy and geochronology of Upper Cretaceous rocks in the Western Interior of the United States.


-

2113

U.S. Geological Survey bulletin ; Shorter contributions to the stratigraphy and geochronology of Upper Cretaceous rocks in the Western Interior of the United States.

Notes: Includes bibliographical references.

This edition was published in 1995



Tags: #Detrital

## Stratigraphic placement of the Santonian

The carbonaceous shaly beds form distinct dark-gray beds in many outcrops. Flat chalky limestone beds, including the Fencepost limestone bed at the top, are scattered through the member and are believed to be time parallel because of consistent relationships to Pfeifer bentonite markers. A sparse fauna of epizoans includes *Pseudoperna bentonensis* and two species of stalked cirripeds.

## Upper Cretaceous subsurface stratigraphy and structure of coastal Georgia and South Carolina

Geological Survey, who also wrote the original version of the Pierre Shale description Cobban, in Hattin, 1965b.

## Summary of Citation



Filesize: 48.1010 MB

It should be noted that in other regions of the Western Interior, west of Kansas, the Pierre Shale and Fox Hills Sandstone and equivalent beds contain evidence of an additional cycle of sedimentation Bearpaw cycle not preserved in Kansas Weiner, 1960.

### **Revised geochronology, correlation, and dinosaur stratigraphic ranges of the Santonian**

Figure 4--Locality map and east-west cross section of sedimentary facies in upper part of Dakota Formation, Russell County, Kansas. The upper half of the member contains a profusion of inoceramid remains which seemingly reflect optimum conditions for growth of inoceramid bivalves. The Codell consists mostly of well-sorted fine quartzose sand and coarse quartzose silt.

## Related Books

- [Duc de Persigny et les doctrines de l'empire](#)
- [Madrikh bibliyografi le-ma' amarim be-ge' ografyah yi-yedi'at ha-Arets](#)
- [Hākadhā kādū lil-Islām wa-zawwarū al-tārikh](#)
- [Very windy day.](#)
- [Fifty years of geography in Nigeria - the Ibadan story : essays in commemoration of the golden jubil](#)