

# Revision of the northwest Atlantic Stylasteridae (Coelenterata: Hydrozoa)

Smithsonian Institution Press - association between a deep



Description: -

-

Children: Babies & Toddlers

Cnidaria -- North Atlantic Ocean -- Classification.

Cnidaria -- Classification.

Stylasteridae -- Classification.revision of the northwest Atlantic

Stylasteridae (Coelenterata: Hydrozoa)

-

Contributions to economic analysis -- 10.

Smithsonian contributions to zoology -- no. 418revision of the northwest Atlantic Stylasteridae (Coelenterata: Hydrozoa)

Notes: Bibliography: p. 128-131.

This edition was published in 1986



Filesize: 45.65 MB

Tags: #Frontiers

## Hydroids (Cnidaria, Hydrozoa) from Mauritanian Coral Mounds

Studies on western Atlantic Octocorallia Coelenterata: Anthozoa.

### Lace coral

Finally, the significant correlation between the calcified granules in the gastroderm and the two origins of calcified skeleton in the Hydractiniidae may indicate that the production of such granules is a necessary step toward the evolution of a true skeleton.

## Books on Coelenterata & Ctenophora (A

Earlier lack of phylogenetic resolution in the Hydractiniidae Cunningham and Buss 1993 led Boero et al.

**A Revision of the Stylasteridae (Cnidaria, Hydrozoa, Filifera) from Alaska and Adjacent Waters. : Cairns, Stephen D. : Free Download, Borrow, and Streaming : Internet Archive**

Publication Persistent Identifier Metadata Source Naturalis Biodiversity Center.

### Frontiers

Dale Calder, ROM, 2018 Links to her work with the college: Other references: Aequorea in a kelp bed at Race Rocks, photo by Chris Blondeau Kingdom: Animalia Subkingdom: Eumetazoa Phylum: Cnidaria Subphylum: Medusozoa Class: Hydrozoa Subclass: Leptolinae Order: Leptomedusae Suborder: Conica Family: Aequoreidae Genus: Aequorea Species: A.

**Stephen D. Cairns**

This algae can attach to a solid substrate within the top 12 metres of water at Race Rocks. One character found in all three hydrozoan families with true skeletons is polymorphism, with individual polyps having different functions within a colony. NW Brazil, W Atlantic — P.

**Books on Coelenterata & Ctenophora (A**

Zoologische Verhandelingen, Leiden, 66, 493-524. The lower chamber is quite compressed about 0. Average shell height of adult P.

## Related Books

- [Anthology of Islamic literature, from the rise of Islam to modern times, with an introduction and co](#)
- [Adaptive web sites - a knowledge extraction from web data approach](#)
- [Small firms - financing your business.](#)
- [Geoffrey Chaucers The Canterbury tales](#)
- [Kiep phu sinh.](#)