

Common disorders and diseases of childhood.

Oxford University Press - 7 Common Contagious Diseases in Childhood

Specific Eye Problems in Children		
Condition	Description	Treatment
Conjunctivitis	Inflammation of the conjunctiva, the clear, moist lining of the eye.	Usually resolves on its own. Warm compresses can help relieve the irritation. If the eye is very red, swollen, or painful, antibiotics may be needed.
Blocked tear ducts	In some babies, the tear ducts can be blocked by a film of mucus.	Warm compresses and gentle massage of the tear duct can help relieve the blockage. If the blockage persists, surgery may be needed.
Cataract	A clouding of the lens of the eye.	Most cataracts in children are congenital. Surgery is usually needed to remove the cataract and replace the lens with an artificial lens.
Chalazion	A firm, painless lump on the eyelid due to a blocked oil gland.	Most chalazia in the eye can be treated with warm compresses and gentle massage. If the chalazion persists, surgery may be needed.
Glaucoma	When the eye's pressure is too high, it can damage the optic nerve and lead to blindness.	Glaucoma in children usually needs surgery. If the pressure is very high, laser treatment may be needed.
Strabismic amblyopia	When the eyes are not aligned properly, the brain may ignore the input from one eye, leading to vision loss.	Wearing glasses can help align the eyes. If the vision loss persists, surgery may be needed.
Retinopathy of prematurity	A condition that affects the retina, the light-sensitive tissue at the back of the eye.	Most cases of retinopathy of prematurity resolve on their own. If the condition persists, laser treatment or surgery may be needed.
Diabetic retinopathy	A condition that affects the retina, caused by diabetes.	Diabetic retinopathy in children usually needs surgery. If the condition persists, laser treatment may be needed.
Macular degeneration	A condition that affects the macula, the central part of the retina.	Macular degeneration in children is rare. If the condition persists, surgery may be needed.
Myopia (nearsightedness)	A condition where the eye is too long, causing light to focus in front of the retina.	Wearing glasses or contact lenses can help correct the vision.
Hypertension	A condition where the blood pressure is too high.	High blood pressure in children usually needs medication. If the condition persists, surgery may be needed.
Stroke	A condition where the blood flow to the brain is interrupted, causing brain damage.	Stroke in children usually needs surgery. If the condition persists, laser treatment may be needed.

Description: -
-Common disorders and diseases of childhood.

-
Oxford medical publicationsCommon disorders and diseases of childhood.

Notes: Previous ed.: 1910.
This edition was published in 1912



Filesize: 4.91 MB

Tags: #List #of #Neurological #Disorders #and #Their #Descriptions

10 Common Childhood Illnesses and Their Treatments

Treatment consists of keeping the affected areas clean and local or systemic administration of antibiotics.

Childhood disease and disorder

There are various treatments for restoring teeth, but parents should remind their children to prevent their teeth from dental caries. Later, he may recommend various tests based on the affected organs: Antinuclear antibody tests: Antinuclear antibody ANA test is the primary test done to diagnose autoimmune disorders. The platelets help to stop bleeding in two ways: they contain a clotting factor, and they serve to block rents in blood-vessel walls.

Pictures of childhood rashes and skin condition

In fact, indicates that they affect 75-percent of people over the age of 45.

7 Common Contagious Diseases in Childhood

Dementia Semantic Frontotemporal dementia FTD describes a clinical syndrome associated with shrinking of the frontal and temporal anterior lobes of the brain. Typically shows up in the first year of life and often is gone by age 2, but can persist through adulthood.

Childhood disease and disorder

Children begin to lose the ability to walk, play, and speak as the disease progresses, with a rapid advancement of symptoms seen between the ages of 9 and 11. In normal development, neuron proliferation - the process in which nerve cells divide to form new generations of cells - is regulated so that the correct number of cells is produced in the proper place at the appropriate time.

Overview of Bone Disorders in Children

It is not a substitute for professional medical advice, diagnosis or treatment. Most children need surgery to remove a cataract and see clearly again.

Childhood illnesses

Tremor may begin in one extremity and later spread to involve the entire voluntary muscular system.

Related Books

- [I.B.M. - une multinationale régionale](#)
- [Forecasting business trends](#)
- [1893-1993 - one hundred years of public health nursing in Massachusetts](#)
- [Davis and Lee - a protest against the attempt of the Yankee radicals to have them and the other Conf](#)
- [Greener vision of home - cultural politics and environmental reform in the German Heimatschutz movem](#)