

# Wood finishing - water-repellent preservatives

## U.S. Dept. of Agriculture, Forest Service Forest Products Laboratory - Applying a Water



Description: -

-  
Paris (France) -- Buildings, structures, etc  
Architecture -- France -- Paris -- Exhibitions  
Regional planning -- France -- Paris Metropolitan Area -- Exhibitions  
City planning -- France -- Paris -- Exhibitions  
Wood finishing.  
Wood -- Preservation. Wood finishing - water-repellent preservatives

-  
U.S. Forest Service research note FPL -- 0124.  
U.S.D.A. Forest Service research note -- FPL-0124. Wood finishing  
- water-repellent preservatives

Notes: Caption title.

This edition was published in 1968



Filesize: 4.17 MB

Tags: #Coat #of #Armor #for #Outdoor #Wood

### Applying a Water

EHT takes a new look at some of the basics of exterior wood care, advances in wood-finish technology, and how to get the most from your topcoats. Now here I am having to rewash the deck, which as you can see from the pictures is turning green from algae never a problem with my previous waterproofing which lasted for at least 5 years. The durability of a stain system is a function of its pigment volume concentration, resin type and content, preservative, water repellent, wood species and the surface characteristics and quality of material applied to the wood surface.

### mikhmon.us.to: Eco Advance Wood Siloxane Waterproofer Concentrate

A quality preservative can help prevent cupping, warping and rot. I'll try to update this in the spring, once I have an idea for how long it will last.

### Wolman F & P Wood Finish and Preservative 5 Gallon Pail

A full range of both penetrating and film-forming finishes are available, but the penetrating finishes provide better overall performance and provide easier refinishing.

### The Home Depot Logo

How much benefit is there to applying a water sealer and wood preservative to clapboard siding before priming and painting? If the high-traffic areas of your deck have worn down, but there is still sealant remaining in other areas, strip the entire deck before re-staining. I love that this product is bio friendly and dry's on the surface without changing the color while leaving a water repelling coating on the surface.

### Finishing Wood Decks

Again, allow two days of favorable warm drying weather before repainting. The science behind the difference in finishes requires a course in chemistry, but in a nutshell it has to do with how the chemical particles of the product bond during the curing phase. There are quality products in both the film-forming and penetrating categories, and your choice may boil down to personal taste: a glossy furniture-like finish or a more rustic, natural appearance.



## Related Books

- [Pan Jinlian bie zhuan](#)
- [Canzoni e spartiti](#)
- [Social work practice - a Canadian perspective](#)
- [Forth bridgehead - land for development.](#)
- [Proceeding of the III Conference of European Researchers in Didactic of Biology \(ERIDOB\) - September](#)