

Exploratory study of Anorexia Nervosa in female adolescents using techniques derived from personal construct theory

University of Birmingham - Frontiers



Description: -

-exploratory study of Anorexia Nervosa in female adolescents using techniques derived from personal construct theory

-exploratory study of Anorexia Nervosa in female adolescents using techniques derived from personal construct theory

Notes: Thesis (M.Ed.) - University of Birmingham, School of Education.

This edition was published in 1998



Filesize: 69.28 MB

Tags: #Motivation #to #change, #coping, #and #self

An ecological

This study explored the experiences of compulsive exercise in women with anorexia nervosa, restrictive type, and the sense they make of these experiences in the context of their daily lives and treatment programme. The diagnosis was based on best evidence practice with the final diagnosis being made by two experienced senior clinicians in multidisciplinary teams. In addition, a confirmatory factor analysis based on robust maximum likelihood estimates was performed allowing latent factors to be correlated and allowing items to load on both factors simultaneously.

An ecological

Finally, we ran some partial correlations controlling for BMI and BSI depression subscale score between the severity of the eating disorder, general levels of psychopathology, psychosocial impairment, and individual and parental schemas. RD conducted all the assessments. OD EDE Italian versions; ; was used to evaluate the eating disorder psychopathology and to elicit the diagnosis of the eating disorder.

EMPIRICAL ASSESSMENT OF IDENTITY IN ANOREXIA AND BULIMIA NERVOSA

Previous studies on this issue have revealed contradictory findings.

Accept, distract, or reframe? An exploratory experimental comparison of strategies for coping with intrusive body image thoughts in anorexia nervosa and body dysmorphic disorder

An account of the participants' perspectives regarding their engagement with compulsive exercise as a means of emotion regulation is presented first. However, the results were often conflicting due to the studied population clinical or non-clinical groups , the eating disorder diagnostic subtype , the treatment setting i. The subjects were compared on selected variables arising from the individual, parent, family, and community systems using: 1 the California Psychological Inventory CPI , 2 the Structural Analysis of Social Behavior SASB , 3 the Family Environment Scale FES , and 4

the Pattison Psychosocial Inventory PPI.

Frontiers

Two factorial dimensions explain most of the variation. The 16 items cover impairment in the domains of life that are typically affected by eating disorder psychopathology: mood and self-perception, cognitive functioning, interpersonal functioning, and work performance. Blake W, Turnbull S, Treasure J.

An exploratory study of Anorexia Nervosa in female adolescents using techniques derived from personal construct theory (1998 edition)

J Clin Psychol Med Settings. Furthermore, the study investigated the association of motivation to change with the core psychological constructs of coping style and self-esteem in terms of convergent validity.

An ecological

All patients fulfilled ICD — 10 criteria for AN with 84 91. A complete description of the imagery exercise adapted from is reported in the Appendix A. The therapists, then, asked the patient to describe the selected event in detail, speaking in the present tense and in the first person.

Related Books

- [Therapeutical applications of hydrozone and glycozone](#)
- [Build on your skills - a training resource pack.](#)
- [Socialismo español, camino de Marbella - y dos artículos sobre los problemas de la transición al](#)
- [Merveilles des océans](#)
- [Liberal politics of John Locke](#)