

Augmentative and alternative communication in acute and critical care settings

Plural Pub. - Augmentative and Alternative Communication

Description: -

-

Utah

Provo (Utah)

Public lands

Dating violence -- Québec (Province)

Abused women -- Counseling of -- Québec (Province)

Hotlines (Counseling) -- Québec (Province)

Social work with youth -- Québec (Province)

Estonia -- Civilization

Latvia -- Civilization

Livonia -- History

Intensive Care Units

Critical Care -- methods

Communication Barriers

Communication Aids for Disabled

Critical care medicine

Communication devices for people with disabilities

People with disabilities -- Means of communication

University of Iowa. -- Hospitals and Clinics


University of Iowa. -- Hospitals and Clinics

Augmentative and alternative communication in acute and critical care settings

-Augmentative and alternative communication in acute and critical care settings

Notes: Includes bibliographical references and index.

This edition was published in 2008



Filesize: 11.106 MB

Tags: #Augmentative #and #Alternative #Communication #in #Health #Care

Augmentative And Alternative Communication In Acute And Critical Care Settings PDF Book

Forms Unaided or Aided AAC is typically divided into two broad categories—unaided and aided.

Richard Hurtig (University of Iowa)

People who use AAC should always have access to their communication devices.

Augmentative and Alternative Communication in Acute and Critical Care Settings

Special needs children with speech and hearing difficulties: Prevalence and unmet needs. As more apps for tablets are developed, options for language-specific AAC technology are also improving.

Augmentative and Alternative Communication in Acute and Critical Care Settings

Assessment should include elements of and other informal assessments e. Relevance to clinical practice: Improving communication strategies may improve patient safety and make a difference in patient outcomes. Current augmentative and alternative communication aac devices require individuals in medical settings to spell locate symbols or phrases or use non verbal communication to express health and.

Augmentative and Alternative Communication in Health Care

Environmental modifications are made to accommodate vision or hearing deficits and any other physical difficulties. This includes building both receptive and expressive vocabulary including both spoken words and AAC symbols.

Patient

For this population, AAC not only represents existing language but also is a tool to aid in expressive and receptive language acquisition and literacy development.

Richard Hurtig (University of Iowa)

Transitioning Youth And PostSecondary Students The transition from adolescence to young adulthood can be challenging for individuals with or without disabilities.

Related Books

- [Administração do conflito trabalhista no Brasil](#)
- [Mu'awwiqāt al-tanniyah al-ijtimā'iyah wa-al-iqtisādiyyah fī mujtamā'āt al-Khalīj al-'Arabī al-mu'āṣir](#)
- [Zeus](#)
- [Mighty John Taylor](#)
- [Transistor radio servicing course](#)