

# Systematics of the neotropical characiform genus *Steindachnerina* Fowler (Pisces: Ostariophysi)

Smithsonian Institution Press - Anatomy and phylogenetic analysis of the neotropical callichthyid catfishes (Ostariophysi, Siluriformes)

Description: -

Educational counseling -- United States  
Counseling -- United States  
Orient  
History, Ancient  
Geography, Ancient  
Meyer, Conrad Ferdinand, 1825-1898.  
Keller, Gottfried, 1819-1890.  
Childrens literature -- Catalogs.  
Social sciences -- Japan -- Philosophy.  
Kokubun, Ichitarō, -- 1911-  
Ōyama, Ikuo, -- 1880-1955.  
Okamoto, Tarō, -- 1911-  
Fukumoto, Kazuo, -- 1894-  
Underdeveloped areas -- Inflation.  
Underdeveloped areas -- Income distribution.  
Latin language -- Synonyms  
Private investigators  
Questioning  
Criminal investigation  
Steindachnerina -- Classification. Systematics of  
characiform genus Steindachnerina Fowler (Pisces)

Figure 5. Karyogram showing C-bands in different species with standard karyotypes. A, *Steinbacheria brevirostris*; B, *S. conspersa*; C, *Curimatella dovali*; D, *Pterogaster carinifrons*; E, *Cyphobatrachus spixii*, and F, *Cyphobatrachus vaga*. The general band pattern of the complement is represented by other chromosome schemes. *Cyphobatrachus* toga only shows median bands in the first two pairs (abbreviated 1-2).

no. 507  
Smithsonian contributions to zoology ; Systematics of the neotropical characiform genus Steindachnerina Fowler (Pisces: Ostariophysi)  
Notes: Includes bibliographical references (p. 111-115) and index.  
This edition was published in 1991

Tags: #Vari, #Richard #P. #[WorldCat  
#Identities]

# TAXONOMIA E FILOGENIA DE PEIXES DE RIACHOS BRASILEIROS



**Filesize:** 8.107 MB

Proceedings of the Academy of Natural Sciences of Philadelphia, 141, 361—374.

Pantanodontidae Teleostei, Cyprinodontiformes, the sister group to all other cyprinodontoid killifishes as inferred by molecular data. Zoological Journal of the Linnean Society, 159, 223–371.

## **Histological aspects of the digestive tube of the sagüiru, *Steindachnerina notonota* (Miranda Ribeiro, 1937) (Pisces, Curimatidae), of Ceará Mirim River, Rio Grande do Norte, Brasil**

Journal of Natural History, 28, 713-730. Systematics of the Neotropical characiform genus *Curimata* Bosc Pisces: Characiformes.

## **Anatomy and phylogenetic analysis of the neotropical callichthyid catfishes (Ostariophysi, Siluriformes)**

A phylogenetic study of the Neotropical Characiform family Curimatidae Pisces: Ostariophysi. Annual Review of Ecology, Evolution, and Systematics, 40, 271–289. Systematics and Biodiversity, 10(3), 375–390.

**Systematics of the Neotropical characiform genus Cyphocharax Fowler (Pisces: Ostariophysi) (Book, 1992) [mikhmon.us.to]**

Systematics of the Neotropical characiform genus *Psectrogaster* Eigenmann and Eigenmann Pisces: Characiformes. Fieldiana, Zoology, new series, 84, 1—83. On the Cynopotaminae, a new subfamily of Characidae Osteichthyes, Ostariophysi, Characoidei.

**Histological aspects of the digestive tube of the sagüiru, *Steindachnerina notonota* (Miranda Ribeiro, 1937) (Pisces, Curimatidae), of Ceará Mirim River, Rio Grande do Norte, Brasil**

Peixes de riacho da floresta costeira Atlântica brasileira: um conjunto pouco conhecido e ameaçado de vertebrados. Specialist authorships of its sections include detailed species descriptions with keys, life history and general habits, abundance, range, and relation to human activity, such as economic and sporting importance. Molecular phylogeny of Aphyocharacinae Characiformes, Characidae with morphological diagnoses for the subfamily and recognized genera.

## Related Books

- [True to this earth - global challenges and transforming faith](#)
- [North Borneo, census of population taken on 10th August, 1960 - additional tables](#)
- [Grossdeutschland - Guderians Eastern front elite](#)
- [Reason and romanticism - essays in literary criticism](#)
- [Anwendung der graphischen Methode auf Sprache und Gesang](#)