


Survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team.

University of Central England in Birmingham - Who is on the primary care team?
Professionals' perceptions of the conceptualization of teams and the underlying factors: a mixed



Description: -

-survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team

-survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team

Notes: Thesis (M.A.)-University of Central England in Birmingham, 1999.

This edition was published in 1999



Filesize: 70.82 MB

Tags: #7.10 #Role #of #health #professionals #and #social #services

Perceptions of pharmacists' roles in the era of expanding scopes of practice

Two groups were compared: 51 GPs who employed an ACP and 174 who did not. ACPs gave longer and more-holistic consultations than GPs, with more in-depth explanation of prescribed medication, including administration and side-effects.

Evaluating patient satisfaction with nurse practitioners

Recently, the specialist prescribing requirement was removed; however, the decision has been criticised by the New Zealand Dermatological Society stating that isotretinoin is prone to misuse. The use of pediatrician interventions to increase smoking cessation counseling among smoking caregivers: A systematic review.

A qualitative evaluation of general practitioners' perceptions regarding access to medicines in New Zealand

The combination of a smoking cessation programme with rehabilitation increases stop-smoking rate.

Teamwork in primary care: perspectives of general practitioners and community nurses in Lithuania

The study showed that physicians struggled to conceptualise frailty without a formal definition. Particular concern relates to the care of people living with chronic conditions and with multimorbidity.

Department of Health

These findings suggest a shortage of confidence or skills in the interpretive medicine elements of EGP and particularly in a key element of that role — the ability to judge the trustworthiness of the interpretation. In fact, the most common method of data collection involves the use of pre-coded self-completion questionnaires Batchelor et al, 1994. Smoking care provision in hospitals: A review of prevalence.

Perceptions, attitudes and training needs of primary healthcare professionals in identifying and managing frailty: a qualitative study

Some professionals suggested that in a system with a wider, interdisciplinary team, delegation of tasks could facilitate better time management and a more holistic approach to frailty. It found that these practitioners have been shown to improve patient satisfaction, alleviate pressure on GPs and provide high-quality care when they work as part of the team.

Department of Health

Training in communication skills when dealing with older people was considered an important component of an educational programme because a gap in communication skills training was perceived to be a common issue among newly qualified doctors and nurses by those who were more senior. Auckland, New Zealand: Waitemata Health.

Related Books

- [Multi Finan Mngt 4e Test Bank](#)
- [Lecture notes in control and information sciences. - an index \(and other useful information\)](#)
- [Nazariyat al-tajrīm fi al-qānūn al-jinā'ī - mi'yār sultat al-'iqāb, tashrī'an wa-qānūn](#)
- [Gentle heart](#)
- [Assessing core skills in GNVQs.](#)