

Role of microenvironment in axonal regeneration - influences of lesion-induced changes and glial implants on the regeneration of the postcommissural fornix

Springer - Frontiers

Description: -

- History - General History
- Europe - General
- Hostages -- Fiction.
- Widowers -- Fiction.
- Mormon women -- Fiction.
- Sheep ranchers -- Fiction.
- History: World
- Sociology
- Revolutions
- c 1970 to c 1980
- c 1960 to c 1970
- Terrorism, freedom fighters, armed struggle
- Revolutions & coups

Nicaragua
Marxism & Communism
Latin America - Central America
General

American - General
Crime & mystery
Tissue Transplantation.
Nerve Regeneration.
Axons -- physiology.
Neuroglia.
Axons.

Nervous system -- Regeneration.role of microenvironment in axonal regeneration - influences of lesion-induced changes and glial implants on the regeneration of the postcommissural fornix

v. 137.

Advances in anatomy, embryology, and cell biology ;
vol. 137

Advances in anatomy, embryology, and cell biology ;role of microenvironment in axonal regeneration - influences of lesion-induced changes and glial implants on the regeneration of the postcommissural fornix

Notes: Includes bibliographical references (p. 61-77) and index.
This edition was published in 1997

Tags: #Stereo #Investigator #Citations

Neuronotrophic Factors, Gangliosides and Their Interaction: Implications in the Regulation of Nervous System Plasticity

A multicenter study from Argentina, Brazil and Venezuela was performed. Spinal cord lesions were commonly multiple, discontinuous, not expansile, and centrally or ventrally positioned.

Molecular and Cellular Biology of Neuroprotection in the CNS (Advances in Experimental Medicine and Biology)

Apaf1 in developmental apoptosis and cancer: how many ways to die.



Filesize: 25.54 MB

Experimental Neurology, 216 2 , 471-480. SLAP2 also partially blocked phosphorylation of several signal transduction molecules downstream of KIT such as AKT, ERK, p38 and STAT3.

Neuronotrophic Factors, Gangliosides and Their Interaction: Implications in the Regulation of Nervous System Plasticity

Budd SL, Tenneti L, Lishnak T et al.

【樂天市場】The Role of Microenvironment in Axonal Regeneration Influences of Lesion

Sheridan JP, Marsters SA, Pitti RM et al.

iv slap lesions: Topics by Science.gov

J Cell Sci 1994; 107:1687-1695. . GABAergic interneuronal loss and reduced inhibitory synaptic transmission in the hippocampal CA1 region after mild traumatic brain injury.

iv slap lesions: Topics by Science.gov

In animal model of barna pigs with radiation myelitis caused by 125I brachytherapy, we have successfully decreased PERK expression by intrathecal administration of the lentivirus vector. At Level III, the continental United States contains 105 regions whereas the conterminous United States has 85 U.

The Role of Microenvironment in Axonal Regeneration

Proceedings of the National Academy of Sciences, 104 37 , 14807-14812. J Comp Neurol 1976; 170:311-320.

subacute transverse myelitis: Topics by Science.gov

Importance of ruling out organic conditions is emphasized.

Related Books

- [Money and banking - an introduction.](#)
- [Little Toot on the Thames.](#)
- [Guide to the dissection of the dog](#)
- [Akilanin Kācumaram - oliyum oliyum](#)
- [The Retention of Registration Marks \(Statutory Instruments: 1992: 510\)](#)