

Oncology nursing care plans

Skidmore-Roth - Cancer Nursing Care Plans: 13 Nursing Diagnosis

Description: -

TABLE A2. Glossary: Common Definitions for ASCO/ONS Chemotherapy Administration Safety Standards (Continued)	
Term	Definition
Medical history and physical	Includes, at minimum, height, weight, pregnancy screening (when applicable), treatment history, and assessment of organ-specific functions as appropriate for the planned regimen. Example of assessment of organ-specific function: for patients receiving carboplatin, assessment of renal function.
On-site and immediately available	Physically present, interruptible, and able to furnish assistance and direction throughout the performance of the procedure.
Orders, written and verbal	Orders that are written or sent electronically can be on paper, emailed from a secure encrypted computer system, written, or hand, and include the prescriber's signature and, in some instances, an identifying number or initials. Verbal orders can be given by telephone and other means for emergency situations.
Pain assessment	Assessment of pain in the oncology patient using a multidimensional approach, with determination of intensity, location, onset, duration, and associated factors, location, distribution or origin of pain, if identifiable, and barriers to pain relief.
Provider	Introduction of substances by intravenous, intra-arterial, subcutaneous, intramuscular, intracardiac, or intracerebral routes.
Patient	The recipient of health care. This includes, when applicable, parents, family members, significant others, and other health care providers—for example, registered nurses, practice clinicians, or health care agents.
Performance status	The use of standard criteria for measuring how the disease impacts the patient's daily living abilities.
Policy	A written course of action—for example, procedure, guideline, protocol, or algorithm.
Practitioner	Licensed independent practitioner, including physician, advanced practice nurses (nurse practitioners or clinical nurse specialists), and physician assistants as determined by state law.
Provider	Anyone who administers care to a patient, including, for example, therapists, nurses, and physicians.
Psychosocial assessment	An evaluation of a patient's mental health, social status, and functional capacity within the community. May include information about depression, anxiety, or other emotional problems, such as social support, depression, or anxiety, or predicting discontinuation regarding patient coping, drug treatment, adherence, anxiety, emotional status, family support and coping, coping style, cultural background, and other psychosocial issues.

ASCO—Association of Pediatric Hematology/Oncology Nurses; ASCO—American Society of Clinical Oncology; ASHP—American Society of Health System Pharmacists; ASHMD—American Society of Pediatric Hematology/Oncology; OHR—Oncology Nursing Research; ONS—Oncology Nursing Society

God -- Attributes.

Other (Philosophy)

Marion, Jean-Luc, -- 1946-- -- Religion.

Insurance, Unemployment -- Ontario.

Unemployment -- Ontario.

Social forestry programs -- Ontario.

Forestry projects. -- Ontario.

Tumors -- therapy.

Nursing diagnosis.

Patient Care Planning

Oncologic Nursing

Cancer -- Nursing. Oncology nursing care plans

-Oncology nursing care plans

Notes: Includes bibliographical references (p. [424]-[426]) and index.

This edition was published in 1994



Filesize: 56.98 MB

Tags: #Oncology #Care #Model

Cancer & Oncology Nursing NCLEX Practice Quiz (170 Questions)

Cancerous cells are described as malignant neoplasms because they demonstrate uncontrolled cellular growth that follows no physiologic demand neoplasia. Laboratory results include a potassium level of 2. Dyspnea may occur with lung involvement.

Scope and Standards of Oncology Nursing Practice

Questions regarding the information presented in this Five-Minute In-Service should be directed to the ONF editor at. The best time for the examination is after a shower. The community nurse is conducting a health promotion program at a local school and is discussing the risk factors associated with cancer. According to statistics, seventy-nine percent of new cases and 88% of breast cancer deaths occurred in women 50 years of age and older.

Oncology Care Model

The nurse should encourage the patient to inform their physicians about the use of therapies to help prevent interactions with medications and other therapies that may be prescribed. Background Cancer is one of the most common and devastating diseases in the United States: more than 1. They recommended broadening nursing education to include complex chronic symptoms, which would embrace all program interests and cover common comorbid conditions e.

Cancer Nursing Care Plans: 13 Nursing Diagnosis

Beyond just filling positions with people who have clinical expertise, hospitals and cancer care centers want Oncology Nurses who are compassionate and clear communicators, and who can handle the emotional toll of a profession where many patients are terminally ill.

5 Lung Cancer Nursing Care Plans

What Is a Survivorship Care Plan? Delivering High-Quality Cancer Care: Charting a New Course for a System in Crisis. Abnormal bleeding, often resulting in hypermenorrhea, is associated with uterine cancer.

Survivorship Care Plan

Which of the following findings or client history would suggest cancer of the breast as opposed to fibrocystic disease? Fentanyl citrate Oralet is available as a transmucosal agent that is absorbed through the mucosa of the inner cheek. Intake and output records of the patient helps to show if the patient is retaining fluid, or losing more than the expected base on his condition.

Related Books

- [Nihon kenchikushi ronkō](#)
- [Tumbling Blocks Giftwrap Paper \(Giftwrap--2 Sheets, 1 Designs\)](#)
- [Metrowerks CodeWarrior programming](#)
- [Auf dem Rücken des Drachen - China auf dem Weg zur Weltmacht](#)
- [Crisi istituzionale e cultura della periferia - Roma e la provincia nel 3. secolo](#)