

Anaesthetic accidents - the complications of general and regional anaesthesia.

Lloyd-Luke - Possible complications

	General Anaesthesia	Sedation	Spinal Anaesthesia	Median Difference (95% CI)	p-value
Age (Years)	64 (53-74)	46 (34-58)	46 (34-58)	-18 (-24)	<0.01
BMJ	26 (22-30)	25 (22-28)	25 (22-28)	-1 (-2)	0.02
OR Time (min)	75 (63-87)	15 (12-18)	15 (12-18)	-60 (-62)	<0.01
ASA Class	5 (5)	5 (5)	5 (5)		0.79
1	24 (24)	5 (5)	5 (5)		
2	47 (47)	9 (9)	9 (9)		
3	15 (15)	2 (2)	2 (2)		
4	2 (2)	1 (1)	1 (1)		
Sex	5 (5)	5 (5)	5 (5)		0.18
F	24 (24)	5 (5)	5 (5)		
M	25 (25)	5 (5)	5 (5)		

Patients were available for all patients. The overall study population consisted of 100 women and 69 men. Data for patient age were available for 161 of the 164 patients and all 164 patients. Sedation and anaesthesia data for 161 patients were incomplete or unavailable for 79 patients in the GA group and 15 patients in the SA group. Data for the ASA status were available for 161 of the 164 patients and 161 of the 164 patients.

OR Time (min)

ASA Class

1

2

3

4

Sex

F

M

Source: Lloyd-Luke (1977) Anaesthetic accidents 207-208-209

Description: -

-
Business / Economics / Finance
Company Study.
Statistical Analysis
Financial Analysis
Forecasting
General
Rock & pop
Biography: film, television & music
Yale College (1718-1887) -- Dissertations
Anesthetics. Anaesthetic accidents - the complications of general and regional anaesthesia.
- Anaesthetic accidents - the complications of general and regional anaesthesia.
Notes: Includes bibliographies.
This edition was published in 1956



Filesize: 15.98 MB

Tags: #Risks #and #benefits #of #regional #anesthesia

Important Complications of Anaesthesia. Information

By holding as still as possible while the needle is placed, you may help to decrease the likelihood of a headache.

General anesthesia: Side effects, risks, and stages

If the surgery is more minor, an individual may choose local as a result, especially if they have a underlying condition, such as sleep apnea.

Complications of anesthesia for cesarean delivery

Very few patients have pure central sleep apnea and, in general, patients with central sleep apnea are not of special concern to the anesthesiologist, except under three special circumstances.

General Anaesthesia. Information on general anaesthesia

Shir et al divided patients into three groups, epidural-only, epidural-general, and general-only, and examined postoperative pain scores and analgesic requirements. Most often a patient has a small but undiagnosed leak in the lining of the lung. General anesthesia is, essentially, a medically induced , not sleep.

General anesthesia: Side effects, risks, and stages

You should also point out any teeth which are loose.

Comparative Effectiveness of Regional versus General Anesthesia for Hip Fracture Surgery in Adults

Damage to teeth It is now common practice to check the teeth in the anaesthetist's pre-operative assessment.

Related Books

- [Legenda Żeromskiego - recepcja twórczości pisarza w latach 1892-1926.](#)
- [Exemplarische Verkehrspolitik in der Bundesrepublik Deutschland - aufgezeigt am Beispiel der Bundes](#)
- [Building societies - the regulatory framework](#)
- [Manuscise miniaturate armene în colecții din România](#)
- [Growth, development, and unemployment in the Caribbean](#)