

Spurvehøgen - Accipiter nisus nisus (L.) With an English summary.

H. Hirschsprung - Vol. 15, No. 4, Oct., 1951 of The Journal of Wildlife Management on JSTOR



Description: -

-

Fruhtrunk, Günter, 1923-

French language -- Grammar -- 1870-

Hawks. Spurvehøgen - Accipiter nisus nisus (L.) With an English summary.

-

3

His Biologiske studier over danske rovfugle, Spurvehøgen - Accipiter nisus nisus (L.) With an English summary.

Notes: Bibliography: p. 149-150.

This edition was published in 1950



Filesize: 55.31 MB

Tags: #danmarksrovfugle.dk

Accipiter Nisus

We also examined the effect of body mass on the species' responses.

Translate nisus in French with contextual examples

All structured data from the file and property namespaces is available under the ; all unstructured text is available under the ; additional terms may apply.

Category:Accipiter nisus

Fødeundersøgelser viser, at Solsorten vægtemæssigt er meget vigtig for spurvehøgen efterfulgt af Skovspurv, Bogfinke, Gråspurv, Landsvale og Gulspurv. Hunnerne kan tage bytte som Ringdue og Skovskade, mens hannen ofte plyndrer fuglereder og fanger mejseunger i ungetiden. Fuglenes æg fik tynde skaller og æggenes evne til at klække blev reduceret.

Responses by breeding birds to heterospecific song and mobbing call playbacks under varying predation risk

Eine häufige Reptilienart ist die Waldnatter *Elaphe longissima* und neben den vielen Singvögeln auch der Schwarzspecht *Dryocopus martius*, der Grün- und Grauspecht *Picus viridis*, *Picus canis*, von den Tagesraubvögeln der Sperber *Accipiter nisus* und von den Nachtraubvögeln eine echte südländische Rarität, die Zwergohreule *Otus scops*. However, a higher proportion of nesting territories with the target nest situated in a Spruce-dominated forest stand seemed to lack alternative nests, probably due to the more intensive timber harvesting in Spruce-dominated landscapes.

Translate nisus in French with contextual examples

Attraction to territory songs, however, did not vary in relation to predation risk.

Category:Accipiter nisus

Hannen har overside blågrå og undersiden er tværstribet hvid og rustød. English secondary lead shot poisoning has now been documented in many locations in europe and north america in various raptorial species, including bald eagles, golden eagles aquila chrysaetos, northern goshawks accipiter g.

Accipiter Nisus

Spurvehøg par i parring Foto: Finn Birkholm-Clausen 2008 Ó Spurvehøgen forekommer som ynglefugl overalt i Danmark.

danmarksrovfugle.dk

With a summary in English.

Related Books

- [Security and sacrifice - isolation, intervention, and American foreign policy](#)
- [Acquisition and accounting system description manual](#)
- [Just my reflection- - helping parents to do things their way when their child dies](#)
- [Alexandre de Riquer \(1856-1920\) - the British connection in Catalan modernisme](#)
- [Teatro de vanguardia de Fernando Arrabal](#)