RAJALAKSHMI ENGINEERING COLLEGE

Mukilan S 251801195-2025-AIDS

M2

Started on	Thursday, 27 August 2026, 10:41 AM
State	Finished
Completed on	Thursday, 27 August 2026, 10:46 AM
Time taken	5 mins 3 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a Program to Implement the Quick Sort Algorithm

Input Format:
The first line contains the no of elements in the list-n
The next n lines contain the elements.

Output:
Sorted list of elements

For example:

Input	Result
5 67 34 12 98 78	12 34 67 78 98

Answer:

```c
#include <stdio.h>

void merge(int arr[], int low, int mid, int high) {
    int temp[10000];
    int i = low, j = mid + 1, k = low;

    while (i <= mid && j <= high) {
        if (arr[i] <= arr[j])
            temp[k++] = arr[i++];
        else
            temp[k++] = arr[j++];
    }

    while (i <= mid)
        temp[k++] = arr[i++];

    while (j <= high)
        temp[k++] = arr[j++];

    for (i = low; i <= high; i++)
        arr[i] = temp[i];
}

void mergeSort(int arr[], int low, int high) {
    if (low < high) {
        int mid = low + (high - low) / 2;

        mergeSort(arr, low, mid);
        mergeSort(arr, mid + 1, high);

        merge(arr, low, mid, high);
    }
}

int main() {
    int n;
    scanf("%d", &n);

    int arr[n];

    for (int i = 0; i < n; i++)
        scanf("%d", &arr[i]);

    mergeSort(arr, 0, n - 1);

    for (int i = 0; i < n; i++) {
```

```
47          printf("%d", arr[i]);
48
49          if (i < n - 1)
50              printf(" ");
51      }
52
```

	Input	Expected	Got	
✔	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✔
✔	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✔
✔	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course