# BRAND GUIDE

V 1.0

CITY OF
MUKILTEO

## BRAND COMPONENTS

The City of Mukilteo logo is a visual expression of our city and its people. It will be used by many and in numerous applications. Consistent use of the logo is critical to establishing our identity. Incorrect usage can dilute our brand identity and its effectiveness.

Shown below are the approved parent brand signatures for the City of Mukilteo. The logomark only version shown below is not intended to be used as a primary signature.

### VERTICAL SIGNATURE

*1" is the smallest reproduction recommendation*

### HORIZONTAL SIGNATURE

*1.25" is the smallest reproduction recommendation*

### LOGOMARK ONLY (LIMITED APPLICATION)

*It is permissible to use only the logomark as a watermark or a graphical element. It should only be used as a support graphic, not a primary identifier for the City of Mukilteo.*

## SUB-BRANDS

The City of Mukilteo brand includes the following approved sub-brands:

- City Council
- Executive Department
- Finance Department
- Fire Department
- Office of the Mayor
- Planning and Community Development Department
- Police Department
- Public Works Department
- Recreation and Cultural Services Department

Shown below is an example for how each sub-brand is to be formatted and displayed:

### VERTICAL SIGNATURE (SINGLE LINE SUB-BRAND)






## SUB-BRANDS

Shown below is an example for how a multiple line sub-brand is to be formatted and displayed:

### VERTICAL SIGNATURE (MULTIPLE LINE SUB-BRAND)

# SUB-BRANDS

## HORIZONTAL SIGNATURE (SINGLE LINE SUB-BRAND)

Be sure to scale rule proportionally when sizing logo up or down

2" is the smallest reproduction recommendation for any vertical sub-brand signature

## HORIZONTAL SIGNATURE (MULTIPLE LINE SUB-BRAND)

Be sure to scale rule proportionally when sizing logo up or down

2" is the smallest reproduction recommendation for any vertical sub-brand signature

## COLOR LOGOS

This color format is the preferred presentation of our logo. It should appear on a white or dark background whenever possible.

*Option 1: color logo on white*

*Option 3: reversed to color logo on deep navy*

*Option 2: reversed to color logo on black*

*Option 4: reversed to color logo on aqua*

## LIMITED COLOR LOGOS

Black or one-color logo presentations should appear on a white background whenever possible. Reversed logo presentations should appear on black or a dark-colored background.

*Option 1: black only logo on white*

*Option 4: reversed to white on PMS 2945*

*Option 2: one-color application, PMS 2945*

*Option 5: reversed to white on PMS 7716*

*Option 3: reversed to white on black*

## CLEAR ZONE

For the logo to maintain its visual impact, a minimum distance or clear zone must be maintained between our logo and other elements. The clear zone is equal to the height of the "M" in "Mukilteo."



## ALIGNMENT

When aligning elements to the logo, always use a side edge and bottom edge as a guide.

## CITY OF MUKILTEO LOGO PLUS OTHER WORDS

Other names and logos should always be outside the clear zone. Show below are examples of type placement opportunities.



## COMMON LOGO MISUSE

Do not alter the proportions of the logo.

Do not add a stroke to any of the logo's elements.

Do not use the logo in the middle of a statement or sentence.

Do not directly link another logo to the City of Mukilteo logo.

Do not place the logo at an angle; it must always appear horizontal or vertical.

Do not use low resolution JPEG or PNG logos in printed applications

Do not print logo in PMS 7716 only.

Do not alter or substitute any color used in the logo.

Do not cut off any portion of the logo.

Do not use the logotype without the logomark.

Do not alter the composition of the logo.

## COMMON LOGO MISUSE

Do not violate the clear zone with type, imagery, lines or shapes.

Do not alter or substitute the logomark.

Do not alter or substitute the logotype.

Do not use a watermarked version of the logo as a primary signature.

Do not remove the white circle beneath the color logomark in the reversed to color applications.

Do not alter the reversed to white version of the logo.

Do not use the logo with any unauthorized background color.

Do not print the logo on bright colored paper.

Do not place the logo on any low contrast background.

Do not place the logo on a busy background including photos, illustrations, or textures.

## LOGO DESIGN FORMATS

The City of Mukilteo identity package consists of a variety of logo design formats. This guide illustrates the uses of each format.

*For correct usage of the logo, please follow these guidelines.*

### FULL COLOR (CMYK) — VECTOR FILE FORMAT

This is the ideal type of logo format for traditional offset and digital printing. It can be enlarged without loss of image quality/resolution.

*Resolution when enlarged*

- ***File extensions:*** .ai, .eps, .pdf
- ***Required printing method:*** four-color process
- ***Preferred for:*** traditional offset printing or digital printing, such as: newsletters, brochures, color advertising, posters, postcards
- ***Not applicable for:*** web or on-screen use (must be RGB)

### FULL COLOR — RASTER FILE FORMAT

Unlike vector-based designs, raster-based file formats cannot be enlarged without loss of image quality/resolution. Raster-based file formats are primarily used for internal correspondence, on-screen display and web use.

*Resolution when enlarged*

- ***File extensions:*** .jpg, .tif, .png
- ***Required printing method:*** color laser printing or ink jet printing
- ***Preferred for:*** web or on-screen use (RGB files), internal office document printing (CMYK or RGB files)
- ***Not applicable for:*** traditional offset printing or digital printing, black and white printing, enlarged logo applications

## SPOT COLOR (PMS INKS, ONE- OR TWO-COLOR PRINTING) — VECTOR FILE FORMAT

This is the ideal type of logo format for traditional offset and digital printing. It can be enlarged without loss of image quality/resolution and can be economical when used in limited, spot color printing.

CITY OF MUKILTEO

*Resolution when enlarged*

- ***File extensions:*** .ai, .eps, .pdf
- ***Required printing method:*** spot color (PMS) printing
- ***Preferred for:*** stationery, signage, embroidery, screen printing, such as: coffee cups, pens, t-shirts
- ***Not applicable for:*** web use, four-color process printing

## BLACK AND WHITE — VECTOR FILE FORMAT

This is the only logo format that uses solely 100% black. It can be enlarged without loss of image quality/resolution. It can also be used on low resolution reproduction such as faxes and checks.

CITY OF MUKILTEO

*Resolution when enlarged*

- ***File extensions:*** .ai, .eps, .pdf
- ***Required printing method:*** black and white printing, one-color (spot) printing
- ***Preferred for:*** black and white printing or one-color (PMS) offset printing, embroidery, screen printing, such as: coffee cups, pens, t-shirts
- ***Not applicable for:*** web use, four-color process printing

## BLACK AND WHITE — RASTER FILE FORMAT

Unlike the vector-based black and white logo, raster file formats cannot be enlarged without loss of image quality/resolution.

CITY OF MUKILTEO

*Resolution when enlarged*

- ***File extensions:*** .jpg, tif
- ***Required printing method:*** black and white printing/internal black and white laser printer
- ***Preferred for:*** low resolution black and white printing, internal office document printing
- ***Not applicable for:*** web use, traditional offset printing or digital printing

# COLOR PALETTE

## PRIMARY COLORS

When the color palette is used consistently, the City of Mukilteo brand will be clear and easy to recognize. Tints/percentages of brand colors are acceptable to use in moderation.

## DEEP NAVY

| Spot (PMS*) colors | Process (CMYK) colors | sRGB/HEX colors |
|---|---|---|
| PMS 2955 | C=100 M=60 Y=10 K=53 | R=0 G=54 B=96<br>HEX: 003660 |

## AQUA

| Spot (PMS*) colors | Process (CMYK) colors | sRGB/HEX colors |
|---|---|---|
| PMS 7716 | C=71 M=24 Y=42 K=0 | R=79 G=155 B=153<br>HEX: 4F9B99 |

**PMS: Pantone Matching System is a standardized color reproduction system.*

*While the PMS numbers and CMYK build percentages are exact, the brand colors in this guide are approximate and subject to printer and computer screen variations. Never use these swatches for any color matching. Always refer to Pantone Matching System color swatches for accurate color representation. In addition, colors will vary based on reproduction method, including printing process and paper coating. For optimum reproduction across all platforms, work closely with your printing or web service provider. Final colors may need to be adjusted pending final reproduction method.*

# COLOR PALETTE

## SECONDARY COLORS

The City of Mukilteo brand also incorporates a secondary color palette that can be used to complement the primary brand colors.

### Process (CMYK) colors

COOL ◀ | ▶ WARM

PRIMARY BRAND PALETTE

| | | | | |
|---|---|---|---|---|
| | HEX# 919ed0<br>C=43 M=33 Y=0 K=0 | | | |
| HEX# 6ebce9<br>C=52 M=10 Y=0 K=0 | HEX# 659ad2<br>C=60 M=30 Y=0 K=0 | HEX# 00355f<br>C=100 M=60 Y=10 K=53 | HEX# 952d44<br>C=50 M=100 Y=180 K=0 | |
| | HEX# 7cc7c1<br>C=50 M=2 Y=27 K=0 | HEX# 4e9a98<br>C=71 M=21 Y=42 K=0 | HEX# d24d4b<br>C=15 M=85 Y=73 K=0 | HEX# ec8d1c<br>C=0 M=50 Y=100 K=4 |
| | HEX# aed8a4<br>C=30 M=0 Y=45 K=0 | | | HEX# fdbc11<br>C=0 M=28 Y=100 K=0 |

NEUTRAL ◀ | ▶ WARM

| | | | | |
|---|---|---|---|---|
| HEX# b1b3b5<br>C=0 M=0 Y=0 K=30 | HEX# 58585b<br>C=0 M=0 Y=0 K=80 | HEX# 000000<br>C=0 M=0 Y=0 K=100 | HEX# 625445<br>C=0 M=15 Y=30 K=75 | HEX# c0b7ae<br>C=0 M=5 Y=10 K=28 |

*None of the above colors replace the primary brand color palette. These colors are intended to be used sparingly and as accent, secondary colors.*

## FONTS

*Avenir Next Condensed, Demi Bold*
*Horizontal scale, 116%*

CITY OF
MUKILTEO

*Rosewood Fill*
*Horizontal scale, 124%*

### APPROVED FONTS (PRINT APPLICATIONS)
*SERIF*

**ROSEWOOD FILL**

**ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890**

### APPROVED FONTS (PRINT APPLICATIONS)
*SANS SERIF (EXAMPLES*)*

| | |
|---|---|
| Museo Sans Condensed, 100 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans Condensed, 300 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans Condensed, 500 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans Condensed, 700 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans Condensed, 900 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |

| | |
|---|---|
| Museo Sans, 100 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans, 300 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans, 500 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans, 700 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |
| Museo Sans, 900 | ABCDEFGHIJKLMNOPQRSTUVWXYZ<br>abcdefghijklmnopqrstuvwxyz |

** Italic versions of the Museo Sans font families are also acceptable.*

# FONTS

## APPROVED FONTS (PRINT APPLICATIONS)

*SERIF (EXAMPLES*)*

| | |
|---|---|
| Chaparral Pro Light | A B C D E F G H I J K L M N O P Q R S T U V W X Y Z<br>a b c d e f g h i j k l m n o p q r s t u v w x y z |
| Chaparral Pro Regular | A B C D E F G H I J K L M N O P Q R S T U V W X Y Z<br>a b c d e f g h i j k l m n o p q r s t u v w x y z |
| **Chaparral Pro Semibold** | **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**<br>**a b c d e f g h i j k l m n o p q r s t u v w x y z**<br>***a b c d e f g h i j k l m n o p q r s t u v w x y z*** |
| **Chaparral Pro Bold** | **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**<br>**a b c d e f g h i j k l m n o p q r s t u v w x y z** |

## APPROVED FONTS (ON-SCREEN/WEB USE AND LIMITED PRINT APPLICATIONS)

*SERIF (EXAMPLES*)*

| | |
|---|---|
| Georgia Regular | A B C D E F G H I J K L M N O P Q R S T U V W X Y Z<br>a b c d e f g h i j k l m n o p q r s t u v w x y z |
| **Georgia Bold** | **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**<br>**a b c d e f g h i j k l m n o p q r s t u v w x y z** |

## APPROVED FONTS (ON-SCREEN/WEB USE AND LIMITED PRINT APPLICATIONS)

*SANS SERIF (EXAMPLES*)*

| | |
|---|---|
| Arial Regular | A B C D E F G H I J K L M N O P Q R S T U V W X Y Z<br>a b c d e f g h i j k l m n o p q r s t u v w x y z |
| **Arial Bold** | **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**<br>**a b c d e f g h i j k l m n o p q r s t u v w x y z** |

** Italic versions of the above font families are also acceptable.*

*Museo Sans font families, Chaparral Pro font family, and Rosewood Fill are always preferred to Georgia and Arial in printed applications.*

# LOGO WEAR

## LOGO SOLUTIONS FOR DARK APPAREL

For shirts/jackets, the logo should typically be sized between 3" and 3.5" (vertical logo preferred) and be placed on the left breast or the left sleeve of the shirt.

*Preferred option:*
*one-colored logo, white against deep navy or aqua shirt*

*Acceptable option:*
*one-colored logo, white against charcoal gray shirt*

# LOGO WEAR

## LOGO SOLUTIONS FOR LIGHT APPAREL

For shirts/jackets, the logo should typically be sized between 3" and 3.5" (vertical logo preferred) and be placed on the left breast or the left sleeve of the shirt.

*Preferred option:*
*one-colored logo on white or light gray shirt, match PMS 2955 and PMS 7718*

*Acceptable option:*
*one-colored logo on white or light gray shirt, match PMS 2955*