



# Goal-oriented Requirements Engineering

—A Brief Introduction of My Current Research Topics—

September 15, 2017

Shin'ichi SATO  
Assistant Professor  
Aoyama Gakuin University




# Requirements Engineering

- ▶ **Requirements Engineering (RE)** is one of the research fields in Software Engineering.
- ▶ The research object of RE is the **requirements analysis** process which is the most upstream process of software development project.
- ▶ In RE community, **Goal-oriented Requirements Engineering (GORE)** has been intensively studied as a formal requirements elicitation method.

# Overview of GORE

► The basic procedure of GORE is as follows.

- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
- 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
- 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.




Toy goal graph

# Overview of GORE


► The basic procedure of GORE is as follows.

- ➊ Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
- ➋ Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
- ➌ Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.




# Overview of GORE

- The basic procedure of GORE is as follows.
- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
  - 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
  - 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.



# Overview of GORE


- The basic procedure of GORE is as follows.
- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
  - 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
  - 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.



# Overview of GORE


► The basic procedure of GORE is as follows.

- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
- 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
- 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.



# Overview of GORE


- The basic procedure of GORE is as follows.
- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
  - 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
  - 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.






# Overview of GORE

- The basic procedure of GORE is as follows.
- 1 Based on customers' needs, **root goals** are formulated. A goal is an achieved state.
  - 2 Goals are recursively decomposed until concrete goals are defined that can be processed by a software developed by stakeholders.
  - 3 Goals are selected as requirements from well-decomposed **leaf goals** on the goal graph.



# My research topics

- 1 Construction of mathematical models for **goal decomposition** based on Case-based Decision Theory
- 2 Construction of **goal selection** algorithms
- 3 Construction of useful **attributes** for GORE



Two main requirements elicitation phases in GORE approach



*Thanks for listening!!!*