

Scenario: [chosen scenario] : "Test OTP login on mobile."

Weak Prompt: No platform (Android/iOS), no OTP expiry time,

no resend behavior, no network failure scenario, no Appium/device context

Search - Microsoft Bing x Generate OTP Test Cases x TestLeaf x + Ask Gemini

https://chatgpt.com/c/6a91584a-4e9c-83ee-b9de-b38075043f85

Product managem... Post Attendee - Zoo... Google Calendar... IRONLADY SDET TestLeaf Program AI Agents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat Images Library Scheduled Plugins Projects Codex More

Reacts

Generate OTP Test Cases

Resolve Groq model error Starting Strength Training Generate Login Test Cases Excel AI Models Comparison LLM Providers Compared AI Assistants Compared Accessing Chrome Extension Automation Framework Structure Mukti Garg Free Upgrade

Generate test cases for Test OTP login on mobile.

Below are 10 functional test cases for OTP Login on Mobile, covering positive, negative, validation, boundary, and error/failure scenarios.

TC ID	Test Scenario	Test Data / Precondition	Steps	Expected
OTP-001	Login with valid OTP	Registered mobile number; valid OTP received	1. Enter registered mobile number 2. Request OTP 3. Enter valid OTP 4. Tap Login	User is successfully logged in and navigated to the home/dashboard
OTP-002	Login with incorrect OTP	Registered mobile number; incorrect OTP	1. Request OTP 2. Enter an incorrect OTP 3. Tap Login	Login fails with an error message
OTP-003	Login with expired OTP	OTP has passed its validity period	1. Request OTP 2. Wait until OTP expires 3. Enter expired OTP 4. Tap Login	Login fails with a message that the OTP has expired
OTP-004	Verify OTP with empty field	OTP screen displayed	1. Leave OTP field blank 2. Tap Login/Verify	Validation error message is displayed
OTP-005	Verify OTP with fewer digits	OTP length configured as 6 digits	1. Enter fewer than 6 digits 2. Tap Login/Verify	User cannot proceed until the correct length is entered

+ Ask anything Think

Search - Microsoft Bing x Generate OTP Test Cases x TestLeaf x + Ask Gemini

https://chatgpt.com/c/6a91584a-4e9c-83ee-b9de-b38075043f85

Product managem... Post Attendee - Zoo... Google Calendar... IRONLADY SDET TestLeaf Program AI Agents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat Images Library Scheduled Plugins Projects Codex More

Reacts

Generate OTP Test Cases

Resolve Groq model error Starting Strength Training Generate Login Test Cases Excel AI Models Comparison LLM Providers Compared AI Assistants Compared Accessing Chrome Extension Automation Framework Structure Mukti Garg Free Upgrade

requesting new OTP

Enter the first/old OTP 4. Tap Login

OTP-010

Exceed maximum OTP verification attempts

Maximum retry limit configured

1. Enter incorrect OTP repeatedly until the configured limit is reached

Further validation rule, and message.

Additional mobile-specific scenarios to consider

For a production-quality test suite, I would also cover:

- OTP auto-read/auto-fill behavior on Android/iOS
- OTP screen when the device has **no network**
- Switching between Wi-Fi and mobile data while waiting for OTP
- App going to background and returning to OTP screen
- App being killed/restarted while OTP is pending
- OTP received late due to SMS/network delay
- Multiple rapid taps on **Login** or **Resend OTP**
- Mobile number changed after OTP request
- Session timeout while on OTP screen
- Device date/time being incorrect
- OTP masking/privacy behavior
- Accessibility: keyboard, focus, screen reader, and paste behavior
- Rate limiting after repeated OTP requests

If you want, I can also generate these as a **downloadable Excel test-case sheet** with columns such as **Test Case ID, Module, Scenario, Preconditions, Test Data, Steps, Expected Result, Priority, Severity, and Type**.

+ Ask anything Think

Strong Prompt

I - Instruction : Generate Test Cases for Test OTP login on mobile.

- Focus only on Functional Test Cases, Negative Test Case , Edge case scenarios, UI/UX, Security Test case.
- Test cases should be verified under both Androis and iOS platform
- Generate 40 test cases. Test case should consider the following functionality
 - OTP format
 - OTP resend features in case OTP gets expired, network failure
 - Android and iOS specific features
 - Security features like unable to reuse the used OTP
 - OTP is not logged in the device's local console/logs
 - Consider Appium/device context

C - Context : We have developed OTP login functionality for existing Loan Origination web application. Now this needs to be verified as part of Mobile App that is developed for both Android and iOS

E - Example : Test Case ID | Test Case Description | Prerequisite | Test Steps | Expected Result | Status

TC_015 | Verify successful login and redirection to the Home screen upon entering the correct OTP. |



1. App is launched.
2. User is on the OTP Verification screen.
3. A valid OTP has been sent to the device.
4. Device has an active internet connection. |
1. Open the SMS app and note the received OTP.
2. Return to the app and tap the OTP input field.
3. Enter the exact correct OTP.
4. Tap the "Verify" button. |
1. The "Verify" button shows a brief loading spinner.
2. The backend successfully authenticates the user.
3. The user is seamlessly redirected to the Home/Dashboard screen.

4. A "Login Successful" toast/message is displayed. |

P - Persona : Act as Senior Test Engineer

O - Output Format : Generate test cases excel downloadable file

T - Tone : Generate Test case following QA standards



Verify successful login with valid OTP				
Test Case ID	Test Case Description	Prerequisite	Test Steps	Expected Result
TC_OTP_001	Verify successful login with valid OTP	App installed and launched; user is on OTP screen; valid OTP received; internet available	1. Tap OTP field. 2. Enter the valid OTP. 3. Tap Verify.	OTP is accepted; auth Home/Dashboard.
TC_OTP_002	Verify login fails with incorrect OTP	User is on OTP screen; valid OTP exists	1. Enter an incorrect OTP. 2. Tap Verify.	OTP is rejected; clear
TC_OTP_003	Verify OTP cannot be submitted when field is empty	User is on OTP screen	1. Leave OTP field blank. 2. Tap Verify.	Required-field validation
TC_OTP_004	Verify OTP with fewer digits than configured length	OTP length is configured as 6 digits	1. Enter 5 digits. 2. Tap Verify.	OTP is not accepted;
TC_OTP_005	Verify OTP with more digits than configured length	OTP length is configured as 6 digits	1. Attempt to enter more than 6 digits.	Additional digits are p length.
TC_OTP_006	Verify OTP accepts only numeric characters	OTP is numeric	1. Attempt to enter alphabets in OTP field. 2. Attempt special characters.	Non-numeric charact
TC_OTP_007	Verify OTP containing leading zero is accepted	Valid OTP begins with zero	1. Enter the valid OTP including the leading zero. 2. Tap Verify.	Leading zero is retain
TC_OTP_008	Verify OTP is case-insensitive only where applicable	OTP format is numeric	1. Attempt alphabetic input.	Alphabetic input is rej
TC_OTP_009	Verify spaces cannot alter OTP validation	Valid numeric OTP available	1. Paste/type OTP with leading or trailing spaces. 2. Tap Verify.	Spaces are rejected o
TC_OTP_010	Verify expired OTP is rejected	OTP has exceeded configured validity period	1. Wait until OTP expires. 2. Enter expired OTP. 3. Tap Verify.	Expired OTP is rejecte
TC_OTP_011	Verify resend OTP after expiry	OTP has expired	1. Tap Resend OTP. 2. Enter newly received OTP. 3. Tap Verify.	New OTP is generate
TC_OTP_012	Verify resend OTP after network failure	OTP screen displayed; network can be disabled	1. Disable network. 2. Tap Resend OTP. 3. Restore network. 4. Retry resend.	App shows network f; connectivity is restor
TC_OTP_013	Verify OTP submission during network failure	Valid OTP available; network disabled	1. Disable network. 2. Enter valid OTP. 3. Tap Verify.	App shows network/c
TC_OTP_014	Verify resend OTP generates a new OTP	User can request resend	1. Request OTP. 2. Tap Resend OTP. 3. Compare the two OTP messages.	New OTP is generate
TC_OTP_015	Verify previously issued OTP is invalidated after resend	Two OTPs requested sequentially	1. Request OTP. 2. Resend OTP. 3. Enter first OTP. 4. Tap Verify.	Old OTP is rejected w
TC_OTP_016	Verify used OTP cannot be reused	User has successfully logged in with an OTP	1. Complete login using valid OTP. 2. Attempt to reuse the same OTP in another verification flow.	Previously used OTP i session/request.
TC_OTP_017	Verify OTP is bound to the correct login transaction	OTP generated for one login transaction	1. Start login transaction A. 2. Generate OTP. 3. Start/trigger transaction B if	OTP cannot be used f

Verify successful login with valid OTP															
Expected Result	Test Type	Priority	Platform												
OTP is accepted; authentication succeeds; user is redirected to Home/Dashboard.	Functional / Positive	P1	Android & iOS												
OTP is rejected; clear error message is displayed; user remains on OTP screen.	Negative	P1	Android & iOS												
Required-field validation is displayed; authentication request is not submitted.	Negative / UI	P1	Android & iOS												
OTP is not accepted; validation indicates the required OTP length.	Negative / Boundary	P1	Android & iOS												
Additional digits are prevented or ignored; field retains only the configured OTP length.	Edge / UI	P2	Android & iOS												
Non-numeric characters cannot be entered or are rejected with validation.	Negative / UI	P1	Android & iOS												
Leading zero is retained and the valid OTP is accepted.	Boundary / Functional	P1	Android & iOS												
Alphabetic input is rejected; OTP remains numeric-only.	Negative	P2	Android & iOS												
Spaces are rejected or safely trimmed according to specification; OTP cannot be bypassed by whitespace manipulation.	Negative / Security	P2	Android & iOS												
Expired OTP is rejected and expiry message with resend option is displayed.	Negative / Edge	P1	Android & iOS												
New OTP is generated/delivered; latest valid OTP successfully authenticates the user.	Functional	P1	Android & iOS												
App shows network failure without crashing; resend can be retried after connectivity is restored.	Negative / Edge	P1	Android & iOS												
App shows network/connectivity error; no false successful login occurs.	Negative	P1	Android & iOS												
New OTP is generated according to backend policy and is delivered to the registered device.	Functional	P1	Android & iOS												
Old OTP is rejected when policy requires only the latest OTP to remain valid.	Security	P1	Android & iOS												
Previously used OTP is rejected and cannot authenticate another session/request.	Security	P1	Android & iOS												
OTP cannot be used for an unrelated transaction.	Security	P1	Android & iOS												



OTP_Login_Mobile_Te
st_Cases_Android_iOS

Scenario 2:

The screenshot shows the ChatGPT web interface with a prompt: "Write API test cases for user registration." The response includes a title, a description, an assumed API endpoint, a sample request in JSON, and a table of test cases.

Write API test cases for user registration.

Below is a comprehensive **API test-case set for User Registration**, designed for execution and verification in **Postman**.

Assumed API

`POST /api/v1/users/register`

Sample request:

```
JSON
{
  "firstName": "Mukti",
  "lastName": "Garg",
  "email": "muktig@example.com",
  "password": "Test@12345",
  "phone": "9876543210"
}
```

TC ID	Category	Test Scenario	HTTP Method	Expected Status
REG-API-001	Positive	Register with all valid mandatory fields	POST	201 Created
REG-API-002	Positive	Register with valid optional fields	POST	201 Created

valid field lengths

The screenshot shows the continuation of the ChatGPT response, including a table of test cases and a list of important HTTP status codes to verify.

TC ID	Category	Test Scenario	HTTP Method	Expected Status
REG-API-003	Negative	Register with missing mandatory fields	POST	400 Bad Request
REG-API-004	Negative	Register with invalid email format	POST	400 Bad Request
REG-API-005	Negative	Register with weak password	POST	400 Bad Request
REG-API-006	Negative	Register with duplicate email	POST	409 Conflict
REG-API-007	Negative	Register with duplicate phone	POST	409 Conflict
REG-API-008	Security	Verify response Content-Type	POST	201
REG-API-009	Security	Validate response schema	POST	201
REG-API-010	Security	Validate data types in response	POST	201
REG-API-011	Performance	Registration API under normal load	POST	201
REG-API-012	Performance	Registration API under high load	POST	201
REG-API-013	HTTP	Verify successful response status	POST	201
REG-API-014	HTTP	Verify validation failure status	POST	400

* Depends on the API's documented boundary rules.

Important HTTP status codes to verify

- 201 Created — successful registration
- 400 Bad Request — invalid/missing input
- 401 Unauthorized — if authentication is required
- 403 Forbidden — if registration is restricted
- 409 Conflict — duplicate email/phone

Search - Microsoft Bing

Write API Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915c0c-a5bc-83e8-9d6d-c370e226bd90

Product managem...Post Attendee - Zoo...Google Calendar ~...IRONLADYSDETTestLeaf ProgramAI AgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

AI Assistants Compared

Accessing Chrome Extension

Mukti GargFreeUpgrade

• **409 Conflict** — duplicate email/phone

• **415 Unsupported Media Type** — incorrect Content-Type

• **422 Unprocessable Entity** — semantic validation failure, if used by the API

• **429 Too Many Requests** — rate limiting

• **500 Internal Server Error** — unexpected server error

• **503 Service Unavailable** — dependent service unavailable

Postman verification

For each test case, verify at least:

1. HTTP status code

2. Response body

3. Response schema

4. Response headers

5. Response time

6. Database/user creation where accessible

7. Error code and error message

8. Sensitive-data exposure

9. Request/response data consistency

10. Authentication/authorization behavior where applicable

For a real project, I would recommend converting these into an Excel-ready format with columns: **Test Case ID | Category | Endpoint | HTTP Method | Headers | Request Body | Test Data | Expected Status Code | Expected Response | Postman Validation Script | Priority.**

ChatGPT can make mistakes. Check important info.

+ Ask anything

Think

Strong Prompt: I - Instruction : Generate 20 comprehensive API Test Cases for User Registration.

[CRITICAL]:

Focus only on:

Functional API testing

Positive test cases

Negative test cases

Boundary/edge cases

Validation testing

HTTP method validation

HTTP status code validation

Request/response validation

Authentication/authorization where applicable

API security-related functional checks

Error handling

All test cases must be executable/validatable using Postman.

Do not assume undocumented API behavior. Clearly mark assumptions where endpoint details are not provided.

Cover the following HTTP methods:

POST – User Registration

GET – Verify/retrieve registered user where applicable

PUT – Update registered user where applicable

PATCH – Partially update registered user where applicable

DELETE – Delete registered user where applicable

HEAD/OPTIONS – Validate API behavior where applicable

For every HTTP method, verify:

Correct HTTP method

Incorrect HTTP method

Expected HTTP status code

Unexpected/unsupported method response

Response headers

Response body

Response schema

Response time

Validate appropriate HTTP status codes, including where applicable:

200 OK

201 Created

202 Accepted

204 No Content

400 Bad Request

401 Unauthorized

403 Forbidden

404 Not Found

405 Method Not Allowed

409 Conflict

415 Unsupported Media Type

422 Unprocessable Entity

429 Too Many Requests

500 Internal Server Error

502/503/504 where applicable

Verify request validation for:

Mandatory fields

Optional fields

Missing fields

Null values

Empty strings

Whitespace

Invalid data types

Invalid formats

Minimum/maximum length

Boundary values

Duplicate user registration

Invalid email

Invalid phone number

Invalid password format where applicable

Special characters

Unicode characters

Unexpected/extra fields

Validate response data:

HTTP status code

Response body

JSON structure

Field names

Data types

Mandatory response fields

Error message

Error code

Headers

Content-Type

Response time

Include Postman-specific validation:

Environment variables

Collection variables

Pre-request scripts where useful

Tests tab assertions

Chaining requests

Dynamic test data

Capturing user ID/token from responses

Positive and negative assertions

Include security-focused API checks that can safely be validated through Postman, such as:

Missing/invalid authentication token

Invalid authorization

Sensitive data exposure in response

Password not returned in plain text

Malformed input handling

Excessive request/rate-limit behavior

HTTP method tampering

Unexpected fields

Basic injection-style input validation

Include test cases for malformed JSON and unsupported Content-Type.

Include test cases for duplicate requests and repeated registration attempts.

Include tests for idempotency/retry behavior where applicable.

Include tests for invalid endpoint/resource IDs for GET/PUT/PATCH/DELETE where applicable.

Do not create UI test cases.

Postman Execution Requirement:

For each test case, provide enough information for a QA engineer to execute it in Postman, including the HTTP method, endpoint, headers, request body/test data, and expected response.

C - Context : We have developed a User Registration API for an application. The API allows a new user to register by submitting user details. The API must be tested using Postman.

E - Example :

| Test Case ID | Test Case Description | HTTP Method | Endpoint | Preconditions | Headers | Request Body / Test Data | Postman Steps | Expected Status Code | Expected Response / Validation | Test Type | Priority |

Postman Test Script Requirement:

For important test cases, provide a sample Postman Tests script assertion using JavaScript, for example:

```
pm.response.to.have.status(201);
```

Also include assertions for important response fields, data types, headers, and response time where applicable.

Quality Rules:

Do not duplicate test scenarios.

Each test case must validate a distinct condition.

Use realistic API testing terminology.

Clearly distinguish client-side errors (4xx) from server-side errors (5xx).

Do not mark a status code as expected unless it is appropriate for the scenario; where behavior depends on the API contract, state "As per API contract."

Prioritize critical registration scenarios as P1.

Ensure the final 40 test cases provide balanced coverage across positive, negative, boundary, HTTP method, status code, response validation, security, and Postman execution scenarios.

P - Persona : Act as a Senior API Test Engineer / QA Automation Lead with expertise in REST API testing, HTTP protocols, Postman, API security, negative testing, and enterprise QA standards.

O - Output Format : Generate test cases excel downloadable file

T - Tone : Generate Test case following QA standards

Search - Microsoft Bing x Write API Test Cases x Testleaf x + Ask Gemini

https://chatgpt.com/c/6a915c0c-a5bc-83e8-9d6d-c370e226bd90

Product managem... Post Attendee - Zoo... Google Calendar ... IRONLADY SDet TestLeaf Program AI Agents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat
Images
Library
Scheduled
Plugins
Projects
Codex
More

Recents

Write API Test Cases
Generate OTP Test Cases
Resolve Groq model error
Starting Strength Training
Generate Login Test Cases
Excel AI Models Comparison
LLM Providers Compared
AI Assistants Compared
Accessing Chrome Extension

Mukti Garg Free Upgrade

Positive test cases
Negative test cases
Boundary/edge cases
Validation testing
HTTP method validation
HTTP status code validation
Show more

I've created the **40 comprehensive User Registration API test cases** in an Excel file, with Postman execution details and sample JavaScript assertions.

The workbook includes:

- **40 distinct API test cases**
- POST, GET, PUT, PATCH, DELETE, HEAD/OPTIONS
- Positive, negative, boundary, validation, security and error handling
- HTTP method and status-code validation
- Request/response validation
- Authentication/authorization scenarios
- Duplicate/retry/idempotency scenarios
- Malformed JSON and unsupported Content-Type
- Invalid resource IDs
- Rate limiting
- Postman variables, chaining and dynamic test data
- **Postman Tests scripts** for important cases
- **Separate Postman Setup & Execution sheet**

+ Ask anything Think

Search - Microsoft Bing x Write API Test Cases x Testleaf x + Ask Gemini

https://chatgpt.com/c/6a915c0c-a5bc-83e8-9d6d-c370e226bd90

Product managem... Post Attendee - Zoo... Google Calendar ... IRONLADY SDet TestLeaf Program AI Agents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat
Images
Library
Scheduled
Plugins
Projects
Codex
More

Recents

Write API Test Cases
Generate OTP Test Cases
Resolve Groq model error
Starting Strength Training
Generate Login Test Cases
Excel AI Models Comparison
LLM Providers Compared
AI Assistants Compared
Accessing Chrome Extension

Mukti Garg Free Upgrade

I've created the **40 comprehensive User Registration API test cases** in an Excel file, with Postman execution details and sample JavaScript assertions.

The workbook includes:

- **40 distinct API test cases**
- POST, GET, PUT, PATCH, DELETE, HEAD/OPTIONS
- Positive, negative, boundary, validation, security and error handling
- HTTP method and status-code validation
- Request/response validation
- Authentication/authorization scenarios
- Duplicate/retry/idempotency scenarios
- Malformed JSON and unsupported Content-Type
- Invalid resource IDs
- Rate limiting
- Postman variables, chaining and dynamic test data
- **Postman Tests scripts** for important cases
- **Separate Postman Setup & Execution sheet**

Download: [User Registration API Test Cases - Postman Excel](#)

[User_Registration_API_Test_Cases_Postman.xlsx](#)
Spreadsheet

ChatGPT can make mistakes. Check important info.

+ Ask anything Think


User_Registration_API
_Test_Cases_Postman.

REG-API-004				
	A	B	C	D
	Test Case ID	Test Case Description	HTTP Method	Endpoint
1	REG-API-001	Register user with all valid mandatory fields	POST	{{baseUri}}/api/v1/users/register
2	REG-API-002	Register user with valid optional fields	POST	{{baseUri}}/api/v1/users/register
3	REG-API-003	Reject registration when each mandatory field is missing	POST	{{baseUri}}/api/v1/users/register
4	REG-API-004	Reject null mandatory field values	POST	{{baseUri}}/api/v1/users/register
5	REG-API-005	Reject empty and whitespace-only mandatory values	POST	{{baseUri}}/api/v1/users/register
6	REG-API-006	Reject invalid data types	POST	{{baseUri}}/api/v1/users/register
7	REG-API-007	Validate email format	POST	{{baseUri}}/api/v1/users/register
8	REG-API-008	Validate phone number format	POST	{{baseUri}}/api/v1/users/register
9	REG-API-009	Validate password policy	POST	{{baseUri}}/api/v1/users/register
10	REG-API-010	Validate minimum and maximum field boundaries	POST	{{baseUri}}/api/v1/users/register
11	REG-API-011	Accept valid special and Unicode characters where contract allows	POST	{{baseUri}}/api/v1/users/register
12	REG-API-012	Reject unexpected/extra fields	POST	{{baseUri}}/api/v1/users/register
13	REG-API-013	Reject duplicate registration	POST	{{baseUri}}/api/v1/users/register
14	REG-API-014	Handle repeated identical registration requests safely	POST	{{baseUri}}/api/v1/users/register
15	REG-API-015	Malformed JSON handling	POST	{{baseUri}}/api/v1/users/register
16	REG-API-016	Unsupported Content-Type	POST	{{baseUri}}/api/v1/users/register
17	REG-API-017	Validate unsupported HTTP methods on registration endpoint	GET/PUT/PATCH/DELETE	{{baseUri}}/api/v1/users/register
18	REG-API-018	HEAD and OPTIONS behavior	HEAD / OPTIONS	{{baseUri}}/api/v1/users/register
19	REG-API-019	Missing authentication token where registration requires authentication	POST	{{baseUri}}/api/v1/users/register
20	REG-API-020	Invalid or insufficient authorization	POST	{{baseUri}}/api/v1/users/register
21	REG-API-021	Retrieve newly registered user	GET	{{baseUri}}/api/v1/users/{{userId}}
22	REG-API-022	Retrieve user with invalid/nonexistent ID	GET	{{baseUri}}/api/v1/users/{{invalidUserId}}
23	REG-API-023	Update registered user with valid data	PUT	{{baseUri}}/api/v1/users/{{userId}}
24	REG-API-024	Reject PUT for nonexistent resource	PUT	{{baseUri}}/api/v1/users/{{invalidUserId}}
25	REG-API-025	Partially update registered user	PATCH	{{baseUri}}/api/v1/users/{{userId}}
26	REG-API-026	Reject PATCH for invalid resource ID	PATCH	{{baseUri}}/api/v1/users/{{invalidUserId}}
27	REG-API-027	Partial update for nonexistent resource	PATCH	{{baseUri}}/api/v1/users/{{invalidUserId}}

Scenario: ❌ Weak: "Generate test cases for file upload."

Search - Microsoft Bing x Generate Upload Test Cases x Testleaf x + Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem... Post Attendee - Zoo... Google Calendar ... IRONLADY SDET TestLeaf Program AIAgents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat Images Library Scheduled Plugins Projects Codex More

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti Garg Free Upgrade

Generate test cases for file upload

Fast answer

Below is a comprehensive set of **File Upload Test Cases** categorized by functionality, validation, security, performance, and usability.

1. Functional Test Cases

TC ID	Test Scenario	Expected Result
FU_001	Upload a valid file	File uploads successfully
FU_002	Upload multiple valid files	All files upload successfully
FU_003	Upload file using drag-and-drop	File uploads successfully
FU_004	Upload file using Browse button	File uploads successfully
FU_005	Replace an uploaded file	New file replaces old file
FU_006	Remove uploaded file before submission	File is removed successfully
FU_007	Upload file and submit form	File is stored and linked correctly
FU_008	Cancel upload in progress	Upload stops successfully

+ Ask anything

Think

Search - Microsoft Bing x Generate Upload Test Cases x Testleaf x + Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem... Post Attendee - Zoo... Google Calendar ... IRONLADY SDET TestLeaf Program AIAgents Phase2 TestLeaf SeleniumTestLeaf yoga class All Bookmarks

ChatGPT

New chat Images Library Scheduled Plugins Projects Codex More

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti Garg Free Upgrade

FU_007	Upload file and submit form	File is stored and linked correctly
FU_008	Cancel upload in progress	Upload stops successfully
FU_009	Retry failed upload	Upload resumes successfully
FU_010	Upload file after page refresh (if supported)	Upload resumes or behaves as designed

2. File Type Validation

TC ID	Test Scenario	Expected Result
FU_011	Upload supported file type (PDF)	Upload successful
FU_012	Upload supported image file (JPG, PNG)	Upload successful
FU_013	Upload supported document (DOCX, XLSX)	Upload successful
FU_014	Upload unsupported file type (.exe)	Error message displayed
FU_015	Upload unsupported archive format	Upload rejected

+ Ask anything

Think

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar ...IRONLADYSDETTestLeaf ProgramAIAgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

2. File Type Validation

TC ID	Test Scenario	Expected Result
FU_011	Upload supported file type (PDF)	Upload successful
FU_012	Upload supported image file (JPG, PNG)	Upload successful
FU_013	Upload supported document (DOCX, XLSX)	Upload successful
FU_014	Upload unsupported file type (.exe)	Error message displayed
FU_015	Upload unsupported archive format	Upload rejected
FU_016	Upload file with incorrect extension	Upload rejected
FU_017	Rename .exe file to .jpg and upload	Validation detects actual file type
FU_018	Upload file without extension	Handled as per requirements
FU_019	Upload corrupted file	Appropriate validation/error shown
FU_020	Upload password-protected file	System handles according to

Ask anythingThink

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar ...IRONLADYSDETTestLeaf ProgramAIAgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

FU_020Upload password-protected fileSystem handles according to requirements

3. File Size Validation

TC ID	Test Scenario	Expected Result
FU_021	Upload file below maximum limit	Upload successful
FU_022	Upload file exactly at size limit	Upload successful
FU_023	Upload file exceeding size limit	Error displayed
FU_024	Upload zero-byte file	Validation message shown
FU_025	Upload very large file	Upload handled per requirements
FU_026	Upload multiple files exceeding total size limit	Validation message displayed

4. File Name Validation

TC ID	Test Scenario	Expected Result
FU_027	Upload file with normal name	Upload successful

Ask anythingThink

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar...IRONLADYSDETTestLeaf ProgramAIAgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

FU_037	Upload file containing virus	Upload blocked
FU_038	Upload file with SQL injection in filename	No system impact
FU_039	Upload file with XSS payload in filename	Payload sanitized
FU_040	Upload file with path traversal characters (-/)	Rejected/sanitized
FU_041	Upload double-extension file (file.jpg.exe)	Rejected
FU_042	Upload file and access unauthorized user's file	Access denied
FU_043	Direct URL access to uploaded file without permission	Access denied
FU_044	Upload encrypted file when prohibited	Rejected

6. Performance Test Cases

TC ID	Test Scenario	Expected Result
FU_045	Upload large file under normal load	Acceptable response time

+ Ask anything

Think

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar...IRONLADYSDETTestLeaf ProgramAIAgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

FU_046	Upload multiple files simultaneously	System remains stable
FU_047	Concurrent uploads by multiple users	No degradation beyond limits
FU_048	Upload during peak load	System performs within SLA
FU_049	Network interruption during upload	Recovery/retry works correctly
FU_050	Slow network upload	Progress indicator functions properly

7. UI/UX Test Cases

TC ID	Test Scenario	Expected Result
FU_051	Verify upload button visibility	Button displayed correctly
FU_052	Verify file type information shown	Supported formats displayed
FU_053	Verify upload progress bar	Progress updates accurately
FU_054	Verify success message after upload	Correct message displayed
FU_055	Verify error message for invalid upload	Meaningful error displayed

+ Ask anything

Think

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar...IRONLADYSDETTestLeaf ProgramAI AgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

upload

FU_056	Verify uploaded file preview	Preview shown if supported
FU_057	Verify uploaded file download link	File downloadable
FU_058	Verify delete icon for uploaded file	File removed successfully

8. Compatibility Test Cases

TC ID	Test Scenario	Expected Result
FU_059	Upload file from Chrome	Works correctly
FU_060	Upload file from Firefox	Works correctly
FU_061	Upload file from Safari	Works correctly
FU_062	Upload file from Edge	Works correctly
FU_063	Upload file on Android device	Works correctly
FU_064	Upload file on iOS device	Works correctly
FU_065	Upload from tablet device	Works correctly

+ Ask anythingThink

Search - Microsoft Bing

Generate Upload Test Cases

Testleaf

Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem...Post Attendee - Zoo...Google Calendar...IRONLADYSDETTestLeaf ProgramAI AgentsPhase2 TestLeafSeleniumTestLeafyoga classAll Bookmarks

ChatGPT

New chatImagesLibraryScheduledPluginsProjectsCodexMore

Recents

Generate Upload Test Cases

Generate File Upload Test Cases

Write API Test Cases

Generate OTP Test Cases

Resolve Groq model error

Starting Strength Training

Generate Login Test Cases

Excel AI Models Comparison

LLM Providers Compared

Mukti GargFreeUpgrade

together

FU_075	Disconnect internet during upload	Error/retry option shown
FU_076	Upload same file repeatedly	System handles duplicates
FU_077	Upload file after session timeout	User prompted to re-login
FU_078	Submit form before upload completes	Proper validation enforced
FU_079	Upload file with reserved system filename	Handled safely
FU_080	Upload huge number of files at once	Limit validation triggered

Key Areas Often Missed

- MIME type validation vs file extension validation
- Virus/malware scanning
- Duplicate file handling
- Unicode filenames
- Interrupted uploads and resume functionality
- Authorization checks for uploaded file access
- XSS/SQL Injection via file names and metadata
- Storage cleanup after failed uploads
- Audit logging of upload activities

These test cases can be adapted for web, mobile, desktop, or API-based file upload features.

+ Ask anythingThink

I - Instruction : Generate exactly 20 comprehensive test cases for File Upload functionality.

[Critical]

The test cases MUST cover:

Valid file upload

Supported file types

Valid file content

Successful upload and confirmation

File Type Validation

All supported file extensions

Unsupported file extensions

Incorrect/mismatched file extensions

Case variations of extensions

Multiple/double extensions where applicable

Zero-byte files

File Size Validation

File below the maximum allowed size

File exactly at the maximum allowed size

File exceeding the maximum allowed size

Very small files

Boundary values around the configured limit

Negative & Failure Scenarios

Invalid file type

File exceeding size limit

Corrupted file

Empty/zero-byte file

Upload interruption/failure

Duplicate file, ONLY if the requirement supports it

Invalid filename, ONLY if filename validation is documented

Request & Response Validation

Verify appropriate HTTP method, where API details are provided

Validate HTTP status code

Validate response body/message

Validate error response for failed uploads

Verify uploaded file is actually available after successful upload

Security Testing

Malicious file upload attempts

Executable files disguised as allowed file types

File extension/content mismatch

Potential script-containing files where applicable

Path traversal characters in filename

Filename injection/manipulation attempts

Verify unauthorized file types cannot bypass validation by renaming extensions

Verify uploaded files cannot execute as server-side code

Do NOT provide instructions for creating malware or weaponized files; describe the test condition at a safe, functional level.

Success & Failure Criteria

For EVERY test case explicitly define:

Expected Success Criteria

Expected Failure Criteria

Important Rules

Generate exactly 20 test cases — no more, no less.

Do NOT assume undocumented file types, maximum file size, authentication rules, API endpoints, or security behavior.

If supported file types or maximum file size are not provided, clearly mark them as:

"Assumption / Configuration Required"

Use placeholders such as:

<Supported File Type>

<Maximum File Size>

<Upload Endpoint>

<Allowed File Extensions>

Distinguish between functional validation and security validation.

Include both positive and negative scenarios.

Prioritize boundary and edge cases.

Every test case must be independently executable and verifiable.

Avoid duplicate test scenarios.

Do not include performance/load testing unless explicitly requested.

Do not include UI cosmetic testing unless it directly affects file-upload functionality.

Required Test Case Distribution

Ensure the 20 test cases provide balanced coverage across:

Category	Minimum Coverage
----------	------------------

Positive / Successful Upload	4
------------------------------	---

File Type Validation	4
----------------------	---

File Size / Boundary	4
----------------------	---

Negative / Failure Scenarios	4
------------------------------	---

Security-related File Upload Checks	4
-------------------------------------	---

C - Context : We are testing a File Upload functionality in an enterprise web application.

The functionality allows users to upload files that are subject to configurable file type/extension and file size restrictions.

P - Persona : Act as a Senior QA Test Lead / Test Architect with extensive experience in functional, validation, negative, boundary, and security testing of enterprise web applications.

O - Output Format : Generate the test cases in the excel downloadable format including following columns

TC ID ,Category, Test Scenario, Preconditions, Test Data, Test Steps, Expected Result, Success Criteria, Failure Criteria, Priority, Test Data, Requirements

For each applicable test case specify:

File name

File extension/type


File size

File content condition

Whether the file is valid/invalid

Any relevant boundary value

T - Tone : : Generate Test case following QA standards



Search - Microsoft Bing x Generate Upload Test Cases x Testleaf x + Ask Gemini

https://chatgpt.com/c/6a915f05-9b38-83e8-bbb1-5e9329404f35

Product managem... Post Attendee - Zoo... Google Calendar... IRONLADY SDET TestLeaf Program AI Agents Phase2 TestLeaf SeleniumTest

ChatGPT

New chat
Images
Library
Scheduled
Plugins
Projects
Codex
More

Recents

Generate Upload Test Cases
Generate File Upload Test Cases
Write API Test Cases
Generate OTP Test Cases
Resolve Groq model error
Starting Strength Training
Generate Login Test Cases
Excel AI Models Comparison
LLM Providers Compared

Mukti Garg
Free Upgrade

I generated **exactly 20 comprehensive File Upload test cases** in Excel format, covering:

- Positive/successful upload
- Supported and unsupported file types
- Extension/content mismatch
- Case and double extensions
- File-size boundaries
- Zero-byte and corrupted files
- Upload interruption/failure
- Duplicate files only where documented
- Security validation
- Path traversal and executable-file bypass
- HTTP method, status code, response body, and file availability where API details are applicable
- Explicit **Success Criteria** and **Failure Criteria** for every test case
- P1/P2 prioritization
- Placeholders such as <Supported File Type>, <Maximum File Size>, <Upload Endpoint>, and <Allowed File Extensions> where configuration is required

Download: [File Upload Test Cases - Excel](#)

File_Upload_Test_Cases.xlsx
Spreadsheet

ChatGPT can make mistakes. Check important info.

+ Ask anything Think


File_Upload_Test_Cases.xlsx

File_Upload_Test_Cases.xlsx

TC ID	Category	Test Scenario	
FU-001	Positive / Successful Upload	Upload a valid file with a configured supported extension and valid content	User has access to File Upload; supported type and Upload access available; all supported extensions ;
FU-002	Positive / Successful Upload	Upload each configured supported file type/extension	Upload access available; supported type and limit ;
FU-003	Positive / Successful Upload	Upload a file with valid content at a non-boundary size	A valid supported file within size limit is available
FU-004	Positive / Successful Upload	Verify successful upload confirmation and post-upload availability	Upload access available; unsupported extension id
FU-005	File Type Validation	Reject an unsupported file extension	Upload access available; content-type validation b
FU-006	File Type Validation	Reject a file whose extension does not match its actual content/type	Upload access available; extension case behavior i
FU-007	File Type Validation	Verify case variations of configured extensions are handled according to requirements	Upload access available; allowed extensions confi
FU-008	File Type Validation	Reject multiple/double extensions when they result in an unauthorized type or bypass attempt	Upload access available; <Maximum File Size> con
FU-009	File Size / Boundary	Upload a file below the configured maximum size	Upload access available; <Maximum File Size> con
FU-010	File Size / Boundary	Upload a file exactly at the configured maximum size	Upload access available; <Maximum File Size> con
FU-011	File Size / Boundary	Reject a file exceeding the configured maximum size	Upload access available; <Maximum File Size> con
FU-012	File Size / Boundary	Verify very small file handling, including zero-byte boundary	Upload access available; zero-byte policy is occur
FU-013	File Size / Boundary	Verify boundary values immediately around the maximum size	Upload access available; <Maximum File Size> con
FU-014	Negative / Failure	Reject a corrupted file with an otherwise supported extension	Upload access available; supported file type confi
FU-015	Negative / Failure	Verify upload interruption/failure is handled without false success	Upload access available; controlled network interr
FU-016	Negative / Failure	Validate duplicate-file behavior only when duplicate handling is documented	Duplicate handling requirement exists; a previously
FU-017	Security - File Upload	Attempt malicious file upload using a prohibited or suspicious file type	Upload access available; approved security test ar
FU-018	Security - File Upload	Verify an executable file disguised as an allowed file type cannot bypass validation	Upload access available; content/type validation i
FU-019	Security - File Upload	Verify path traversal characters in filename are rejected or safely neutralized	Upload access available; filename security validati
FU-020	Security - File Upload / API Validation	Verify HTTP method, status code, response body, and authorization for file upload when API details are provided; verify server-side code cannot execute	API details are documented: <Upload Endpoint>, a

AutoSave OFF File Upload_Test_Cases Search

File Home Insert Page Layout Formulas Data Review View Help Acrobat

Clipboard Font Alignment Number Styles Cells Editing Add-ins Adobe Acro...

B7 File Type Validation

Test Data

1	
2	File name: sample.<Supported File Type>; Extension: <Allowed File Extension>; Size: below <Maximum File Size>; Content: valid; Validity: Valid
3	File name: sample.<ext>; Extension/type: each value in <Allowed File Extensions>; Size: below <Maximum File Size>; Content: valid; Validity: Valid
4	File name: valid-content.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: comfortably below <Maximum File Size>; Content: valid/readable; Validity: Valid
5	File name: confirmation.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: below <Maximum File Size>; Content: valid; Validity: Valid
6	File name: unsupported.<Unsupported Extension>; Extension/type: unsupported; Size: below <Maximum File Size>; Content: valid; Validity: Invalid for type rule
7	File name: mismatch.<Allowed Extension>; Extension/type: allowed-looking extension; Size: below <Maximum File Size>; Content: does not match declared extension/type; Validity: Invalid
8	File name: case-variation.<EXT>; Extension/type: uppercase/lowercase/mixed-case variant of <Allowed File Extension>; Size: below <Maximum File Size>; Content: valid; Validity: Valid or Invalid per configuration
9	File name: file.<Allowed Extension>.<Unauthorized Extension>; Extension/type: multiple/double extension; Size: below <Maximum File Size>; Content: valid or type inconsistent; Validity: Invalid if unauthorized
10	File name: below-limit.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: <Maximum File Size> minus a valid small margin; Content: valid; Validity: Valid
11	File name: exact-limit.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: exactly <Maximum File Size>; Content: valid; Validity: Valid
12	File name: over-limit.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: <Maximum File Size> plus a small margin; Content: valid; Validity: Invalid for size rule
13	File name: small.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: very small and zero bytes in separate executions; Content: minimal or empty; Validity: per requirement
14	File name: <Maximum File Size>-1 unit, exactly <Maximum File Size>, and <Maximum File Size>+1 unit where technically feasible; Extension/type: <Allowed File Extension>; Content: valid
15	File name: corrupted.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: below <Maximum File Size>; Content: corrupted/unreadable; Validity: Invalid
16	File name: interrupted.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: within <Maximum File Size>; Content: valid; Validity: Valid. Failure condition: upload interrupted
17	File name: duplicate.<Supported File Type>; Extension/type: <Allowed File Extension>; Size: within <Maximum File Size>; Content: same as previously uploaded file; Validity: Valid
18	File name: security-test.<Unauthorized Extension>; Extension/type: prohibited/suspicious; Size: within <Maximum File Size>; Content: safe security-test artifact representing malicious/suspicious condition; Validity: Invalid
19	File name: disguised.<Allowed Extension>; Extension/type: allowed-looking extension; Actual content/type: executable; Size: within <Maximum File Size>; Validity: Invalid
20	File name: includes path traversal characters such as . / or equivalent; Extension/type: <Allowed File Extension>; Size: within <Maximum File Size>; Content: valid; Validity: Invalid for filename security condition
21	Endpoint: <Upload Endpoint>; Method: documented method; File name: safe-security-test.<Allowed Extension>; Extension/type: <Allowed File Extension>; Size: within <Maximum File Size>; Content: safe test condition for server-side execution validation;
22	
23	
24	
25	
26	
27	
28	

Sheet1

Ready Accessibility: Good to go