

SOP Document for NEO ASRS System

15th July 2025



www.falconautotech.com

Table of Contents

1. Purpose.....	4
2. Scope	4
3. Product Overview.....	4
4. Responsibilities	5
5. Definitions:	Error! Bookmark not defined.
6. Prerequisites	6
6.1 System Readiness	6
6.2 Training and Login	6
7. Procedure	7
7.1 Put Wave.....	7
7.2 Pick Wave	11
7.3 Stock Audit	16
8. Post-Operation Guidelines.....	23
8.1 Troubleshooting	23
9. Conclusion	23

Copyright © 2022 Falcon Autotech Pvt. Ltd. All rights reserved. Falcon Autotech Pvt. Ltd. and its affiliated and group entities consists of various companies in India and abroad (collectively “Falcon”). All intellectual properties in this document are owned by Falcon in India and abroad. Any use, copying, modification, publication, distribution of contents contained in this document is expressly prohibited.

Document Name	SOP Document Version 1.0
Document Author	Supriya Vadiraj
Document Date	15-07-2025

Version History

Document Revision Control Table					
Version No.	Date Revised	Change Description	A/M/D (Add/Modify/Deleted)	Prepared By	Approved By
1.0	12/12/2024	New Documentation	A	Anjan Kumar	Sandeep Pathak & Tuhinanshu

Approver & Reviewer List

Approver / Reviewer Name	Position	Company Name	Date
Tuhinanshu	Head I.T.	Falcon Autotech	12/12/2024
Sandeep Pathak	Delivery Head	Falcon Autotech	12/12/2024

1. Purpose

The purpose section defines why this SOP is created. It aims to standardize operations, ensure consistent performance, and maintain data integrity while using the NEO ASRS System. Specifically, it ensures the correct execution of Put, Pick, and Stock Audit operations, which are the core functionalities of the system. This document acts as a guide for operators, supervisors, and administrators to minimize errors, improve efficiency, and maintain inventory accuracy.

2. Scope

This section describes the boundaries of the SOP's applicability. It covers:

- All employees involved in handling the NEO ASRS System, including operators and supervisors.
- Usage of the ASRS system for performing Put, Pick, and Stock Audit operations in warehouses, distribution centers, or manufacturing facilities.
- Activities directly related to inventory handling and management within the system.

3. Product Overview

NEO is a cutting-edge Automated Storage and Retrieval System (ASRS) designed to streamline inventory management with precision and efficiency. Offering seamless operations, NEO transforms warehouse processes with its three core functionalities:

Put: Effortlessly store items with automated accuracy and optimized space utilization.

Pick: Retrieve inventory swiftly to meet demand with speed and reliability.

Stock Audit: Perform real-time, automated inventory checks for unmatched accuracy and control.

NEO integrates seamlessly with Warehouse Management Systems (WMS), enabling real-time tracking and data-driven decision-making. Compact, efficient, and scalable, NEO is the ideal solution for modern warehouses aiming to maximize productivity while minimizing errors and space requirements.

4. Responsibilities

This section outlines the roles of various personnel:

- **Operators:**
 - Execute Put, Pick, and Stock Audit operations following the defined SOP.
 - Ensure accurate scanning of all products during each operation.
 - Report discrepancies, missing quantities, or system malfunctions to supervisors.
- **Supervisors:**
 - Monitor operator compliance with the SOP.
 - Provide assistance and resolve any operational or technical issues.
 - Conduct periodic audits to ensure process efficiency.
- **System Administrators:**
 - Maintain the ASRS software and hardware.
 - Ensure seamless integration of the system with the Warehouse Management System (WMS).
 - Troubleshoot and resolve system issues promptly.

5. Prerequisites

Before starting operations, ensure the following:

5.1 System Readiness

- The NEO ASRS system, including the grid, bots, and GTC stations, is operational.
- The system is configured and integrated with the WMS.

5.2 Training and Login

- Before commencing operations, all operators undergo a structured training program designed to familiarize them with the functionality, safety protocols, and workflow of the GTC (Goods-To-Consumer) stations. The training includes hands-on sessions where operators learn how to interact with the system interface, handle SKUs correctly, and respond to system prompts. Once the training is completed and the operator is certified, they are issued unique login credentials. These credentials are used to log into the GTC stations at the start of each shift, ensuring that only authorized and trained personnel operate the system. The login process also enables tracking of operator performance and task accountability during live operations.
- Barcode Scanners:
 - Barcode scanners at both stations are functional.
 - ****Operators are instructed to scan products before any operation.**

6. Procedure

6.1 Put Wave

- The Put Wave operation involves storing inventory into the ASRS system. It is designed to ensure accurate placement of SKUs from inbound pallets into designated bin segments through system-guided instructions and validations.

6.1.1 Execution Flow

- The operator begins by scanning the station barcode to enter Pallet Scan Mode. This step is essential to link the operator session to a specific GTP station.
- Next, the operator scans the pallet barcode to map the pallet to the station. This confirms that the system should now associate the pallet and its contents with the ongoing Put Wave.
- Upon successful mapping, the system fetches the Put Wave data via API. This data includes:
 - a. The list of SKUs present on the pallet,
 - b. Their respective quantities,
 - c. Volume, and weight information.
- The system then performs a Leftover Check (to confirm there is enough space in the bin) and releases an appropriate bin to the GTP station for the operation to proceed.
- Once the bin arrives at the station, an automatic pop-up appears on the dashboard, showing:
- The SKU that needs to be stored, the required quantity, the SKU image, and the target segment (bin segment) into which the SKU should be placed.
- The operator now performs the physical operation:
 - a. Picks the specified SKU from the pallet.
 - b. Scans the EAN barcode of the SKU to validate the correct article with the system.
 - c. Physically counts the quantity.
 - d. And places the SKUs into the indicated bin segment as shown by the system and visual light indications.
 - e. After placement, the operator enters the counted quantity into the dashboard interface to log the activity.



STATION 10

Station Wave Operations

Station 10 Live Wave(s)

PARAMETER	DETAILS
WAVE ID	20250703_110303_S10_PUT
WAVE TYPE	PUT

GTC Station 10

Pallet Mapped Successfully,
Palette ID: ABC-TEST

LIVE STATUS RUN WAVE

NEO | Version 2.0 | © 2025 Falcon Autotech Private Limited

Live Status

Live GTC ✓ Order List

SKU NAME	QUANTITY ↑	BOT ID	BIN	BIN STATUS	BIN SEGMENT STATUS
Li-Ning Gp-20 Boost Over Grip(Pack Of 5)	4	--	743 - 5	PENDING	PENDING
Chakaachak Shinezap Hard Scrubber	3	--	743 - 6	PENDING	PENDING
Chakaachak Shinezap Hard Scrubber	5	--	743 - 6	PENDING	PENDING
Playing Cards Plastic Coated Meredian 555 Gold Premium	4	--	743 - 1	PENDING	PENDING
JASSCO Stainless Steel small Ginger Garlic Util	4	--	743 - 4	PENDING	PENDING
Forclaz By Decathlon Travel Cap - Navy Blue	4	BOT-0007	684 - 4	BIN_PICKED	PENDING
Forclaz By Decathlon Travel Cap - Navy Blue	5	BOT-0007	684 - 4	BIN_PICKED	PENDING
BAY6 Silverline Stainless Steel Dessert Spoon Set of 6	1	BOT-0007	684 - 3	BIN_PICKED	PENDING
Garbage Bag Roll Green - Large - 24 x 32 inch	5	--	687 - 2	PENDING	PENDING
Garbage Bag Roll Black - Large- 24 x 32 inch	5	--	687 - 1	PENDING	PENDING

Items per page: 10 1 - 10 of 392 < >

Bin N0000910 Segment Details

00:49

PUT Wave



1

2

3

4

Haldiram's Soan Papdi

PROPERTY ↑	VALUE
MRP	Rs. 115
EXPIRY	2025-02-03
EXPECTED QUANTITY	18

+ Scan SKU to Put

Missing SKU

Put Quantity

00:13

×

- 1

+ 1

- 5

+ 5

- 10

+ 10

Haldiram's Soan Papdi

PROPERTY	Quantity
Expected Quantity	18
Actual Put Quantity	0
Short Put Quantity	0
Remaining Quantity	18

Reset

Add/Delete Short Put Reasons

+ Full Quantity

CONFIRM

- 25

+ 25

- 50

+ 50

- 100

+ 100

6.1.2 Special Actions Available to the Operator

To handle various scenarios, the system provides multiple action buttons during the Put operation:

- **+FullQuantity:**

If the physically counted quantity matches exactly with what the system expects, and the operator prefers not to count each item individually, they may use the “Full Quantity” option to confirm the entire expected quantity in one go.

- **Reset**
If the operator has made a mistake in quantity entry or scanned the wrong SKU, they may click the “**Reset**” button to clear the current entry.
- Before using Reset, the operator must physically remove any SKUs already placed in the bin to ensure consistency. The process should then be restarted from scratch for that SKU.
- **Add/DeleteShortPutReasons**
If the operator is unable to put the full expected quantity, they must select the “Add/Delete Short Put Reasons” button.
- Upon clicking, the operator will choose the applicable reason and mention the actual quantity being put. The reasons include:
 - a. Missing Quantity – Fewer items found on the pallet than expected.
 - b. Damaged Quantity – Items are physically damaged and cannot be stored.
 - c. No Space in Bin – The target bin segment does not have enough space.

6.1.3 Final Validations

- Before moving on to the next SKU, the operator must:
- Ensure that the scanned EAN matches the physical SKU being placed.
- Once confirmed, the system **logs the transaction** for that SKU.
- The system then prepares for the **next SKU** in the Put Wave. If more SKUs are on the pallet, the next pop-up appears immediately. If the pallet is exhausted, the system waits for the next pallet scan.

6.2 Pick Wave

The Pick Wave operation retrieves inventory from the ASRS system.

6.2.1 Preparation:

- Valid Pick Data must be received through API.
- Operator must be logged into the correct GTP Station (e.g., Station-01) and should start the pick process by clicking on RUN button
- Empty totes (LPNs) must be pre-onboarded and placed at the PTL.

6.2.2 Wave Process

- The operator logs into the dashboard at the designated GTP station and is redirected to the Live Pick Wave page. After clicking the "RUN" button, bots are assigned tasks to bring the relevant bins from the ASRS system to the station.
- As each bin arrives, an automatic pop-up appears on the dashboard, displaying SKU image, required quantity, SKU-level details, and highlights the specific bin segment to be picked. The curtain light corresponding to the target bin segment is illuminated to guide the operator.
- The operator scans the LPN barcode to initialize the tote. The PTL panel displays "OPL" (Open), then changes to "SCN" (Scan) mode.



- Once "SCN" is displayed, the operator scans the tote barcode to link the tote to the picking task. The operator then retrieves the SKU from the indicated bin segment and scans the SKU's EAN barcode for verification.
- A replica of the PTL pop-up appears on the dashboard for final confirmation. The operator confirms the picked quantity by tapping the PTL button corresponding to the number of units picked.
- Once confirmed, the system automatically proceeds to the next SKU in the bin. If more SKUs are present in the same bin, the next SKU's pop-up is shown immediately. If no more SKUs remain in the bin, the system waits for the next bin to arrive.
- If the quantity of SKUs physically picked by the operator is **less than the quantity expected** as per the system, the operator must tap on the **"Add/Delete Short Put Reasons"** option available on the dashboard. From the list of discrepancy reasons, the operator should then select **"Missing Quantity"**.
- In case the operator comes across any SKUs that are **expired**, they must record this discrepancy by selecting the reason **"Expired Quantity"** in the same dashboard interface.

If the Tote Becomes Full:

- When the tote (LPN) being used for picking reaches its full capacity and cannot hold any more SKUs, the operator must initiate the closure process. This involves first scanning the **"Closed" barcode** available on the PTL panel to indicate the intention to close the tote. Immediately after that, the operator should scan the **tote barcode itself** to complete the closure confirmation. Once successfully closed, the PTL panel will display the message **"CLS" (Closed)** to acknowledge the action.
- After this, the operator must **place a new, empty tote** at the PTL panel, **scan its LPN barcode**, and continue with the remaining picking tasks as the system proceeds to the next SKU or bin in the wave.

Live Status				✓ Live GTC	Order List
IMAGE URL	SKU NAME	QUANTITY	BIN STATUS		
	Domyos By Decathlon Resistance Band (Pilates) - Low 4lb/2kg	4	PRE_ON_STATION		
	Domyos By Decathlon Resistance Band (Pilates) - Low 4lb/2kg	3	PRE_ON_STATION		
	eCraftIndia Set Of 10 Jasmine Scented Tea Light Candles	2	PRE_ON_STATION		
	eCraftIndia Set Of 10 Jasmine Scented Tea Light Candles	3	PRE_ON_STATION		
	Hillgrove Hzp126M1 3Pcs Line Tester For Spark Detector/Phase Tester With Neon Bulb	1	PRE_ON_STATION		

Items per page: 10 1 - 6 of 6



PTL Details

STATION ID: 12 PTL ID: 1222
LPN BARCODE: PL-MUM175M-00AA019 BATCH PICKLIST CODE: BMUM17500B661-FalconZone1

LPN Details

LPN Details

SKU NAME	PICKED QUANTITY	ORDER ID	SKU ID	LPN_ID	LPN_BARCODE	LPN_S
--	--	--	--	e8499638-544e-11f0-86b3-00155df60400	PL-MUM175M-00AA019	LPN_O

Items per page: 10 1 - 1 of 1

MESSAGE:
000-999
DESCRIPTION:
Quantity to be put in LPN.

NEO | Version 2.0 | © 2025 Falcon Autotech Private Limited

Put-To-Light Details -> (Expected Quantity: 3)

STATION 2

Short Pick Reasons -00:03

Remaining Quantities 3

Reason	Quantity
Damaged Quantity	0
Missing Quantity	0
Expired Quantity	0

Reset CONFIRM

Add/Delete Short Pick Reasons

Error Code	Message	Action	PTL Code
LPN_NOT_OPEN	LPN is not in open state	Onboard or reopen the tote	LTL
EXCESS_QUANTITY_REQUESTED	Picked quantity exceeds expected	Adjust quantity	EQR
INVALID_BATCH_PICKLIST	Invalid batch or picklist	Regenerate pick wave	IBP
INVALID_ORDER_LINE_ID	Order line is incorrect	Recheck picklist and order setup	IOL

Error Code	Message	Action	PTL Code
INVALID_ARTICLE_ID	Article/SKU ID is incorrect	Validate against SKU Master	IAI
CLIENT_SERVER_ERROR	Internal client-side error	Retry or report to client tech team	CE5
CLIENT_BAD_REQUEST	Malformed request from client	Check payload format	CE4
CLIENT_UNKNOWN_ERROR	Unknown client-side error	Retry; log for further analysis	CUE
FALCON_SERVER_ERROR	Internal Falcon server error	Retry; escalate to Falcon backend team	FE5
FALCON_BAD_REQUEST	Malformed request to Falcon	Correct payload and retry	FE4
FALCON_UNKNOWN_ERROR	Unknown Falcon system error	Log and escalate	FUE
LPN_IS_INACTIVE	LPN is not active	Activate or use a different LPN	ILS
LPN_NOT_IN_CURRENT_LOCATION	LPN not in current store	Confirm location or reassign	ILS

6.3 Stock Audit

The Audit Manager utilizes four types of stock audits to ensure inventory accuracy and integrity:

1. Audit Wave (Short Pick Bin):

- The supervisor can initiate a wave for bins flagged as short picks during the regular pick process. Users can define a time range during which these bins were identified and apply filters based on reasons such as Damage, Missing, etc.

2. Random Bin Recall

The supervisor specifies the number of bins to be randomly recalled. WCS then selects that number of bins from the inventory to generate a wave for audit.

3. Bin Recall by Bin ID

The supervisor can manually enter or upload specific bin IDs for recall. WCS then creates a wave to retrieve those bins for auditing.

4. Bin Recall by SKU ID

The supervisor can input or upload SKU IDs or SKU names for recall. WCS then generates a wave to retrieve the corresponding bins for auditing.

6.3.1 Wave Process

- The operator logs into the dashboard at the designated station and is redirected to the live wave page for stock audit wave processing.
- After triggering the **"RUN"** button on the dashboard, bots are assigned tasks to bring the required bins to the station.
- As a bin arrives at the station, an automated pop-up appears on the dashboard, displaying SKU batch-level details, specific bin segment(s) and the SKU image.
- Curtain lights on the corresponding bin segment(s) illuminate, providing a visual cue for accurate identification.
- The operator then retrieves damaged products from the identified bin segments according to the wave instructions and updates quantities on the dashboard.
- As part of the process, the operator scans the LPN ID of a recall carton/tote, where all damaged SKUs will be placed. This information is then relayed to the WMS system.

6.3.2 Operator Operation(s)

When a bin is at the station for evaluation, the specific segment to be assessed is highlighted. Relevant information, including SKU image, MRP, expiry date, quantity, and SKU name, is displayed to assist the operator during the evaluation process, if the bin segment is not empty as per the ASRS. If the bin is empty, no such information would be displayed. Some of the steps involved in a bin audit are as follows:

▪ Count Distinct SKU(s)

The operator physically counts the distinct SKUs in the bin and enters this number on the dashboard. If the bin is empty, the operator should enter 0; otherwise, they should enter the total count of distinct SKUs.

▪ Check SKU(s)

If the distinct SKU count is 1 according to the operator:

- If Yes, and the SKU displayed on the dashboard matches the one in the bin, further operations will proceed according to the regular Stock Audit Process.
- If Yes, but the SKU differs from the one displayed on the dashboard (or if the bin is shown as empty according to the ASRS, with no details on the dashboard), the operator should scan the SKU from the bin:
 - If the SKU is found in the ASRS, update the bin segment with the new SKU ID and select the appropriate batch for the SKU.
 - If the SKU is not found in the ASRS, the operator needs to remove the quantities of the SKU from the bin and place them in the wrong-SKU LPN bin.

If the distinct SKU count is greater than 1:

- The operator should scan the SKU displayed on the dashboard.
- If one of the SKUs matches the one on the dashboard, remove the other SKU(s) from the bin and place them in the wrong-SKU LPN bin.
- none of the SKUs match the one displayed on the dashboard (or if the bin is shown as empty according to the ASRS, with no details on the dashboard), empty the bin and place all SKUs in the wrong-SKU LPN bin.

If the distinct SKU count is 0:

- Update the bin segment inventory in the ASRS to an empty bin.

▪ Regular Stock Audit Process

In the regular auditing process, specific steps must be followed to ensure accuracy and completeness. These steps include checking for missing, excess, damaged, and expired quantities, as well as verifying batch correctness. Each step involves updating quantities and handling discrepancies according to predefined rules.

- **Total Actual Quantity:** The operator counts and enters all quantities from the bin (including damaged ones). The ASRS will classify any discrepancies as missing or excess quantities. The operator clicks the "Next" button to complete this step and proceeds to the next step in the stock audit process.
- **Check Damage Quantity:** The operator counts and enters the damaged quantities from the bin and removes the damaged items to the Damaged LPN bin. If no damaged quantities are found, the operator proceeds to the next step of the stock audit process.

- **Check Expired Quantity:** The operator counts and enters the expired quantities from the bin and removes the expired items to the Expired LPN bin. If no expired quantities are found, the operator proceeds to the next step of the stock audit process.
- **Check BATCH Info:** In the final step of the stock audit process, the operator must check for incorrect batches. There are four different cases to handle:
 - **Case 1:** If the inventory display shows 9 quantities of batch 1, but the bin segment has 4 quantities of batch 1 and the rest are other batches, the operator updates the bin segment to have 4 quantities of batch 1 and removes the remaining items to the wrong batch LPN bin.
 - **Case 2:** If the inventory display shows 9 quantities of batch 1, but the bin segment contains all 9 quantities of batch 2 (which exists in the system), the operator updates the entire bin segment to batch 2 with 9 quantities.
 - **Case 3:** If the inventory display shows 9 quantities of batch 1, but the bin segment contains all 9 quantities of batch 3 (which doesn't exist in the system), the operator adds a new batch with MRP and expiry, then assigns the entire bin segment to batch 3 with 9 quantities.
 - **Case 4:** If the inventory display shows 9 quantities of batch 1, but the bin segment contains 4 quantities of batch 2, 3 quantities of batch 3, and 2 quantities of batch 4, the operator empties the bin and removes all items to the wrong batch LPN bin.



STATION 10

Live Wave (STOCK AUDIT)

Live GTC

IMAGE URL	SKU NAME	QUANTITY	BIN	BIN STATUS
	no-sku	0	812 - 1	PRE_ON_STATION
	no-sku	0	812 - 2	PRE_ON_STATION
	no-sku	0	1861 - 1	PRE_ON_STATION
	no-sku	0	1861 - 2	PRE_ON_STATION
	no-sku	0	1851 - 1	PRE_ON_STATION
	no-sku	0	1851 - 2	PRE_ON_STATION
	no-sku	0	803 - 1	PRE_ON_STATION
	no-sku	0	803 - 2	PRE_ON_STATION
	no-sku	0	1704 - 1	PRE_ON_STATION
	no-sku	0	1704 - 2	PRE_ON_STATION

Items per page: 10 1 - 10 of 104



Bin N0000607 Segment Details 00:46

STOCK **Stock Audit Steps** 00:46

SKU_NAME ↑	MRP	EXPIRY	QUANTITY (AS PER INVENTORY)
Haldirams Cookie Heaven Jeera Cookies	60	2028-02-25	14

1 2 3 4

Total Quantity Damaged Quantity Expired Quantity Batch Info

Enter the count of all items, including damaged and expired one's.

Total Actual Quantity *

▶ NEXT

Summary

ACTUAL	MISSING	EXCESS	DAMAGED	EXPIRED	TOTAL
14	0	0	0	0	14

Bin N0000607 Segment Details 00:31

STOCK **Stock Audit Steps** 00:31

SKU_NAME	MRP	EXPIRY	QUANTITY (AS PER INVENTORY)
Haldirams Cookie Heaven Jeera Cookies	60	2028-02-25	14

1 2 3 4

Total Quantity **Damaged Quantity** Expired Quantity Batch Info

Enter the damaged quantities, (if Any)

Damaged Quantity *

← Back **▶ NEXT**

Summary

ACTUAL	MISSING	EXCESS	DAMAGED	EXPIRED	TOTAL
14	0	0	0	0	14

Bin N0000607 Segment Details

00:17

STOCK

Stock Audit Steps

00:17

SKU_NAME	MRP	EXPIRY	QUANTITY (AS PER INVENTORY)
Haldirams Cookie Heaven Jeera Cookies	60	2028-02-25	14

✓

✓

3

4

Total Quantity

Damaged Quantity

Expired Quantity

Batch Info

Enter the expired quantities, (if Any)

Expired Quantity*

0

← Back

➡ NEXT

Summary

ACTUAL	MISSING	EXCESS	DAMAGED	EXPIRED	TOTAL
14	0	0	0	0	14

Bin N0000607 Segment Details 00:04

STOCK_AUDIT Wave

Stock Audit Steps 00:04

SKU_NAME	MRP	EXPIRY	QUANTITY (AS PER INVENTORY)
Haldirams Cookie Heaven Jeera Cookies	60	2028-02-25	14

✓ Total Quantity ✓ Damaged Quantity ✓ Expired Quantity 4 Batch Info

← Back ↩ Multiple Batch Found ✖ Full Batch Wrong ✔ Correct Batch

Summary

ACTUAL	MISSING	EXCESS	DAMAGED	EXPIRED	TOTAL
14	0	0	0	0	14

→ Scan SKU to Audit ↩ No SKU

6.4 Location Audit Wave

The primary objective of this wave is to automate the process of clearing audit marks by utilizing the bot, eliminating the need for manual task creation or operator intervention **Audit Wave (Short Pick Bin)**:

- Dummy Bin IDs are pre-assigned to specific locations that are marked for audit.
- These dummy bins act as temporary placeholders, ensuring that the system is ready to process the audit flow even before the actual bin arrives at the station.
- When the actual bin arrives at the designated station, the system automatically replaces the dummy bin ID with the real bin ID.
- This dynamic substitution ensures complete traceability and accurate mapping of bins that have passed through the audit clearance process.
- In scenarios where a real bin is already placed in the rack and its location is subsequently marked for audit. The system reinitiates the same audit clearance process for that location. This ensures that every audit-marked location, regardless of bin presence, follows a consistent and validated clearance flow.

7. Post-Operation Guidelines

1. Set the ASRS system to idle or standby mode after completing operations.
2. Clean and organize the workstation to maintain safety and efficiency.
3. Report any anomalies, such as system malfunctions or discrepancies, immediately.

7.1 Troubleshooting

Issue	Possible Cause	Resolution
Leftover items in Put/Pick wave	Insufficient storage space/ Insufficient SKU quantity.	Check grid capacity and redistribute/ Check with WMS team regarding quantity.
Inventory discrepancies	Incorrect scanning/counting or SOP breach	Re-audit the bin and document errors.

8. Conclusion

This SOP ensures structured and error-free execution of the NEO ASRS system operations. By adhering to these guidelines, operators can maintain inventory accuracy, maximize efficiency, and minimize discrepancies.