

Commercial Offer for NEO System

March 28th, 2025

Doc. No.: F24-00577 rev 1





Table of Contents

- Solution
- BOM
- Pricing and scope
- Appendices




Solution

NEO

An ASRS that Everyone Can Own




NEO System Components




NEObots:

The NEOBots autonomously and independently move in all three dimensions under the structure and bring goods to and from picking operators. Built to operate 24 hrs, the NEOBot is powered by a swappable lithium battery, providing maximum uptime.




NEOgrid:

The NEO system is built around a storage grid made up of a simple racking structure that can reach a height of 60 feet to enable vertical space utilisation in the warehouse.



NEObins:

Products are stored and moved in specialised bins or totes designed to be handled by the NEO system. Each bin can be partitioned into 2/3/4/6 sub-sections for multi SKU storage.



NEOiT:

NEOiT is Falcon's in-house developed warehouse control software (WCS) that controls the NEO System. NEOiT acts as a virtual WMS for the NEO system, ensuring that inventory management, order planning and route planning are done to achieve maximum throughput.



NEOstations:

NEO system comes with workstations for order picking and storage. The NEOstations enable extremely high pick and put rate via a user friendly touch screen.

[Video](#)

		Mini Load	1D Shuttle	2D Shuttle	Rack Moving AMR	Cube Storage	Bin Moving AMR	3D Robot
Space Utilization and Infrastructure Cost	Ability to use Vertical Height of the Building without the Need for Mezzanine Structures	✓	✓	✓		✓		✓
	Freedom from Any Specialized Flooring Requirement	✓	✓	✓		✓		✓
Operational Flexibility and Throughput	Ability for One Retriever (Crane/Robot) to Access any Bin/SKU in the Grid				✓	✓	✓	✓
	Ability to Access any Bin without the Need for Moving Other Bins (Bin Mining/Digging)	✓	✓	✓	✓		✓	✓
Design Simplicity and System Robustness	Freedom from Fixed Dedicated Lifts to Access Different Storage Levels	✓				✓		✓
	Ability for Any Pick/Put Station to Receive Any Bin without Conveyor Automation				✓	✓	✓	✓


Merits of Neo ASRS in comparison with other ASRS


Solution – NEO 3D ASRS *



* See lay-out “Neo solution,42116 Bin Location”

Solution – NEO 3D ASRS Inbound / Outbound Stations





BOM

BOM

- Bin with 4 Partitions – 2200 Nos
- Pick Stations : 2 Nos
- Put Stations : 1 Nos
- Bots : 10 Nos
- PTL Module : 48 Nos
- PTL Racks : 48 Nos
- PTL Control Box : 2 Nos
- Spare Battery – 4 Set
- Battery Charging Station : 1 No



Budget and scope

Pricing

Sr. No	Component	Qty per set	Set	UOM	Price
1	Neo Package	1	1	Set	₹ 3,36,53,927
2	PTL Package	1	1	Set	₹ 5,40,960
3	Software & Tool Kit	1	1	Set	₹ 18,79,800
4	Installation & Commissioning	1	1	Set	₹ 17,13,734
5	Packaging & Forwarding	1	1	Set	₹ 6,85,494
6	Project Management and Engineering Charges	1	1	Set	₹ 9,61,848
Total					₹ 3,94,35,763

Scope

Scope – inclusive

- Mechanical and Electrical Scope as per BOM mentioned above
- Cabling & controls
- Server dedicated to Neo system
- Packaging
- Installation & Commissioning

Scope – exclusive

- Forklift trucks and other hoisting equipment
- Tables for packing
- Printers/PC's/equipment at packing table
- Mezzanine, including Maintenance Platform & Staircases if required
- Crash barriers
- Unloading at Site
- Freight
- Applicable taxes

Appendices

- Solution Layout_Delhivery_Mamearth_Rev-01_28032025

Thank You

FALCON