

---

## FALCON's Proposal of Linear Arm Sorter-3K for DTDC



Kind Attention –

Mr. Vinayak Mullick  
Mr. Ajinkya Kulkarni

Offer Ref: F24-00213-06; Date 06.07.2024.

Subject – Techno-commercial Offer for Linear Arm Sorter\_3K

Dear Team,

We are pleased to submit our Techno-commercial Offer in response to your requirement.

As you will note, we have studied your requirements in great depth and, along with the information collected during the workshops and calls with you, we have put together a detailed technical proposal laid out in various sections and sequenced to enable you to understand our proposed solution and to re-enforce our commitment to be your partner in this strategic initiative.

In subsequent sections, we have highlighted the capabilities and experiences of Falcon Autotech with sections on our Automation Technologies and references.

To conclude, I would like to add my personal commitment, on behalf of Falcon Autotech. We will be pleased to assist you for any further information or clarifications that you might have.

|                |   |                                                                                                        |
|----------------|---|--------------------------------------------------------------------------------------------------------|
| Contact Person | : | Adib Hasim                                                                                             |
| Title          | : | Sr. Manager                                                                                            |
| Mobile         | : | +91 9711619998                                                                                         |
| Email          | : | <a href="mailto:Adib.hasiml@falconautotech.com">Adib.hasiml@falconautotech.com</a>                     |
| Company Name   | : | Falcon Autotech Pvt. Ltd.                                                                              |
| Regd. Office   | : | 57, Nimri Colony, Double Storey Flats, Delhi –                                                         |
| 110052Website  | : | <a href="http://www.falconautotech.com">www.falconautotech.com</a>                                     |
| LinkedIn       | : | <a href="http://www.linkedin.com/company/falconautotech/">www.linkedin.com/company/falconautotech/</a> |

## Table of Contents

### Contents

|                                                                                      |    |
|--------------------------------------------------------------------------------------|----|
| 1. Glossary .....                                                                    | 5  |
| 2. About Falcon .....                                                                | 6  |
| 3. Handled Product Spectrum .....                                                    | 11 |
| 3.1 Parcels to be loaded on Profiler shall have the following characteristics: ..... | 11 |
| 3.2 Parcel not loadable on the system.....                                           | 11 |
| 4. System Proposed Solution .....                                                    | 12 |
| 5. System Specification .....                                                        | 13 |
| 6. Proposed System Description.....                                                  | 14 |
| 6.1 Objective .....                                                                  | 14 |
| 6.2 Process Flow .....                                                               | 14 |
| 7. System Components .....                                                           | 15 |
| 7.1 Loading Conveyor and Output Conveyor.....                                        | 15 |
| 7.2 Weighing Conveyor .....                                                          | 16 |
| 7.3 Auto Barcode Scanning System .....                                               | 17 |
| 7.4 Automatic Dimensioning System.....                                               | 18 |
| 8. Proposed System Technical Details/BOM.....                                        | 18 |
| 8.1 Mechanical equipment.....                                                        | 18 |
| 8.2 Electrical Equipment .....                                                       | 19 |
| 9. Program Organization .....                                                        | 19 |
| 9.1 Delivery Schedule .....                                                          | 19 |
| 10. System Acceptance Test .....                                                     | 19 |
| 11. Commercial Terms .....                                                           | 20 |
| 11.1 Price Sheet .....                                                               | 20 |
| Arm Sorter Cost: .....                                                               | 20 |
| Spare & CMC Package.....                                                             | 20 |
| 11.2 Payment Terms .....                                                             | 21 |
| 12. Warranty Period .....                                                            | 21 |
| 13. Comprehensive Maintenance Contract.....                                          | 22 |
| 13.1 Scope of Service .....                                                          | 22 |
| 13.2 Requesting Service.....                                                         | 22 |
| 13.3 Service Response .....                                                          | 23 |

|      |                                                                         |    |
|------|-------------------------------------------------------------------------|----|
| 1.   | Telephonic and Remote support .....                                     | 23 |
| 2.   | On site physical engineering visit, in case if required.....            | 23 |
| 3.   | Some Examples of Severity .....                                         | 23 |
| 13.4 | Service Level Agreement (SLA) for Spares and Consumables dispatch ..... | 23 |
| 1.   | Spares and Consumables transportation responsibility .....              | 24 |
| 13.5 | Escalation matrix .....                                                 | 24 |
| 13.6 | General Terms and conditions with Customer Responsibilities .....       | 24 |
| 13.7 | Exclusions .....                                                        | 25 |
| 14.  | System Life .....                                                       | 25 |
| 15.  | Exclusions .....                                                        | 26 |

## 1. Glossary

| S. No. | Term | Description                |
|--------|------|----------------------------|
| 1      | RFQ  | Request For Quote          |
| 2      | IT   | Information Technology     |
| 3      | BOQ  | Bill Of Quantity           |
| 4      | PDP  | Power Distribution Panel   |
| 5      | PC   | Personal Computer          |
| 6      | UPS  | Uninterrupted Power Supply |

## 2. About Falcon

### THE COMPANY

#### ABOUT US

Falcon Autotech is one of the leading Intra-logistics automation solution providers with a sharp focus on Parcel, Piece and Case Handling applications. We have a broad portfolio of Sortation Systems for Retail, E-Commerce and CEP (Courier, Express and Postal) industries and have supplied our systems across various countries globally.

#### OUR VISION

To create a global impact on the society by facilitating world's leading organizations run their supply chains efficiently by leveraging technology enabled products and solutions and, in the process, establish Falcon Autotech as one of the world's most respected and trusted brands in Intra-logistics warehouse automation space.

#### OUR JOURNEY

The team started out in 2004 solving special purpose automation problems for clients and later pivoted to building a standard technology stack spanning across Hardware, Firmware and Software to tackle bigger Supply Chain problems. Over the last few years, the organization has made rapid strides and has carved out a niche in some of the world's most cutting-edge technologies: Sortation, Robotics, Conveying, Vision Systems and IOT.

#### OUR CORE COMPETENCIES

Organizations are built and defined by the people they are able to attract, cultivate and retain and the talent management philosophy at Falcon Autotech could not agree more. At, Falcon Autotech we take a lot of pride in being the preferred career choice for some of the finest talent in the country across multiple domains such as:


- ❖ Supply Chain Solution Designing and Consultation
- ❖ Hardware Design
- ❖ Electrical Design
- ❖ Electronics Design
- ❖ Software Development
- ❖ Manufacturing

Giving us an unprecedented ability to harness our true potential generated by culmination of Supply Chain Know-How, quality Hardware and flexible Software under one roof.





## COMPANY HISTORY



## OUR PRODUCT PORTFOLIO

01

### SORTATION SOLUTIONS



Cross Belt Sorter



Tilt Tray Sorter



Arm Sorter



Swivel Wheel Sorter



Sweep Sorter



Pusher Sorter



Pop Up Sorter

02

### PICK/PUT TO LIGHT SYSTEMS



Packet Sortation



Multi-Line Order Consolidation



Order Picking



Store Order Fulfillment



Spare Parts Distribution



Kitting



Multi Order Pick Cart

03

### DIMENSION & WEIGHT SCANNING SYSTEMS

#### STATIC DIMENSION & WEIGHT SCANNING SYSTEMS



Cubizon-R



Cubizon-R THRU



Cubizon-R Cross



Cubizon-R ECO

#### DYNAMIC CONVEYOR BASED SYSTEMS

##### OUR 8 MODELS






## OUR PRODUCT PORTFOLIO

04

### CONVEYOR AUTOMATION SOLUTIONS


| BELT CONVEYORS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ROLLER CONVEYORS                                                                                                                                                                                                                                                                                                         | SPECIAL APPLICATION SOLUTIONS                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>❖ <b>PVC BELT</b> <ul style="list-style-type: none"> <li>◆ Straight Conveyor</li> <li>◆ Spacing Conveyor</li> <li>◆ Accumulation Conveyor</li> <li>◆ Strip Belt Merge- 30/45/60</li> <li>◆ Solid Belt Merge- 45</li> <li>◆ Incline Belt Conveyor</li> </ul> </li> <li>❖ <b>MODULAR BELT</b> <ul style="list-style-type: none"> <li>◆ Straight Conveyor</li> <li>◆ 90 Degree Belt Curve</li> <li>◆ 180 Degree Belt Curve</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>◆ Straight Conveyor</li> <li>◆ Gravity Roller Conveyor</li> <li>◆ MDR Accumulation</li> <li>◆ Angled Roller Conveyor</li> <li>◆ Curved Conveyor</li> <li>◆ Spur Merge Conveyor</li> <li>◆ Swivel Wheel Diverter</li> <li>◆ Pop Up Belt Diverter</li> <li>◆ Pusher Unit</li> </ul> | <ul style="list-style-type: none"> <li>◆ Aligning Conveyor</li> <li>◆ One to Two Split Conveyor</li> <li>◆ Two to One Merge Module</li> <li>◆ Bulk Distribution-ARB</li> <li>◆ Bulk Distribution-Telescopic</li> <li>◆ Bulk Distribution-Electric Arm</li> <li>◆ Telescopic Belt Conveyor</li> </ul> |



05


### SOFTWARE SUITE

#### FALCON'S AUTOMATION CONTROL SUITE



## SOME OF OUR GLOBAL CLIENTS

We believe in delivering high quality and standard worldwide. Here is a gist of our esteemed clients across various industry segments.



### 3. Handled Product Spectrum

|                       |    |                                        |
|-----------------------|----|----------------------------------------|
| Max Length            | mm | 600                                    |
| Max Width             | mm | 600                                    |
| Max Height            | mm | 600                                    |
| Max Weight            | Kg | 15                                     |
| Min length            | mm | 100                                    |
| Min Width             | mm | 50                                     |
| Min Height            | mm | 5                                      |
| Min Weight            | Kg | 0.1                                    |
| Dimensioning Accuracy | Mm | +/-10 for Length, Width and Height     |
| Weighing Accuracy     | Kg | +/- 0.06 or 0.5 %, whichever is higher |

**Note- Dimension will only be captured for parcels > 20 mm in height .**

#### 3.1 Parcels to be loaded on Profiler shall have the following characteristics:


1. Centre of Gravity of items must not move during conveyance.
2. Item must not have magnetic content; otherwise, behavior of parcel cannot be guaranteed.
3. Liquid or fragile material, to avoid breaking, spillage or leakage, such as wine bottles, metal cans of paint are designated as non- conveyable items.
4. Parcels shall be perfectly and safely packaged: protrusion or open surfaces are not allowed.
5. Plastic ropes shall be perfectly adherent to the surface of the package.
6. All items with the risk of being damaged during the transport on an automatic conveying system or damaging the system. They must be robust enough to avoid disintegration of container material and loose of contents in the conveying process.
7. Item packaging shall have enough grip to be handled on the belts during the acceleration and referencing phases.
8. The parcels must have at least one flat and regular surface providing enough stability during conveyance.
9. All shapes are permitted except spherical, cylindrical, or alike unstable items & shapes.

#### 3.2 Parcel not loadable on the system

All products that are not within the range as described here are considered non- conveyable products and must be taken out of the main conveyor flow by the operators.

1. Unstable items with risk to roll or tumble on the conveying system, such as spherical or cylindrical.
2. Items that are packed in material that can damage the conveyors.
3. Items that have sharp points (e.g., Nails) or sharp edges, that can damage the conveyors. Items with protruding parts.
4. Fragile parcels with contents not sufficiently secured.
5. Items that have been classified as dangerous are designated.
6. Wet items and Items with anti-slip treatment.
7. Inadequately packed items that could be damaged during automatic transportation.
8. Electrostatically loaded items.
9. Loose parts on loads and load carriers, such as adhesive tape, stickers, slips of paper, straps, wrap foil etc. are designated as non- conveyable items.

## 4. System Proposed Solution



1. Loading Conveyor
2. Scanning & Dimensioning Unit with Weighing System
3. Output Conveyors
4. Sorter
5. Output Chute
6. Rejection Chute
7. PTL Racks
8. Sort Fail Chute

## 5. System Specification


| Description                              | Units                                                   |
|------------------------------------------|---------------------------------------------------------|
| Automatic Barcode scanning               | Yes                                                     |
| Automatic Weighing                       | Yes                                                     |
| Automatic Dimensioning and Imaging       | Yes                                                     |
| Max parcel Length Measurable             | 600 mm                                                  |
| Max parcel Width Measurable              | 600 mm                                                  |
| Max parcel Height Measurable             | 600 mm                                                  |
| Min parcel Length Measurable             | 100 mm                                                  |
| Min parcel Width Measurable              | 100 mm                                                  |
| Min parcel Height Measurable             | 20 mm                                                   |
| Dimensional accuracy on standard parcels | +/- 10 mm                                               |
| Parcel Min Weight                        | 100 gm                                                  |
| Parcel Max Weight                        | 15 kg                                                   |
| Weighing accuracy                        | +/- 0.06 or 0.5% of Product Weight, whichever is higher |
| Barcode Mil Size                         | >=10 mm for 1D & >=25 mm for 2D                         |



## 6. Proposed System Description

### 6.1 Objective

The purpose of this proposal is to present the design, manufacturing, installation, commissioning, testing, and acceptance testing of the fully auto dynamic profiler to handle cartons/boxes/totes/jiffyas per specifications shared by DTDC.



**Reference System Layout/Image**

### 6.2 Process Flow

The shipments will be loaded on the loading conveyor where the resource will orient the shipment such that barcode always faces the scanner (Top Side only). The shipment passes through the automatic barcode scanning tunnel where the barcode data is read, the weight, dimensions and image are captured and stored in the system. The system then passes on to the output conveyor.

From the output conveyor the shipment will be transferred to the sorter on which the shipments get sorted on respective chute by Arm. On Output Chute PTLS are planned for secondary sortation process. Shipments which got missed to sort will fall in to sort fail chutes.

*\*To achieve 3000PPH, 2 Nos operators are required on the loading conveyor for feeding shipments.*

## 7. System Components

### 7.1 Loading Conveyor and Output Conveyor

Falcon's Powered Belt Conveyor is used for Shipment Loading/Orientation and as receiving/output conveyor.

Some Salient Features of Falcon's belt conveyor:

- Low Noise
- Maximum uptime.
- Minimal maintenance
- High safety standards.
- Fastest ROI



| Specification                             | UOM  | Remark              |
|-------------------------------------------|------|---------------------|
| Manufacturer Name                         | Name | Falcon Autotech     |
| MOC of Belt                               | Type | PVC                 |
| Belt Thickness                            | mm   | 3                   |
| Belt Finish                               | Type | Matt Finish         |
| Usable Belt width                         | mm   | 800/600             |
| Belt Make/Model No.                       | Make | Forbo/Derco/Similar |
| Load capacity per unit length of Conveyor | kg/m | 40                  |

## 7.2 Weighing Conveyor

Falcon's weighing conveyor is used for inline weighing of parcels.

Some Salient Features of Falcon's weighing conveyor:

- High Speed Weighing
- Minimal maintenance
- High safety standards.
- High accuracy



| Specification         | UOM  | Remark                                                  |
|-----------------------|------|---------------------------------------------------------|
| Manufacturer Name     | Name | Bizerba                                                 |
| Handled Product Sizes | Mm   | Min: 100 x 50 x 5<br>Max: 600x 600 x 600                |
| Minimum Weight        | Kg   | 0.1                                                     |
| Maximum Weight        | Kg   | 15                                                      |
| Weighing Accuracy     | Kg   | + - 0.06 or 0.5% of product weight, whichever is higher |

### 7.3 Auto Barcode Scanning System

System is integrated with automated Camera technology for scanning 1D&2D barcodes.

Some Salient Features of Falcon's Scanning System:

- High Speed Scanning
- High Accuracy Rates
- Effortless Operation
- High safety standards.



| Specification         | UOM    | Remark                                   |
|-----------------------|--------|------------------------------------------|
| Manufacturer Name     | Name   | Cognex                                   |
| Barcode Type          | Type   | 1D&2D                                    |
| Module Size           | Mils   | $\geq 10$ for 1D & $\geq 25$ for 2D      |
| Handled Product Sizes | Mm     | Min: 100 x 50x 5<br>Max: 600 x 600 x 600 |
| Number of Codes       | Nos    | 1                                        |
| Location              | Side   | Top                                      |
| Orientation           | Type   | Omnidirectional                          |
| Color of bars         | Color  | Black                                    |
| Under Foil            | yes/no | No                                       |

**\*SOP to Follow: parcels to be fed in the system such that the barcode is on the top face and at the leading end of the parcel.**

## 7.4 Automatic Dimensioning System

In the proposed solution Falcon team considered Cognex Dimensioning System i.e. 3D-A1000.



## 8. Proposed System Technical Details/BOM

### 8.1 Mechanical equipment

| Pos. | Qty. | Description                                | Value  |
|------|------|--------------------------------------------|--------|
| FM1  | 1    | Arm Sorter                                 | 1 Set  |
|      |      | Loading Conveyor (1400mm Length) Automatic | 1 Set  |
|      |      | Spacing Conveyor                           | 1 Set  |
|      |      | Barcode Scanning and Imaging SystemAuto    | 1 Set  |
|      |      | Dimensioning System                        | 1 Set  |
|      |      | Weighing Conveyor                          | 1 Set  |
|      |      | Output Conveyor (1400mm Length)            | 1 Set  |
|      |      | Sorter Conveyor (10000 mm Length)          | 5 Nos  |
|      |      | Arm Unit                                   | 69 Nos |
|      |      | PTL                                        | 4 Nos  |
|      |      | Hand scanner- 1D                           | 5 Nos  |
|      |      | Tower Light (2 Color)                      | 6 Nos  |
|      |      | Simple Fixed Bin                           |        |



## 8.2 Electrical Equipment

| Electricals |   |                                                                      |          |
|-------------|---|----------------------------------------------------------------------|----------|
| FC1         | 1 | Electrical Cabling and Wiring<br>Main Control Panel<br>Field Cabling | Included |

## 9. Program Organization

### 9.1 Delivery Schedule

Dispatch within 16-18 weeks from the date of signed PO, advance and DAP approval whichever is later.

**Note: Detailed Project schedule will be shared during the DAP.**

## 10. System Acceptance Test

Below standard tests will be performed during the handover of the system to Austria Post Team.

- Throughput Test
- Dimension & Weighing Accuracy Test
- Barcode Reading Test
- Sorter Accuracy test

**Note: SOP for all the tests will be shared with DTDC team during the detailed designing. Falcon will adhere to their standard SOP for all the tests.**

## 11. Commercial Terms

### 11.1 Price Sheet

#### Arm Sorter Cost:

| S. No       | Component                                  | Qty per set | Set | UOM | Price       |
|-------------|--------------------------------------------|-------------|-----|-----|-------------|
| 1           | Arm Sorter                                 | 1           | 1   | Set | ₹ 48,00,000 |
| 2           | Conveyor                                   | 1           | 1   | Set |             |
| 2           | Destinations                               | 1           | 1   | Set |             |
| 3           | PTL                                        | 1           | 1   | Set |             |
| 4           | Software Packages                          | 1           | 1   | Set |             |
| 5           | Installation & Commissioning               | 1           | 1   | Set |             |
| 6           | Packaging & forwarding                     | 1           | 1   | Set |             |
| 7           | Project Management and Engineering Charges | 1           | 1   | Set |             |
| 8           | Simple Fixed Bin                           | 6           | 1   | Set |             |
| Final Price |                                            |             |     |     | ₹ 48,00,000 |

**\*Above prices on the basis that DTDC will purchase 18 Nos Machines within the next 6-8 Months.**

| Optional Items |                                                      |     |     |            |
|----------------|------------------------------------------------------|-----|-----|------------|
| S.No           | Module                                               | Qty | UOM | Price      |
| 1              | PC Server                                            | 1   | Set | ₹ 2,50,000 |
| 2              | 5 Nos PTL with Hand scanner, Stand & 5 Nos Fixed Bin | 1   | Set | ₹ 1,53,000 |

The Total Price is to be understood.

- Ex Works – Greater Noida, India
- Freight charges shall be extra at Actual.
- Taxes, Customs, Duties extra at actuals
- Price is valid for 30 days from the date of proposal.

#### Spare & CMC Package

| S. No | Component                              | Price       |
|-------|----------------------------------------|-------------|
| 1     | High Value Critical Spare Package      | ₹ 13,30,000 |
| 2     | Low Value Critical Spare Package       | ₹ 5,50,000  |
| 2     | CMC Package upto 10 <sup>th</sup> Year | ₹ 26,64,000 |

**\*Distribution & Transportation of Spare Package will be in DTDC Scope.**

## CMC Package Breakup:

| Year     | 2nd Year   | 3rd Year   | 4th Year   | 5th Year   | 6th Year   | 7th Year   | 8th Year   | 9th Year   | 10th Year  |
|----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| CMC Cost | ₹ 2,40,000 | ₹ 2,40,000 | ₹ 2,40,000 | ₹ 2,64,000 | ₹ 2,88,000 | ₹ 3,12,000 | ₹ 3,36,000 | ₹ 3,60,000 | ₹ 3,84,000 |

\*Material Laydown area is in customer scope

## 11.2 Payment Terms

The Supplier Quotation is based on the following payment schedule:

Stage 1: 70% Advance along with PO.

Stage 2: 30% upon delivery at site within 7 days.

## 12. Warranty Period

Falcons offered System comes with a standard warranty of 1 year and post completion of warranty, customer can opt for Extended warranty. Warranty covers the following support:

- Telephonic, Email and Remote Service Support when required.
- Regular Software updates and Bug Fixes.
- Supply of Mechanical and Electrical components in case of failure (excluding damages as mentioned in Exclusion Clause)

The warranty does not apply to replacement or repair of:

- Faulty articles:
  - Failure to comply with the manufacturer's recommendations (logistics documentation, Technical Information Note, retrofit document) and the rules of the trade.
  - Negligence or abnormal use of equipment.
  - Anomalies produced by an environment of use, storage or transport that does not comply with the specifications or recommendations of Falcon: packaging, temperature, hygrometry, sector, insulation, etc.
  - A defect due to a cause external to the supplies and services of Falcon.
- Equipment other than that supplied by Falcon.
- Items that can be repaired exclusively by Falcon that have been repaired or attempted repairs other than those carried out by Falcon.
- Items that fail due to normal wear and tear of one or more of its components or whose tamper- evident seals (varnish, strip, etc.) have been broken or whose serial numbers have been removed or modified.
- Items damaged during transport to Falcon due to the use of unsuitable packaging.

## 13. Comprehensive Maintenance Contract

### 13.1 Scope of Service

The following services would be covered under this contract:

- E-mail support, Telephonic support, Remote assistance via Team Viewer will be extended to the customer for all issues.
- Preventive Maintenance of the System as per FAPL schedule.
- On-site breakdown service visits & Regular software updates.
- Software related small change requests such as change in the report format, User Interface related changes such as font size, specific color etc.
- Supply, repair/replacement of faulty spare\*.
- Supply, replacement of consumables.
- One day workshop for operator training will be provided twice during this service contract.

| Sr. No. | Services                     | Comprehensive Annual Maintenance Package (CMC)    |
|---------|------------------------------|---------------------------------------------------|
| 1       | Remote Support               | ✓                                                 |
| 2       | Break Down Service Visit     | ✓                                                 |
| 3       | Preventive Maintenance Visit | ✓                                                 |
| 4       | Software Updates             | ✓                                                 |
| 5       | Small Change Request         | ✓                                                 |
| 6       | Consumables                  | ✓                                                 |
| 7       | Spares Warranty              | ✓                                                 |
| 8       | Operator Training            | 2 x one day workshop for operators at client site |

*\*Replacement of spare is subject to failure analysis and approval by FAPL.*

### 13.2 Requesting Service

- Email: [support@falconautoonline.com](mailto:support@falconautoonline.com)
- Support Portal: <https://falconautotech-pvt-ltd.my.site.com/>
- Working Hours: 24 x 7
-

### 13.3 Service Response

The following will be the service response for all issues reported to FAPL.

#### 1. Telephonic and Remote support

|               |                                                                                        |
|---------------|----------------------------------------------------------------------------------------|
| Response Time | Severity-0: 60 min<br>Severity-1: 60 min<br>Severity-2: 120 min<br>Severity-3: 120 min |
|---------------|----------------------------------------------------------------------------------------|

#### 2. On site physical engineering visit, in case if required.

|                            |                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------|
| Engineer Visit Tier-1 City | Severity-0: 24 Hour<br>Severity-1: 24 Hour<br>Severity-2: 36 Hour<br>Severity-3: 48 Hour |
| Engineer Visit Tier-2 City | Severity-0: 36 Hour<br>Severity-1: 48 Hour<br>Severity-2: 48 Hour<br>Severity-3: 72 Hour |

#### 3. Some Examples of Severity

|                              |                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------|
| Severity 0 - System Down     | 1. Entire loop is down<br>2. All feedlines are down<br>3. Server down                             |
| Severity 1 - Critical Impact | 1. One Zone operation completely down<br>2. Multiple feedlines affected<br>3. VDS completely down |
| Severity 2 - Moderate Impact | 1. Any one Feedline affected<br>2. Bagging conveyor belt damage<br>3. Any infeed conveyor down    |

### 13.4 Service Level Agreement (SLA) for Spares and Consumables dispatch

|                               |                                                                                                                                                                                                           |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Spares & Consumables dispatch | Severity-0: 24 Hour *<br>Severity-1: 24 Hour *<br>Severity-2: 48 Hour *<br>Severity-3: 48 Hour *<br><br>*If stock available in Plant<br>(Monday 9:00 AM to Saturday 6:00 PM)<br>Excluding Public Holidays |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

*\*\*If stock is not available in plant OEM lead time will be followed.*

### 1. Spares and Consumables transportation responsibility

- The transportation cost of spares & consumables will be in **FAPL scope**.
- The transportation cost of faulty/damaged spares back to Falcon will be in **customer scope**.

### 13.5 Escalation matrix

- In case the Service request need to be escalated, the following escalation stream should be followed:

| Escalation Matrix |                                      |                                                                                                  |             |
|-------------------|--------------------------------------|--------------------------------------------------------------------------------------------------|-------------|
| Level             | Name                                 | Email                                                                                            | Contacts    |
| 1                 | Nitin – South Zone                   | <a href="mailto:nitin.Srivastava@falconautoonline.com">nitin.Srivastava@falconautoonline.com</a> | 7812997692  |
| 2                 | Sandeep Sharma for sorters           | <a href="mailto:sandeep@falconautoonline.com">sandeep@falconautoonline.com</a>                   | 85888 80764 |
|                   | Manish Kumar for non-sorter products | <a href="mailto:manish.kumar@falconautoonline.com">manish.kumar@falconautoonline.com</a>         | 8447731157  |
| 3                 | Manuj Bansal                         | <a href="mailto:manuj@falconautoonline.com">manuj@falconautoonline.com</a>                       | 99100 85558 |
| 4                 | Ankit Jain                           | <a href="mailto:ankit.jain@falconautoonline.com">ankit.jain@falconautoonline.com</a>             | 81300 65528 |

### 13.6 General Terms and conditions with Customer Responsibilities

1. The system entering into the contract should be in good working condition.
2. A health check-up of the system will be done by FAPL on a paid basis before entering into the contract.
3. Proper reporting of the Issue faced via the contact routes specified.
  - a. For this it is recommended that customer should train and authorize their employee(s) to coordinate with FAPL (SELLER)
  - b. Trained customer employee(s) shall be available on site during each intervention (remote and on site); this(these) employee(s) shall also apply safety and rescue measures in case of emergency.



4. Data transmission requirements for telephonic and remote support (data stream, internet connection speed etc.) – the customer shall ensure the sufficient quality of the telephone and remote connection; any delays and additional costs caused by insufficient data transmission or lack of cooperation from the on-site personnel shall be borne by the customer.
5. The availability of all parts which require customer-specific programming and configuration, within the agreed reaction times for on-site interventions is not guaranteed; the customer shall ensure the on-site availability of these parts in order to avoid delays for the on-site interventions.
6. To send any faulty/damaged parts with proper packaging and documentation back to FAPL, Greater Noida-India, facility for RCA, whenever required.
7. Parts purchased from FAPL must be used and maintained by the customer.
8. In no event shall SELLER be liable to BUYER for any consequential, indirect, special, or punitive damages, including but not limited to loss of business, goodwill, income, profit or savings as well as any other claim for consequential compensation arising out of or relating to this service contract.
9. The BUYER is not authorized/allowed to replace, adjust, repair or in any way manipulate the automated system and its components unless he is specially trained and authorized to perform the corresponding manipulation by FAPL.

### 13.7 Exclusions

- New IT development.
- Any damage to the equipment due factors such as wrong operation, negligence, improper use, physical damage, damage due to electrical fluctuations/surges/ etc., damage due to Fire, Act of God or any other damage that cannot be attributed to the OEM/FAPL. In such cases, FAPL will take all reasonable steps to ascertain the RCA in coordination with the OEM and the final decision of OEM shall be binding on buyer.
- Training, Data Backup, OS Support, Application Support and Virus Support.
- Dismantling & re-installation of machine related activities.
- Modification/upgradation of the existing setup.

## 14. System Life

This system is majorly a mechanical component if well maintained as per OEM specification, Falcon can provide system support for lifetime. The life of system will be minimum 10 years and even up to 15 years.

Please note this is fully dependent on system health status which will be carried out by Falcon at regular intervals.

## 15. Exclusions

The scope of supply includes all parts which are defined in the Supplier's quotation.

All other parts which are not defined in the Supplier's quotation do not belong to the Supplier's scope of supply and are excluded. The following parts are also excluded:

- A. Server PC is optional in this proposal.**
- B. Building infrastructure; building structure, doors, fire exits, levelling devices, building extinguisher and fire alarm system, building heating and lighting system.
- C. The weighing and Dimensioning system proposed are not LFT.
- D. Electrical power supply and wiring to the main control cabinets.
- E. UPS for Controls and Drives
- F. Electrical Power for Installation
- G. Network Cabling up to the Main Server Rack
- H. Intermediate wiring to parts which are to be supplied by the Purchaser/others.
- I. Emergency/Uninterruptable power supply
- J. Fire-alarm and fire protection devices.
- K. Traffic and route markings
- L. Laydown Area
- M. Ram protection devices
- N. Cat walks, bridges, maintenance aisles and platforms
- O. Assembly tools like forklifts and hoisting machines.
- P. All kind of network incl. Local Area Network (LAN/WLAN), exceeding the scope described in Scope of Supply
- Q. Any Kind of Civil work
- R. Any adjustment of the Supplier's scope of supply to local rules and regulations
- S. X-Ray machines
- T. Roller cages/ Pallets
- U. Simulation and 3D animation of the sorter system
- V. Interface with other equipment not specified in this offer.
- W. Provision of facilities for the control room (furniture, air conditioning, heating, etc.).
- X. The supply and installation of fencing around the different corridors.
- Y. Any item specifically indicated as not forming part of the subject matter of the Seller's supply in the offer documentation.