

FALCON's Offer for ARM Diverter

May 27, 2024

Doc. No. - Sales/FR/PT/007/R0



Kind Attention –

Mr. Rahul Didwani

Mr. Akarsh Devadiga

M/s Amazon

Offer Ref: F24-00245, R1; Date: 27-05-2024

Subject – Techno -Commercial Offer of Arm Diverter 1200 PPH

We are pleased to submit our Techno-Commercial Offer in response to your requirement.

As you will note, we have studied your requirements in great depth and, along with the information collected during the workshops and calls with you, we have put together a detailed technical proposal laid out in various sections and sequenced to enable you to understand our proposed solution and to re-enforce our commitment to be your partner in this strategic initiative.

In subsequent sections, we have highlighted the capabilities and experiences of Falcon Autotech with sections on our Automation Technologies and references.

To conclude, I would like to add my personal commitment, on behalf of Falcon Autotech. As we move through the RFP process, please do not hesitate to contact me and my team. We will be pleased to assist you for any further information or clarifications that you might have.

Best Regards,

Sandeep Bansal

Chief Business Officer


Contents

Contents.....	3
1. Component Description	4
1.1 Sorter: Arm Diverter.....	4
1.2 Plastic Modular Belt Conveyor.....	5
2. Handled Shipment Spectrum	6
2.1 Shipment size loadable on Arm Diverter.....	6
3. Commercial Terms.....	6
3.1 Price Sheet	6
3.2 Payment Terms.....	6
4. Warranty Period	7

1. Component Description

1.1 Sorter: Arm Diverter

Linear Side Arm diverter System of Falcon AutoTech is an extremely cost-effective Sortation system designed for low to medium Volume Centres. Linear side arm diverter's simple and modular design gives it advantage of low cost, space saving, and modularity of increasing sorting points in future. This is one of the earliest diverter systems of Falcon AutoTech.



Technical specifications of Arm Unit

Items	Value
Arm Type	Standard
Load Capacity	18 KG
Throughput	1200 PPH
Diverting Angle	90 Degrees at double sides
Noise Level	<75 Db when measured from 1 m in a silent warehouse.
Actuation method	Electric induction motor
Belt type	Flat top modular


****Note :- The Diverter will be sent as a standalone product & the installation/ integration will remain in Amazon's scope.***

1.2 Plastic Modular Belt Conveyor

Falcon's Belt Conveyors are modular & robust in design. MS profile is used to build conveyor frame.

Some Salient Features of Falcon's Modular Belt conveyor:

- Low Noise
- Maximum uptime.
- Minimal maintenance
- High safety standards.
- Fastest ROI.



Specification	UOM	Remark
Manufacturer Name	Name	Falcon Autotech
Plastic Modular Belt Material	Type	POM with PBT Pins, Pitch-25.4 mm, Pin Dia- 5mm
Plastic modular Belt Make/Model No.	Make	Movex/XP254 CR
Sprocket Size & No. of Sprockets on Drive End & Tail End	Type	5/146.4 mm
Sprocket material	MOC	POM
Chassis	mm	MS, 3mm Thick, Powder Coated-75 Microns
Wear Strip Material	MOC	UHMW PE1000
Wear Strip Pitch	mm	150 (Strip Width - 40mm)
Return Roller type	Type	DIA- 50 mm/20303
Return Roller Pitch	mm	800
Driven Shaft	Type	MOC-EN9 Solid Shaft hardened to BHN 240, Size-60SQ MM, Zinc Plated -25 microns, Bearings-UCF-210D1
Duplex Sprocket	MOC	MS
Duplex Chain	MOC	MS
Drive Shaft	MOC	EN 24
Conveyor Under guarding	Type	GI SHEET (1MM THICK)
Type of Guides	Type	Steel guides at 50mm/400mm height basis the position of conveyor on both sides from Conveyor Belt Surface.

2. Handled Shipment Spectrum

As per the shipment spectrum data provided, Falcon has studied and analysed the shipment spectrum.

2.1 Shipment size loadable on Arm Diverter

Falcon's Cross belt sorter has a capability to handle the below mentioned shipment sizes and weight.

Specification	Unit	Value
Max Length	mm	400
Max Width	mm	260
Max Height	mm	220
Max Weight	Kg	18
Min length	mm	180
Min Width	mm	140
Min Height	mm	70
Min Weight	gm	20

3. Commercial Terms

3.1 Price Sheet

S.No	Component	Set	UOM	Total(INR)
1	Arm Diverter & Modular conveyor	1	Set	₹ 3,81,517
2	Packaging & Forwarding	1	Set	₹ 11,446
Grand Total				₹ 3,92,962

The Total Price is to be understood.

- Freight – Excluded
- Installation – Excluded
- Integration - Excluded
- Taxes as applicable
- Packing and Forwarding - Included
- Price is valid for 30 days from the date of proposal.

*Material Unloading & Handling is in customer scope

3.2 Payment Terms

50% Advance with PO.

50% With readiness of material before dispatch.

**All invoices (if due as per payment terms) should be cleared within 7 days from the date of receipt of undisputed invoice by the buyer.*

4. Warranty Period

Falcon's offered System comes with a standard warranty of 1 year (Starts from the date of beneficiary use).

The warranty covers the following support:

- 24 X 7 Telephonic, Email and Remote Service Support when required.
- Regular Software updates and Bug Fixes.
- Supply of Mechanical and Electrical components in case of failure (excluding damages as mentioned in the Exclusion Clause)

The warranty does not apply to the replacement or repair of:

- Normal wear and tear.
- Consumables.
- Faulty articles continued:
 - Failure to comply with the manufacturer's recommendations (logistics documentation, Technical Information Note, retrofit document) and the rules of the trade.
 - Negligence or abnormal use of equipment.
 - Anomalies produced by an environment of use, storage or transport that does not comply with the specifications or recommendations of Falcon: packaging, temperature, hygrometry, sector, insulation, etc.
 - A defect due to a cause external to the supplies and services of Falcon.
- Equipment other than that supplied by Falcon.
- Items that can be repaired exclusively by Falcon that have been repaired or attempted repairs other than those carried out by Falcon.
- Items that fail due to normal wear and tear of one or more of its components or whose tamper-evident seals (varnish, strip, etc.) have been broken or whose serial numbers have been removed or modified.
- Items damaged during transport to Falcon due to the use of unsuitable packaging