



Experiment - 1.4

Student Name: Jaiswal Mukund

Branch: CSE

Semester: 5th

Subject Name: AIML

UID:21BCS3407

Section/Group: NTPP_IOT_602-B

Date of Performance: 25 /08/23

Subject Code:21CSH-316

1. Aim:

Implementation of Python Libraries for ML application such as Pandas and Matplotlib

2. Objective:

The objective of this experiment is to of Python Libraries for ML application such as Pandas and Matplotlib and analyze its performance and characteristics.

3. Algorithm

import matplotlib.pyplot as plt: This line imports the matplotlib.pyplot module and assigns it the alias plt. This module contains functions that allow you to create various types of plots.

x = [1, 2, 3, 4, 5] and y = [10, 15, 7, 12, 9]: These two lists define the x and y coordinates of the points that you want to plot.

plt.plot(x, y): This line creates a line plot using the data from the x and y lists. It connects the points with straight lines.

plt.xlabel('X-axis') and plt.ylabel('Y-axis'): These lines set labels for the x-axis and y-axis of the plot.

plt.title('Basic Line Plot'): This line sets the title of the plot.

plt.show(): This line displays the plot you've created.



`plt.scatter(x, y, color='red', marker='o', label='Data Points')`: This line creates a scatter plot using the x and y data. The color argument specifies the color of the data points (red), the marker argument specifies the marker style (circle), and the label argument sets the label for the legend.

`plt.legend()`: This line displays the legend on the plot, which shows the label you specified earlier.

`plt.show()`: This line displays the scatter plot.

4. Code

```
import matplotlib.pyplot as plt
```

```
x = [1, 2, 3, 4, 5]  
y = [10, 15, 7, 12, 9]
```

```
plt.plot(x, y)  
plt.xlabel('X-axis')  
plt.ylabel('Y-axis')  
plt.title('Basic Line Plot')  
plt.show()
```

```
#scatter plot  
plt.scatter(x, y, color='red', marker='o', label='Data  
Points')  
plt.legend()  
plt.show()
```

5. Output

Basic Line Plot

