Assignment 2 - Jenkins (Creating a DevOps pipeline, CI/CD tool)

Name: Mukund Deepak

SRN: PES2UG20CS206

Task 1:


Screenshot of the running Docker Container after installing Jenkins

```
2023-02-13 04:02:06.871+0000 [id=56]
                                      TNFO
                                             jenkins.InitReactorRunner$1#onAttained: System config loaded
2023-02-13 04:02:06.872+0000 [id=68]
                                      TNFO
                                              jenkins.InitReactorRunner$1#onAttained: System config adapted
2023-02-13 04:02:06.873+0000 [id=43]
                                      INFO
                                              jenkins.InitReactorRunner$1#onAttained: Loaded all jobs
2023-02-13 04:02:06.875+0000 [id=53]
                                      INFO
                                             jenkins.InitReactorRunner$1#onAttained: Configuration for all jobs upd
ated
2023-02-13 04:02:06.905+0000 [id=84]
                                              hudson.util.Retrier#start: Attempt #1 to do the action check updates s
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by org.codehaus.groovy.vmplugin.v7.Java7$1 (file:/var/jenkins_home/war/WEB-INF/lib/
groovy-all-2.4.21.jar) to constructor java.lang.invoke.MethodHandles$Lookup(java.lang.Class,int)
WARNING: Please consider reporting this to the maintainers of org.codehaus.groovy.vmplugin.v7.Java7$1
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
2023-02-13 04:02:07.395+0000 [id=52]<sup>De</sup>
                                     INFO
                                             jenkins.install.SetupWizard#init:
********************
Jenkins initial setup is required. An admin user has been created and a password generated.
Please use the following password to proceed to installation:
59cd3378d9984f8d9a231ae0a2911ce9
This may also be found at: /var/jenkins_home/secrets/initialAdminPassword
******************
```


Task 2:

Picture showing the console output after the build is successful

localhost:8946/page/1 1/8



Picture showing the Stable state of the task in Build History of Jenkins




Task 3:

Console output of second job




Status page of first job


localhost:8946/page/1 2/8



Build History of Jenkins




Jenkins Dashboard



Task 4:

Webhook added to your GitHub repository:

localhost:8946/page/1 3/8



Console Output of second job displaying the change made in hello.cpp file.



Task 5:

Code/script written to create basic pipeline using GitHub repository

localhost:8946/page/1 4/8

```
\oplus
  Open
 1 pipeline {
     agent any
3
     stages{
       stage('Build'){
5
         steps{
 6
           sh 'g++ main/hello.cpp'
7
           build 'PES2UG20CS206-1'
           echo 'Build Successful'
8
9
10
       }
11
       stage('Test'){
12
         steps{
13
           sh './a.out'
14
15
       }
16
       stage('Deploy') {
17
         when {
18
           expression {
19
             currentBuild.result == null || currentBuild.result == 'SUCCESS'
20
21
         }
22
         steps {
23
           echo 'Deployment Successful'
24
25
26
     }
27
     post {
28
29
         echo 'Pipeline failed'
30
31
     }
32 }
```

Output of working created pipeline, the screenshot should include:

- Stage view / Execution status of pipeline with all stages succeeded
- Verify Declarative: Post Actions stage succeed for handling failures.



localhost:8946/page/1 5/8

Console Output of the Pipeline

Correct Execution of Pipeline:

```
Console Output
 Lightweight checkout support not available, falling back to full checkout.
 Checking out git https://github.com/mukunddeepak/PE52UG20C5206_Jenkins/ into /var/jenl/0a16c81f66b0567c27db013c363cef0cb1534aca2a7a0968e3230788b8699545 to read Jenkinsfile
 The recommended git tool is: NONE
   > git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206@script/0a16c81f66b0567c27db013c363cef0cb1534aca2a7a0968e3230788b8699545/.git # timeout=10
 Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ # timeout=10
 Fetching upstream changes from https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/
  > git --version # timeout=10
> git --version # 'git version 2.30.2'
   > git fetch --tags --force --progress -- https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ +refs/heads/*:refs/remotes/origin/* # timeout=10
  Seen branch in repository origin/main
 Seen 1 remote branch
 > git show-ref --tags -d # timeout=10
Checking out Revision 575d18493c6ad161035aad37245af421b4ffa72b (origin/main)
  > git config core.sparsecheckout # timeout=10
    git checkout -f 575d18493c6ad161035aad37245af421b4ffa72b # time
 Commit message: "Added Jenkinsfile 3"
  > git rev-list --no-walk 6e51c787df2a53cb2a1ac23f92f57597ff05a72f # timeout=10
[Pipeline] Start of Pipeline
  Running on Jenkins in /var/jenkins_home/workspace/PES2UG20CS206
 No credentials specified
   > git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206/.git # timeout=10
```

```
> git config core.sparsecheckout # timeout=10
   git checkout -f 575d18493c6ad161035aad37245af421b4ffa72b # timeout=10
Commit message: "Added Jenkinsfile 3"
> git rev-list --no-walk 6e51c787df2a53cb2a1ac23f92f57597ff05a72f # timeout=10
[Pipeline] Start of Pipeline
Running on Jenkins in /var/jenkins_home/workspace/PES2UG20CS206
[Pipeline] { (Declarative: Checkout SCM)
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ # timeout=10
Fetching upstream changes from https://github.com/mukunddeepak/PES2UG20CS206 Jenkins/
> git --version # timeout=10
> git --version # 'git version 2.30.2'
 > git fetch --tags --force --progress -- https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10
Checking out Revision 575d18493c6ad161035aad37245af421b4ffa72b (origin/main)
  git config core.sparsecheckout # timeout=10
 > git checkout -f 575d18493c6ad161035aad37245af421b4ffa72b # timeout=10
Commit message: "Added Jenkinsfile 3"
[Pipeline] // stag
[Pipeline] withEnv
[Pipeline] {
[Pipeline] { (Build)
+ g++ main/hello.cpp
Scheduling project: PES2UG20CS206-1
Starting building: PES2UG20CS206-1 #8
Build Successful
```

localhost:8946/page/1 6/8

```
+ g++ main/hello.cpp
[Pipeline] build (Building PES2UG20CS206-1)
Scheduling project: PES2UG20CS206-1
Starting building: PES2UG20CS206-1 #8
Build Successful
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] sh
Hello, World
Hello, Jenkins
I have successfully built and run
This is to trigger an event in the repo
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
Deployment Successful
[Pipeline] }
[Pipeline] // node
Finished: SUCCESS
```

Erroneous Execution of Pipeline:



```
Started by user Mukund Deepak
     Lightweight checkout support not available, falling back to full checkout.
                                                                epak/PES2UG20CS206_Jenkins/ into /var/jenkins_home/workspace/PES2UG20CS206@script
    Checking out git https://github.co
    /0a16c81f06b0507c27db013c363cef0cb1534aca2a7a0968e3230788b8699545 to read Jenkinsfile
The recommended git tool is: NONE
    The recommended git tool 1s: Nome
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206@script/@al6c81f66b0567c27db013c363cef@cb1534aca2a7a0968e3230788b8699545/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.orgini.rul https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ # timeout=10
Fetching upstream changes from https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/
      > git --version # timeout=10
      > git --version # 'git version 2.30.2'
      > git fetch --tags --force --progress -- https://github.com/mukunddeepak/PES2UG20CS206 Jenkins/ *refs/heads/*:refs/remotes/origin/* # timeout=10
     Seen branch in repository origin/main
    Seen 1 remote branch
    > git show-ref --tags -d # timeout=10
Checking out Revision b356aac6535c8c9eea45011d27e36b21fa67c2b4 (origin/main)
      > git config core.sparsecheckout # timeout=10
    > git checkout -f b356aac6535c8c9ea45011d27e36b21fa67c2b4 # timeout=10
Commit message: "Added a deliberate error"
      > git rev-list --no-walk 2ab233637e7eea2f05f668a079f24d98a07ad975 # timeout=10
     Running on Jenkins in /var/jenkins_home/workspace/PES2UG20CS206
      [Pipeline] sta
     [Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
    No credentials specified
      > git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206/.git # timeout=10
kins/ etching changes from the remote Git repository
```

localhost:8946/page/1 7/8

```
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/PES2UG20CS206/.git # timeout=10 Fetching changes from the remote Git repository
rectains changes from the remote GLT repository

- git config remote.orgin.url https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ # timeout=10

Fetching upstream changes from https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/
  > git --version # timeout=10
  > git --version # 'git version 2.30.2'
  > git fetch --tags --force --progress -- https://github.com/mukunddeepak/PES2UG20CS206_Jenkins/ +refs/heads/*:refs/remotes/origin/* # timeout=10
Seen branch in repository origin/main
Seen 1 remote branch
> git show-ref --tags -d # timeout=10   
Checking out Revision b356aac6535c8c9eea45011d27e36b21fa67c2b4 (origin/main)
  > git config core.sparsecheckout # timeout=10
  > git checkout -f b356aac6535c8c9eea45011d27e36b21fa67c2b4 # timeout=10
Commit message: "Added a deliberate error
 [Pipeline] }
[Pipeline] // stage
  [Pipeline] withEn
+ g++ main/hello.cpp
Scheduling project: PES2UG20CS206-1
Starting building: PES2UG20CS206-1 #13
Build Successful
 [Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] sh
/var/jenkins\_home/workspace/PES2UG20CS206@tmp/durable-e8baf259/script.sh: 1: ./a: not found the property of 
Stage "Deploy" skipped due to earlier failure(s)
```

```
Stage "Deploy" skipped due to earlier failure(s)
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Pipeline failed
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
ERROR: script returned exit code 127
Finished: FAILURE
```

Link to Github Repo

Github Repo

localhost:8946/page/1 8/8