

Assignment No	13
Title	CounterCookie Application and Teacher Application
Objective	To design an application and retrieve data from database using JSP and JSTL
Roll No	MCA2511

1. To design a counter application using JSP (Cookies).

Code:

CounterCookie.jsp

```
<%@ page language="java" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Counter Cookies</title>
</head>
<body>
    <%
        //1. get all the cookie from client for this domain
        Cookie[] cooks = request.getCookies();

        //2. check is the first visit
        if(cooks==null)
        {
            //This is first visit
            out.println("This is the First Visit");

            //create a cookie
```

```
        Cookie c1= new Cookie("counter","1");

        c1.setMaxAge(60*60*24);

        //add cookie to response
        response.addCookie(c1);
    }
    else
    {

        //this is not first visit

        //traverse through the cooks array
        for(Cookie temp:cooks)
        {

            if(temp.getName().equals("counter"))
            {

                //fetch the old valu eof cookie

                int cnt = Integer.parseInt(temp.getValue());

                //update and display

                cnt++;

                out.println("This is visit No.: "+ cnt);

                //update the repsonse

                temp.setValue(""+cnt);

                response.addCookie(temp);

                break;

            }

        }


    }

    %>


</body>

</html>
```

Output:



This is the First Visit



This is visit No.: 9

2. To design an application and retrieve data from database using JSP and JSTL.

Code:

TeacherDetails.jsp

```
<%@ taglib uri = "http://java.sun.com/jsp/jstl/core" prefix="c" %>
<%@ taglib uri = "http://java.sun.com/jsp/jstl/sql" prefix="sql" %>
<%@ page language="java" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Teacher Details</title>
</head>
<body>

    <sql:setDataSource var="myds" driver="org.postgresql.Driver"
url="jdbc:postgresql://localhost:5432/postgres" user="postgres" password="password"
scope="application"/>

    <sql:query var="myque" dataSource="${myds}">select * from teachers</sql:query>

    <table border=1>

        <tr>

            <th>Teacher ID</th>

            <th>Teacher Name</th>

            <th>Experience</th>

            <th>Specialization</th>

        </tr>

        <c:forEach var="result" items="${myque.rows}">

            <tr>

                <td><c:out value="${result.tid}"/></td>

                <td><c:out value="${result.tname}"/></td>

                <td><c:out value="${result.expr}"/></td>
```

```
<td><c:out value="${result.specialization}"/></td>

</tr>


</c:forEach>

</table>

</body>

</html>
```

Output:



Teacher ID	Teacher Name	Experience	Specialization
1	Mukund	5 years	Spring