

Assignment No	24
Title	Class Component Life Cycle
Objective	To show the methods executed for Class Component Life Cycle\ 1. Mount 2. Update 3. Unmount
Roll No	MCA2511

Code:

[Test.js](#)

```
import React, { Component } from "react";

class Test extends Component {
  constructor(props) {
    super(props);
    this.state = { favoritefood: "rice" };
  }
  // static getDerivedStateFromProps(props, state) {
  //   return { favoritefood: props.favfood };
  // }
  componentDidMount() {
    setTimeout(() => {
      this.setState({ favoritefood: "pizza" });
    }, 2000);
  }

  changeState() {
    this.setState({ favoritefood: "chicken" });
  }

  getSnapshotBeforeUpdate(prevProps, prevState) {
    document.getElementById("div1").innerHTML =
      "Before the update, the favorite was " + prevState.favoritefood;
```

```
}

componentDidUpdate() {
  document.getElementById("div2").innerHTML =
    "The update, the favorite food is " + this.state.favoritefood;
}

componentWillUnmount() {
  alert("Food Component removed")
}

render() {
  return (
    <>
      <h1>My Favorite Food Is {this.state.favoritefood}</h1>
      <div id="div1"></div>
      <div id="div2"></div>
      <button onClick={this.changeState.bind(this)}>Change
Food</button>
    </>
  );
}
}

export default Test;
```

App.js

```
import React from 'react';
import './App.css';
import Test from './Components/Test'

class App extends React.Component {
  constructor() {
    super();
    this.state = {
      showApp: true,
    };
  }
  render() {
    return (
```

```
    <div className="App" >
      <h1>FOOD TOGGLE</h1>
      <button onClick={() => this.setState({ showApp:
!this.state.showApp })}>
        {this.state.showApp ? "Hide Favourite Food" : "Show Favourite
Food"}
      </button>
      {this.state.showApp ? <Test /> : null}
    </div >
  )
}
}

export default App;
```

[index.js](#)

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import App from './App';
import reportWebVitals from './reportWebVitals';
// import './App.css';
// import Test from './Components/Test';

const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <React.StrictMode>
    <App/>
  </React.StrictMode>
);

// If you want to start measuring performance in your app, pass a
function
// to log results (for example: reportWebVitals(console.log))
// or send to an analytics endpoint. Learn more:
https://bit.ly/CRA-vitals
reportWebVitals();
```

Output:

localhost:3000 says

Food Component removed

OK

FOOD TOGGLE

Hide Favourite Food

My Favorite Food Is pizza

Before the update, the favorite was pizza

The update, the favorite food is pizza

Change Food

FOOD TOGGLE

Hide Favourite Food

My Favorite Food Is chicken

Before the update, the favorite was pizza

The update, the favorite food is chicken

Change Food


FOOD TOGGLE

Hide Favourite Food

My Favorite Food Is chicken

Before the update, the favorite was chicken
The update, the favorite food is chicken

Change Food



FOOD TOGGLE

Show Favourite Food