

Table 1.0098884  
Adverse events of special interest, by grouped term and CTCAE grade (Safety analysis set)

|                                      | DRUG ABC (N=76) | DRUG XYZ (N=76) |
|--------------------------------------|-----------------|-----------------|
| Patients with at least one AE        | 36 (47.4%)      | 27 (35.5%)      |
| BLOOD AND LYMPHATIC SYSTEM DISORDERS |                 |                 |
| Anaemia                              | 12 (15.8%)      | 3 (3.9%)        |
| Neutropenia                          | 2 (2.6%)        | 0               |
| CARDIAC DISORDERS                    |                 |                 |
| Acute coronary syndrome              | 1 (1.3%)        | 0               |
| Atrioventricular block               | 0               | 1 (1.3%)        |
| EAR AND LABYRINTH DISORDERS          |                 |                 |
| Vertigo positional                   | 1 (1.3%)        | 0               |
| ENDOCRINE DISORDERS                  |                 |                 |
| Adrenal insufficiency                | 0               | 1 (1.3%)        |
| GASTROINTESTINAL DISORDERS           |                 |                 |
| Abdominal pain                       | 1 (1.3%)        | 0               |
| Colitis                              | 0               | 1 (1.3%)        |
| Gastric haemorrhage                  | 1 (1.3%)        | 0               |
| Gastric ulcer perforation            | 0               | 1 (1.3%)        |
| Intestinal obstruction               | 0               | 1 (1.3%)        |
| Nausea                               | 1 (1.3%)        | 0               |
| Small intestinal obstruction         | 1 (1.3%)        | 0               |
| Upper gastrointestinal haemorrhage   | 0               | 1 (1.3%)        |
| GENERAL DISORDERS AND ADMINISTRATION |                 |                 |
| SITE CONDITIONS                      |                 |                 |
| Asthenia                             | 1 (1.3%)        | 0               |
| Fatigue                              | 2 (2.6%)        | 1 (1.3%)        |
| Pyrexia                              | 1 (1.3%)        | 1 (1.3%)        |
| HEPATOBILIARY DISORDERS              |                 |                 |

Table 1.0098884  
Adverse events of special interest, by grouped term and CTCAE grade (Safety analysis set)

|                                                   | DRUG ABC (N=76) | DRUG XYZ (N=76) |
|---------------------------------------------------|-----------------|-----------------|
| Drug-induced liver injury                         | 1 (1.3%)        | 0               |
| INFECTIONS AND INFESTATIONS                       |                 |                 |
| Escherichia bacteraemia                           | 0               | 1 (1.3%)        |
| Kidney infection                                  | 1 (1.3%)        | 0               |
| Peritonitis                                       | 1 (1.3%)        | 0               |
| Pneumonia                                         | 2 (2.6%)        | 2 (2.6%)        |
| Septic shock                                      | 1 (1.3%)        | 0               |
| Urinary tract infection                           | 6 (7.9%)        | 4 (5.3%)        |
| INJURY, POISONING AND PROCEDURAL<br>COMPLICATIONS |                 |                 |
| Femur fracture                                    | 0               | 1 (1.3%)        |
| Hip fracture                                      | 1 (1.3%)        | 0               |
| Urostomy complication                             | 1 (1.3%)        | 0               |
| INVESTIGATIONS                                    |                 |                 |
| Amylase increased                                 | 0               | 1 (1.3%)        |
| Blood creatinine increased                        | 1 (1.3%)        | 0               |
| Gamma-glutamyltransferase increased               | 0               | 2 (2.6%)        |
| Lipase increased                                  | 0               | 1 (1.3%)        |
| Neutrophil count decreased                        | 1 (1.3%)        | 0               |
| METABOLISM AND NUTRITION DISORDERS                |                 |                 |
| Dehydration                                       | 1 (1.3%)        | 0               |
| Hyperglycaemia                                    | 1 (1.3%)        | 1 (1.3%)        |
| Hyperkalaemia                                     | 1 (1.3%)        | 1 (1.3%)        |
| Hypermagnesaemia                                  | 1 (1.3%)        | 0               |
| Hypoglycaemia                                     | 0               | 1 (1.3%)        |
| Hypokalaemia                                      | 0               | 1 (1.3%)        |
| Hyponatraemia                                     | 1 (1.3%)        | 1 (1.3%)        |

Table 1.0098884  
Adverse events of special interest, by grouped term and CTCAE grade (Safety analysis set)

|                                                 | DRUG ABC (N=76) | DRUG XYZ (N=76) |
|-------------------------------------------------|-----------------|-----------------|
| Type 2 diabetes mellitus                        | 0               | 1 (1.3%)        |
| MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS |                 |                 |
| Bone pain                                       | 1 (1.3%)        | 0               |
| Pain in extremity                               | 0               | 1 (1.3%)        |
| PSYCHIATRIC DISORDERS                           |                 |                 |
| Anxiety                                         | 0               | 1 (1.3%)        |
| RENAL AND URINARY DISORDERS                     |                 |                 |
| Acute kidney injury                             | 4 (5.3%)        | 4 (5.3%)        |
| Chronic kidney disease                          | 1 (1.3%)        | 1 (1.3%)        |
| Haematuria                                      | 1 (1.3%)        | 1 (1.3%)        |
| Hydronephrosis                                  | 3 (3.9%)        | 0               |
| Renal failure                                   | 4 (5.3%)        | 0               |
| Renal impairment                                | 1 (1.3%)        | 0               |
| Ureteric obstruction                            | 1 (1.3%)        | 0               |
| Urinary bladder haemorrhage                     | 0               | 1 (1.3%)        |
| Urinary retention                               | 0               | 1 (1.3%)        |
| REPRODUCTIVE SYSTEM AND BREAST DISORDERS        |                 |                 |
| Vaginal haemorrhage                             | 0               | 1 (1.3%)        |
| RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS |                 |                 |
| Immune-mediated pneumonitis                     | 1 (1.3%)        | 0               |
| Pneumonia aspiration                            | 1 (1.3%)        | 0               |
| Pulmonary thrombosis                            | 1 (1.3%)        | 0               |
| Respiratory failure                             | 1 (1.3%)        | 0               |
| SKIN AND SUBCUTANEOUS TISSUE DISORDERS          |                 |                 |

Table 1.0098884  
Adverse events of special interest, by grouped term and CTCAE grade (Safety analysis set)

|                    | DRUG ABC (N=76) | DRUG XYZ (N=76) |
|--------------------|-----------------|-----------------|
| Psoriasis          | 0               | 1 (1.3%)        |
| Rash               | 0               | 1 (1.3%)        |
| VASCULAR DISORDERS |                 |                 |
| Hypertension       | 1 (1.3%)        | 1 (1.3%)        |
| Hypotension        | 1 (1.3%)        | 0               |