

EWB Cotton Client Interface Manual

Files Received From EWB

Updated: 08/20/2025

©Copyright 1996-2025, EWB, Inc.

SECTION 1 Table of Contents

SECTION 2 OVERVIEW 2-1

SECTION 3 FILE TYPE HD (DETAIL FILES)..... 3-1

HD –Default Delivery of Detail Data Information (Non-Block).....	3-1
HD07 - Cancel Receipts Delivery File.....	3-10
HD13 - Warehouse Bale Relocation File.....	3-12
HD21, 30, 31 - Shipping Orders Instructions & Receipts.....	3-14
HD23 - Shipping Order Update.....	3-17
HD24 - Warehouse Invoice.....	3-19
HD25 – Phytosanitary Warehouse XML Delivery	3-22
HD25 – Phytosanitary Forwarder XML Delivery.....	3-24
HD- Delivery of Block Receipt Detail Data Information	3-26
HD43 - Warehouse Loan Status Delivery	3-30
HD57 -Delivery Receipts via CMA Loan Redemption	3-31
HD64 - Warehouse Profile Requested	3-33
HD66 - Delivery of Reconciliation Detail	3-36
HD67 - EWR ASCII Text Message Received from EWR	3-39
HD68 - Holder Information Requested	3-40
HD86 - Shipping Order Release Request (Received by Banks Only)	3-42
HD87 - Bank Draft (Inbound only) (Received by Banks Only)	3-44
HD91 - Bank Draft (Outbound Only) (Received by Banks Only)	3-45
HD92 - Collateral Release Request (Received by Banks Only)	3-46
HD97 – Batch 23 Compliance Detail.....	3-48
HD98 - Delivery of Custom Report Detail.....	3-50

SECTION 4 FILE TYPE HA (SUCCESSFUL ACKNOWLEDGEMENT FILES).. 4-1

HA – Default Successful Acknowledgments	4-2
HA18 – BMAS Receipted and Non-Receipted Bales Acknowledgment.....	4-4
HA25/26 – Phytosanitary Holder Acknowledgment	4-6
HA81 - Collateral Holder Acknowledgment	4-8

SECTION 5 FILE TYPE HE (ERROR ACKNOWLEDGEMENT FILES)..... 5-1

SECTION 6 FILE TYPE HS (SUMMARY FILES)..... 6-1

HS78 - Block Receipt Summary	6-1
HS82 - Receipts Held Summary	6-3
HS83 - Summary of Receipts Issued (Received by Warehouse Users Only)	6-5
HS89 - Bank Collateral Summaries (Banks Only)	6-7

SECTION 2 OVERVIEW

The following document provides detailed information of files created by the EWR, Inc. host computer. These files will be located on the EWR, Inc. FTP site.

On the FTP site the files may be located under 1 of 2 main directories called:

- Download
- OldMail

Under both of those directories are 2 more directories, called:

- NotZip
- Zip

The NOTZIP directory will contain uncompressed files, with the extension DAT or XML.

The ZIP directory will contain compressed files (PKZIP) with a ZIP extension. That file will contain a single non-compressed file of DAT or XML.

File names follow this pattern:

HSBB.NNNN.YYYYMMDD.HHMMSS.UUUUUU.dat or .zip, where:

H	H holder
S	Type of file: D=detail, A=Acknowledgment, E=Error, S=Summary
BB	2-digit batch type
NNNN	Batch number
YYYYMMDD	Date
HHMMSS	Time
UUUUUU	Unique number

Example:

HD21.0333.20020515.152019.041254.DAT for uncompressed
HD21.0333.20020515.152019.041254.ZIP for compressed (zip)

The files can be retrieved by user for a specific holder. The holder has a single FTP password. After the file is successfully downloaded from the DOWNLOAD directory, it will be moved to the OLDMAIL directory. After a period of days (normally 21), the file(s) will be deleted from the EWR, Inc. FTP site.

SECTION 3 FILE TYPE HD (DETAIL FILES)

HD –Default Delivery of Detail Data Information (Non-Block)

This file is the default or standard delivery file created from several batch types: (01, 02, 03, 04, 06, 08, 22, 32, 35, 38, 39, 42, 44, 45, 50, 51, 52, 54, 56, 60, 62, 65; and 63).

This batch is a download of detailed receipt information contained in the host computer. It is produced when users send to the host, batch type that is delivering receipts or updating receipts (in certain cases). Normally, the recipient of the batch will be the entity who is the current holder or subholder of the receipts.

This file can be in 2 formats: Long or Short. The default is the Long format unless the holder has contacted EWR, Inc. support staff and requested that EWR send short records. This setting is saved in the holder profile. A Short record download will contain receipt information only, required data and optional data. A Long record download will contain the classing data.

HD54 is received when CCC updates the bale information.

HD56 is received when CCC releases a bale from loan.

Note: In January 2014, a certificated issue batch (Type 02) will have the tenderable field changed to allow for 3 options:

- Blank = Tenderable
- NT = Non Tenderable
- SD = Tenderable with Smith Doxey classing

Default Detail Delivery File Layout

Short Record Size = 271

Long Record Size = 345

HEADER LAYOUT

Field	Field Name	Type	Size	Pos	Description																										
1	Record Type	A	1	1	H=Header Record																										
2	Holder ID	AN	7	2-8	Holder ID – Person/Company making request																										
3	Batch Number	N	4	9-12	Batch number , holder supplied																										
4	Batch Type	N	2	13-14	Originating batch type																										
5	Request Flag/Action Code	A	1	15	Single character If field 4 is batch type 65 then the following table applies: <table><tr><td>A</td><td>All Receipts</td></tr><tr><td>C</td><td>Crop Year</td></tr><tr><td>D</td><td>Draft Number</td></tr><tr><td>G</td><td>Gin Code</td></tr><tr><td>I</td><td>Invoice Number</td></tr><tr><td>L</td><td>Loan Number</td></tr><tr><td>O</td><td>Purchase Order Number</td></tr><tr><td>P</td><td>Previous Holder ID</td></tr><tr><td>R</td><td>Grower Reference Number</td></tr><tr><td>S</td><td>Subholder</td></tr><tr><td>T</td><td>EWR Container ID</td></tr><tr><td>W</td><td>Warehouse Code</td></tr><tr><td>Z</td><td>Shipping Order Number</td></tr></table> If field 4 is batch type 03 or 04: U=Warehouse is updating Locator ID If field 4 is 34,35,38: C=Container created D=Container Dissolved If field 4 is 62 or 63: U=Holder is updating warehouse fields on receipt If field 4 is 50 and Field 18 is “C”, then the field is the “Certificated Type” that entered on the batch 50 header field.	A	All Receipts	C	Crop Year	D	Draft Number	G	Gin Code	I	Invoice Number	L	Loan Number	O	Purchase Order Number	P	Previous Holder ID	R	Grower Reference Number	S	Subholder	T	EWR Container ID	W	Warehouse Code	Z	Shipping Order Number
A	All Receipts																														
C	Crop Year																														
D	Draft Number																														
G	Gin Code																														
I	Invoice Number																														
L	Loan Number																														
O	Purchase Order Number																														
P	Previous Holder ID																														
R	Grower Reference Number																														
S	Subholder																														
T	EWR Container ID																														
W	Warehouse Code																														
Z	Shipping Order Number																														

6	Request Field / Activity Field	AN	11	16-26	Text comment regarding the batch or If field 4 is 34,35,38 then the field is the EWR Container ID processed in the batch if field 4 is batch type 65 the following table applies: <table><tr><td>Draft Number</td><td>AN</td><td>10</td></tr><tr><td>Gin Code</td><td>N</td><td>5</td></tr><tr><td>Invoice Number</td><td>AN</td><td>10</td></tr><tr><td>Loan Number</td><td>N</td><td>5</td></tr><tr><td>Purchase Order</td><td>AN</td><td>10</td></tr><tr><td>Previous Holder</td><td>AN</td><td>7</td></tr><tr><td>Grower Reference</td><td>N</td><td>11</td></tr><tr><td>Subholder</td><td>AN</td><td>7</td></tr><tr><td>Warehouse Code</td><td>N</td><td>6</td></tr><tr><td>S/O Number</td><td>AN</td><td>10</td></tr><tr><td>EWR Container ID</td><td>N</td><td>8</td></tr></table>	Draft Number	AN	10	Gin Code	N	5	Invoice Number	AN	10	Loan Number	N	5	Purchase Order	AN	10	Previous Holder	AN	7	Grower Reference	N	11	Subholder	AN	7	Warehouse Code	N	6	S/O Number	AN	10	EWR Container ID	N	8
Draft Number	AN	10																																				
Gin Code	N	5																																				
Invoice Number	AN	10																																				
Loan Number	N	5																																				
Purchase Order	AN	10																																				
Previous Holder	AN	7																																				
Grower Reference	N	11																																				
Subholder	AN	7																																				
Warehouse Code	N	6																																				
S/O Number	AN	10																																				
EWR Container ID	N	8																																				
7	Holder Selection	A	1	27	Empty unless batch type 65 Then the following rules applie Holder Selection S=detail data for receipts which the Holder ID is designated as the subholder; B=detail data for receipts which the Holder ID is designated as either the current holder or subholder; Blank = detail data for receipts which Holder ID is designated as the current holder.																																	
8	Batch Date	N	8	28-35	Holder supplied batch date; MMDDYYYY																																	
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS																																	
10	Draft Number	AN	10	42-51	Bank Draft Number - if delivered via bank draft, otherwise zero or empty.																																	
11	Draft Amount	N	10	52-61	Draft Amount - if delivered via bank draft, otherwise zero or empty.																																	
12	Long/Short Record	A	1	62	N = Short Record (no classing data) default; Y = Long Record (with classing data)																																	
13	From Holder	AN	7	63-69																																		
14	Holder Type	A	15	70-84	Output of holder selection type; i.e., Holder; Subholder; Both. This is only filled on batch types 65 and 60.																																	
15	Holder Name	A	40	85-124	Name of the holder on file with EWR.																																	
16	Criteria Type	A	15	125-139	This is only applicable to batch types 60 and 65.																																	

17	Criteria Name	A	40	140-179	Criteria description. This is only applicable to batch types 60 and 65
18	Certificated Batch	A	1	180	Blank = Regular Batch C = Certificated Batch
19	Block Receipts	A	1	181	Blank = No N = No Y = Yes
20	Detail Source	A	1	182	If field 4 is 62 or 63: U=Holder is updating warehouse fields on receipt and receiver is NOT the holder of receipts
21	Transaction ID	N	9	183-191	Reserved for EWR use.
22	Receipt Count	A	6	192-197	
23	Filler	A	74/14 8	198- 271/345	Short Record – 74; Long Record – 148 Reserved for EWR, Inc. use

DETAIL LAYOUT

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Warehouse	N	6	2-7	Warehouse code of the receipt
3	Electronic Receipt Number	N	7	8-14	Electronic Receipt Number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Issue Date	N	8	19-26	Date entered by the warehouse, not assigned by EWR – Storage date of the bale – MMDDYYYY
6	Tare Weight	N	2	27-28	Represents pounds subtracted from gross weight to compensate for bagging and ties on the bale
7	Net Weight	N	3	29-31	Gross weight of bale minus tare weight – User enters appropriate amount
8	Bagging/Ties	A	2	32-33	Bagging in 32 / Ties in 33
9	Bagging Condition	A	1	34	Bag condition – User defined. Examples are: A = Bale is completely covered B = Bale may have minor tears and an exposed sample opening C = Exposed cotton in addition to sample opening
10	Compression Code	A	1	35	Compression Code, valid entries are 1-7: 1 = Flat 2 = Modified Flat 3 = Standard Density 4 = Gin Standard 5 = Gin Universal Density 6 = Warehouse Universal Density 7 = Gin Universal Density (1995)
11	Receiving Fee	N	4	36-39	9999 (2 decimal); Warehouse defined charge, example 0250-\$2.50 (US currency)
12	Storage Fee	N	4	40-43	9999 (2 decimal); Warehouse defined charge, example 0250-\$2.50 – If Storage Charge Frequency is Daily, the entry will display as cents/day. e.g., 0950=\$9.50 per day(US currency)
13	Storage Charge Frequency	A	1	44	D=Daily; C=Calendar Months; S=Actual Months (same day); F=Actual Months (following day); M=Monthly (legacy support) See Appendix J – Files Sent To EWR
14	Receiving Paid	A	1	45	Y=receiving paid or waived N = not paid or waived

15	Loading Paid	A	1	46	Y= Paid; N=Not paid or waived
16	Classing Paid	A	1	47	Y = Paid; N = Not Paid
17	Compression Paid	A	1	48	Y = Paid; N = Not Paid
18	Reconcentrated	A	1	49	R = Bale is reconcentrated Space = Not reconcentrated
19	Previous Warehouse	N	6	50-55	Code of previous warehouse - Entered only if the bale is reconcentrated
20	Previous Receipt Number	N	7	56-62	Warehouse receipt number from previous warehouse, entered for reconcentrated cotton only.
21	Gin Code Number	N	5	63-67	USDA assigned code which identifies the site where the cotton was ginned
22	Gin Tag Number	N	7	68-74	Sequential tag number assigned by the gin
23	Storage Paid Through	N	8	75-82	Storage paid through date; MMDDYYYY. Last date that storage charges against the bale were paid to the warehouse
24	State Code	AN	2	83-84	USDA assigned State Code
25	County Code	N	3	85-87	USDA assigned County Code
26	Farm Number	N	5	88-92	Farm Serial number used for identifying specific areas of production
27	Loan Number	N	5	93-97	FSA/CCC assigned Loan Number
28	CCC Loan Type	A	1	98	A = Form A; G = Form G; Blank = no loan
29	CCC Loan Date	N	8	99-106	Loan Date. This field is initially supplied by the sender of the loan batch. Later it is updated by CCC when the loan is accepted, rejected or updated by CCC.
30	Mark	AN	8	107-114	If the receipt is under shipment, then this field is the shipper mark. Otherwise it is the mark from the batch header upload.
31	Purchase Order Number	AN	10	115-124	Purchase Order Number assigned by seller
32	Invoice Number	AN	10	125-134	Invoice Number assigned by seller
33	Grower Reference Number	N	11	135-145	
34	Grower ID/Container ID	AN	9	146-154	Optional field on non-world cotton EWR Container ID if receipt part of a world container lot
35	Received From	AN	30	155-184	Received from name

36	Licensing Authority	A	2	185-186	US = USA Federal Licensing NL = Not Licensed US Postal State Code = State Licensing IC = ICE Licensed (World)
37	Locator ID	AN	8	187-194	Warehouse bale location
38	Electronic Receipt Status	A	1	195	O=Open; C=Cancel; D=Deactivated; V=Void
39	Electronic Receipt Flag	A	1	196	E = Electronic P = Paper
40	Receipt Type	A	1	197	R = USA Regular C = Certificated #2 (USA) D = USA Decertificated G = Block Negotiable O = Block Non-Negotiable T = World Container W = World Certificated X = World Decertificated
41	Paper Receipt Number	N	7	198-204	Paper number assigned by warehouse (if any)
42	Producer Name / World Gin Tag	AN	34	205-238	Producer Name (May be truncated) on world cotton. On world cotton the first 12 characters will be the world gin tag
43	EAD Eligible	A	1	239	Y = Yes N = No or Blank
44	Gin Charges	N	4	240-243	Used to enter gin fees when applicable
45	User Defined Field	AN	12	244-255	
46	Warehouse Depositor	A	1	256	Y = Warehouse & Producer are the same entity N = Warehouse & Producer not the same
47	Graded Deposit	A	1	257	Y = Graded at the request of the depositor; N = No or Blank
48	EAD Subholder	A	1	258	Y = Yes N = No or blank
49	CCC Document Received Date	N	8	259-266	This date is supplied by CCC and is in reference to a loan document type
50	Current Holder Type	A	1	267	M = Merchant W = Warehouse G = Gin Z = Coop P = Producer C = Government B = Bank
51	Loan Transfer	A	1	268	Y = Yes. This bale was transferred while under loan.

52	CCC Storage Limitation	A	1	269	Does the 75-day storage limit apply?
53	Is Stored Outside	A	1	270	Y=Yes Issue Date is date moved outside; N=No, Bale is inside; Blank=unknown
54	EWR Definition ID	A	1	271	Reference to the EWR Definition for a cotton receipt.
55	Type Class	A	1	272	A = AMS Smith-Doxey; O = Other Classing; N = No Class available; C = Certified
56	Date Class	N	8	273-280	Classing office assigned – Date Classed.
57	Delivery Point	N	2	281-282	World Cotton Only
58	Classing Point	N	2	283-284	Assigned by EWR, Inc.
59	Origination Code	A	3	285-287	Country 3 letter ISO code where cotton was grown
60	Filler	A	1	288	
61	Color Grade	N	2	289-290	Classing office assigned
62	Staple	N	2	291-292	Classing office assigned
63	Micronaire	N	2	293-294	Classing office assigned
64	Strength	N	3	295-297	Classing office assigned
65	World Tenderable	A	1	298	T = Tenderable N = Non-Tenderable
66	Leaf Grade	N	1	299	Classing office assigned
67	Extraneous Matter	N	2	300-301	Classing office assigned
68	Remarks	N	2	302-303	Classing office assigned
69	HVI Color	N	2	304-305	Classing office assigned
70	Color Quadrant	N	1	306	Classing office assigned
71	HVI RD	AN	3	307-309	Classing office assigned
72	HVI + B	AN	3	310-312	Classing office assigned
73	Trash %	N	2	313-314	Classing office assigned
74	Length	N	3	315-317	Classing office assigned
75	Uniformity	N	3	318-320	
76	Upland/Pima	A	1	321	Growth type; 1 = Upland; 2 = Pima
77	Classing Type	N	1	322	Reserved for EWR, Inc.
78	Filler	N	5	323-327	Reserved for EWR, Inc.
79	Lot Number	N	6	328-333	Lot number assigned by ICE
80	Weight Date	N	8	334-341	Weight date assigned by Warehouse; MMDDYYYY
81	USDA Tenderable	AN	2	342-343	Is cert receipt tenderable on provider system? Blank=Tenderable, NT=Non-Tenderable, SD=Tenderable w Smith-Doxey classing

82	Rain Grown	AN	1	344	R = Rain grown N = Not rain grown U = Unknown
83	Trust Protocol Flag	A	1	345	Data provided by US Cotton Trust Protocol

TRAILER LAYOUT

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of the number of detail records in the batch
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Hash Total	N	15	31-45	Electronic Receipt number hash total
7	Filler	A	226 - 300	46- 271-345	Blank 226 = short; 300 = long Reserved for EWR, Inc. use

HD07 - Cancel Receipts Delivery File

Batch Type 07 is a listing of receipts cancelled by a warehouse and sent to the current subholder of the receipts.

This is created when the warehouse sends up 07 or 36 to cancel receipts and they may include container/seal and Shipper Order Number/Mark.

HEADER LAYOUT FOR HD07

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder
3	Batch Number	N	4	9-12	Batch number , holder supplied
4	Type	N	2	13-14	07=Cancel receipts
5	Filler	A	1	15	Reserved for EWR, Inc. use
6	Request Field	AN	10	16-26	The word "CONTAINER"
7	Filler	A	1	27	Reserved for EWR, Inc. use
8	Date	N	8	28-35	Date created
9	Time	N	6	36-41	Time created
10	Filler	A	21	42-62	Reserved for EWR, Inc. use
11	From Holder	AN	7	63-69	Blank
12	From Name	A	33	70-102	Blank
13	Receipt Count	A	6	103-108	Blank
14	Filler	A	2	109-110	Reserved for EWR, Inc. use
15	Transaction ID	N	9	111-119	Reserved for EWR, Inc. use
16	Filler	A	1	120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD07

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Warehouse Code	N	6	2-7	Warehouse code of the receipt
3	Electronic Receipt Number	N	7	8-14	Electronic receipt number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Mark	A	8	19-26	Shipper Mark
6	Order Number	A	10	27-36	Shipper's order number (Note 1)
7	Container	A	25	37-61	
8	Seal	A	25	62-86	
9	Requested Load Date	N	8	87-94	Optional – Supplied by Warehouse (Note 1)
10	Filler	N	8	95-102	Optional – Supplied by Warehouse (Note 1)
11	Shipped Date	N	8	103-110	Optional – Supplied by Warehouse (Note 1)
12	Filler	A	10	111-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD07

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer record
2	Holder ID	AN	7	2-8	
3	Batch Number	N	4	9-12	
4	Record Count	N	9	13-21	Control total record count of the number of detail records in the batch
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Hash Total	N	15	31-45	Electronic Receipt number hash total
7	Filler	A	74	46-120	Reserved for EWR, Inc use

HD13 - Warehouse Bale Relocation File

This batch is a download of receipt information that has been relocated in the warehouse. It is produced when warehouses send Batch Type 13 to the host computer. The recipient of the batch will be the current holder or subholder of the receipt when the change was made.

HEADER LAYOUT FOR HD13

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch.
3	Batch Number	N	4	9-12	Batch number, holder supplied
4	Batch Type	N	2	13-14	13
5	Activity	AN	11	15-25	
6	Action Code	AN	1	26	
7	Filler	A	1	27	Reserved for EWR, Inc. use
8	Batch Date	N	8	28-35	Date batch was created / updated; MMDDYYYY
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
10	Filler	AN	61	42-102	Reserved for EWR, Inc. use
11	Receipt Count	N	6	103-108	Number of receipts in file
12	Filler	AN	12	80-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD13

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse	N	6	2-7	Warehouse code of the receipt
3	Electronic Receipt Number	N	7	8-14	Receipt Number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Locator ID	A	8	19-26	Used to identify exact location of a bale in a warehouse
6	Is Stored Outside	N	1	27	Is receipt stored outside – Y/N
7	Stored Inside Date	N	8	28-35	Date moved inside
8	Stored Outside Date	N	8	36-43	Date moved outside
9	Filler	A	77	44-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD13

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	Batch number
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Filler	A	15	31-45	Reserved for EWR, Inc. use
7	Filler	A	75	46-120	Reserved for EWR, Inc. use

HD21, 30, 31 - Shipping Orders Instructions & Receipts

Batch Type 21, 30 and 31 received from the host, is a batch which contains a shipping, staging or sample order instructions and a list of warehouse receipts on an order. This detail file is different than the full detail data downloads of receipt information generated by most batch types, this file contains only the warehouse number, receipt number, crop year, and net weight (if entered by the shipper.)

On shipping orders a bank lien will be downloaded at the beginning of the instruction list if the bales being shipped are held as collateral by a bank.

There are some in the industry that are using the "Text Line" field to deliver special instructions to the warehouse. The codes that are currently being used are in the document "Files Sent to Host" (Appendix B). EWR, Inc. does not use these codes within the host application. They are recorded in this manual for documentation purposes only.

HEADER LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Warehouse Holder ID	AN	7	2-8	Holder ID of warehouse which store the cotton
3	Batch Number	N	4	9-12	Batch number, holder supplied
4	Batch Type	N	2	13-14	21 = Shipping Order 30=Sample, 31=Staging
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created; HHMMSS
7	Warehouse Code	N	6	29-34	Code which identifies the warehouse where bales are stored
8	Shipping Order Number	AN	10	35-44	Shipper's Order Number
9	Shipper's Mark	AN	8	45-52	Shipper's Mark
10	Balance Flag	A	1	53	Y = Yes, net weights are included in the batch; N = No, net weights are not included in the batch from the host
11	Shipper Holder ID	AN	7	54-60	Holder ID of Shipper, input when the Batch Type 21 was sent to the Host
12	Requested Load Date	N	8	61-68	Shipper's requested loading date for the shipment
13	Shipper Name	AN	30	69-98	Name of Shipper; (May be truncated)
14	Reserved	A	3	99-101	Reserved for future EWR, Inc. use.
15	Decert Action	A	1	102	Blank, Y=Has been decertificated T = Certificated Transfer (All receipts are cert)
16	Bale count	N	6	103-108	Bale Count
17	Staging Order Sent	A	1	109	Y = Yes; N = No – Batch 21 only

18	Block Receipts	A	1	110	Y=Yes; N=No -Receipts are block receipts
19	Window Days	N	2	111-112	Days before or after to reschedule
20	Shipping Order ID	N	8	113-120	Unique number assigned by EWR, Inc Batch 21 only

DETAIL LAYOUT – RECORD 1 (SO Instructions – Maximum of 99 Detail Records)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Detail Type	A	1	2	I = Shipping Instructions
3	Record Number	N	2	3-4	Record Number (1-99)
4	Text Line	AN	76	5-80	76 Character Text Line
5	Filler	A	40	81-120	Reserved for EWR, Inc. use

DETAIL LAYOUT – RECORD 2 (SO Receipt List)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Detail Type	A	1	2	O = Shipping Order Receipts
3	Electronic Receipt Number	N	7	3-9	Electronic Receipt Number for each bale to be shipped – Input by the shipper when the Batch Type 21 was sent to the Host
4	Net Weight	N	3	10-12	Net weight of bale, only if Balance = Y in the header
5	Crop Year	N	4	13-16	Crop year of the receipt; YYYY
6	Gin Code	N	5	17-21	may be blank, if a world receipt
7	Gin Tag	N	7	22-28	may be blank, if a world receipt
8	Locator ID	AN	8	29-36	Used to identify exact location of a bale in a warehouse
9	IsUSDATenderable	A	1	37	If Bale is certificated , then is the receipt tenderable Y or N. If non-cert bale then field will be blank. A decert bale SHOULD be N.
10	Receipt Type	A	1	38	R = Regular C= Certificated #2 D = Decertificate #2 USA receipt W = World Single Certificated T = World Container X= World Decertificated Receipt
11	World Tenderable	A	1	39	T = Tenderable under ICE world contract N = Non-Tenderable under ICE world contract
12	World Gin Tag	AN	12	40-51	may be blank, if a non-world receipt
13	Filler	AN	69	52-120	Reserved for EWR, Inc. use

TRAILER LAYOUT

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record (Warehouse Holder ID)
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Total Weight	N	9	22-30	Total net weight of bales in the shipping order
6	Hash Total	N	15	31-45	Electronic receipt number hash total
7	Filler	A	75	46-120	Reserved for EWR, Inc. use

HD23 - Shipping Order Update

This batch is a download of shipment information that has processed/updated when a batch 23 is received. The recipient of the batch should verify the date field in the detail record against their records for verification.

The shipper will receive the warehouse schedule date in the detail date field, while the warehouse will receive the requested load date.

HEADER LAYOUT FOR HD23

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header record
2	Holder ID	AN	7	2-8	Receiving holder ID
3	Batch Number	N	4	9-12	Batch number, holder supplied
4	Type	N	2	13-14	23= shipment update
5	Filler	A	13	15-27	Reserved for EWR, Inc. use
8	Date	N	8	28-35	Date created
9	Time	N	6	36-41	Time created
10	Filler	A	21	42-62	Reserved for EWR, Inc. use
11	From Holder ID	AN	7	63-69	From EWR holder number
12	From Name	A	40	70-109	From holder name
13	Filler	A	11	110-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD23

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail record
2	Warehouse Code	N	6	2-7	Warehouse code for the order
3	Action	A	1	8-8	Reserved for EWR use
4	Bales	N	5	9-13	Number of bales (Supplied by sender of 23)
5	Mark	A	8	14-21	
6	Order Number	A	10	22-31	Shippers order number
7	Date	N	8	32-39	Requested load date or Schedule date
8	Shipper Holder ID	AN	7	40-46	Merchant holder number
9	EWR ID	N	8	47-54	EWR shipping order ID (Optional)
10	Window Days	N	8	55-62	Days before or after to reschedule
11	Filler	N	58	63-120	Reserved for EWR use

NOTE: Field 7 is the requested load date if the warehouse is receiving the 23 and the schedule date if the merchant is receiving the file.

TRAILER LAYOUT FOR HD23

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer record
2	Holder ID	AN	7	2-8	
3	Batch Number	N	4	9-12	
4	Record Count	N	9	13-21	Control total record count of the number of detail records in the batch
5	Filler	A	99	22-120	

HD24 - Warehouse Invoice

The batch 24 will be provided to the shipper (merchant) in XML format. All of the data will be under a node called "WarehouseInvoice". **This data is "passed" thru by EWR, Inc. If it is incomplete or wrong, the warehouse should be contacted.**

All files created by EWR will follow the usual filename convention (prefixed with HD24) with an .XML (period XML) extension and will be stored in the usual holders NOTZIP FTP mailbox. There will be a zipped (compressed) copy of this file with the .zip extension in the ZIP FTP Mailbox. For example: HD24.1234.20080801.101022.83838A.XML

Example of a file received. NOTE: There may be more fields included than shown.

```
<?xml version="1.0" encoding="utf-8" ?>
<WarehouseInvoice ">
  <Originator>
    <Address>
      <AddressType>Shipping</AddressType>
      <Address1>P O Box 1</Address1>
      <Address2 />
      <City>Memphis</City>
      <State>TN</State>
      <CountryCode>US</CountryCode>
      <PostalCode>79336</PostalCode>
    </Address>
    <PhoneNumber>
      <PhoneNumberType>Main</PhoneNumberType>
      <PhoneNumber>901-396-3243</PhoneNumber>
    </PhoneNumber>
    <Name>Tom Test warehouse</Name>
    <Code>767070</Code>
  </Originator>
  <RemitTo>
    <Address>
      <AddressType>Billing</AddressType>
      <Address1>P.O. Box 2827</Address1>
      <City>Memphis</City>
      <State>TN</State>
      <CountryCode>US</CountryCode>
      <PostalCode>79408-2827</PostalCode>
    </Address>
    <PhoneNumber>
      <PhoneNumberType>Main</PhoneNumberType>
      <PhoneNumber>800-111-8011</PhoneNumber>
    </PhoneNumber>
    <Name>Toms Test warehouse</Name>
```

```

    <Instructions>Payable upon receipt of invoice. </Instructions>
</RemitTo>
<BillTo>
    <Address>
        <AddressType>Billing</AddressType>
        <Address1>BOX 443</Address1>
        <Address2 />
        <City>MEMPHIS</City>
        <State>TN</State>
        <CountryCode>US</CountryCode>
        <PostalCode>381010443</PostalCode>
    </Address>
    <Name>The shipper name</Name>
    <AccountNumber>705</AccountNumber>
    <Instructions>Payable upon receipt of invoice</Instructions>
</BillTo>
<Number>68193</Number>
<Date>2008-04-09</Date>
<Gross>1965.34</Gross>
<Tax>0</Tax>
<Total>1965.34</Total>
<Shipment>
    <Charge>
        <Item>
            <Description>Compression</Description>
            <Quantity>88</Quantity>
            <UnitCost>9.25</UnitCost>
            <Total>814</Total>
        </Item>
    </Charge>
    <Charge>
        <StorageRecap>
            <StopDate>2008-04-08</StopDate>
            <TotalDays>5762</TotalDays>
            <Quantity>88</Quantity>
            <Rate>0.07</Rate>
            <Total>403.34</Total>
        </StorageRecap>
        <Item>
            <Description>Storage</Description>
            <Quantity>88</Quantity>
            <UnitCost>4.583409</UnitCost>
            <Total>403.34</Total>
        </Item>
    </Charge>
</Charge>

```



```
<Item>
  <Description>Receiving</Description>
  <Quantity>88</Quantity>
  <UnitCost>3.25</UnitCost>
  <Total>286</Total>
</Item>
</Charge>
<Charge>
  <Item>
    <Description>Loading Other</Description>
    <Quantity>88</Quantity>
    <UnitCost>5.25</UnitCost>
    <Total>462</Total>
  </Item>
</Charge>
<Number>247181</Number>
<Date>2008-04-08</Date>
<Mark>CRNZ</Mark>
</Shipment>
<FilePath>C:\FileImports\WebServices\1.8733.xml</FilePath>
</WarehouseInvoice>
```

HD25 – Phytosanitary Warehouse XML Delivery

The batch 25 will be provided to the warehouse in XML format. All of the data will be under a node called “PhytosanitaryRequests”. **This data is “passed” thru by EWR, Inc. If it is incomplete or wrong, the merchant or shipper should be contacted.**

All files created by EWR will follow the usual filename convention (prefixed with HD25) with an .XML (period XML) extension and will be stored in the usual holders NOTZIP FTP mailbox. There will be a zipped (compressed) copy of this file with the .zip extension in the ZIP FTP Mailbox. For example: HD25.1234.20080801.101022.83838A.XML

Example of a file received. NOTE: There may be more fields included than shown.

```
<?xml version="1.0" encoding="us-ascii"?>
<PhytosanitaryRequests xmlns="EWRInc">
  <ContractNumber>S04935.A01</ContractNumber>
  <Exporter>
    <Line1>COTTON LLC</Line1>
    <Line2>55 GOODLETT FARMS PARKWAY</Line2>
    <Line3>PO BOX 54</Line3>
    <Line4>CORDOVA, TN 38446 US</Line4>
    <AgentSignature>Amy</AgentSignature>
    <AgentSignatureDate>2018-05-26</AgentSignatureDate>
    <EWRShipperHolderID>M999999 </EWRShipperHolderID>
  </Exporter>
  <Applicant>
    <Line1>INTERNATIONAL LOGISTIC</Line1>
    <Line2>75 GOODLETT FARMS PARKWAY</Line2>
    <Line3 />
    <Line4>CORDOVA, TN 38016 US</Line4>
    <PhoneNumber>(9999) 284-5000</PhoneNumber>
    <EWRFreightForwarderHolderID>F000001</EWRFreightForwarderHolderID>
  </Applicant>
  <ForeignConsignee>
    <Line1>LAX Los Angeles</Line1>
    <Line2>US</Line2>
  </ForeignConsignee>
  <DateOfDeparture>2019-05-26</DateOfDeparture>
  <PortOfExport>LAX Los Angeles US</PortOfExport>
  <ConveyanceMeans>Ocean Vessel</ConveyanceMeans>
  <PortOfEntry>SRG SEMARANG ID</PortOfEntry>
  <Warehouse>
    <EWRTrackingNumber>34739</EWRTrackingNumber>
    <AcceptsElectronicPhytosanitary>true</AcceptsElectronicPhytosanitary>
    <Line1>COMPRESS #6</Line1>
    <Line2>2590 CR 95</Line2>
    <Line3>PLAINVIEW, TX 79072 US</Line3>
    <Code>911525</Code>
    <EWRAction>NEW</EWRAction>
    <ProduceQuantity>86</ProduceQuantity>
    <QuantityAndName>
      <Line1>100 Bales Cotton</Line1>
      <Line2>Gossypium SPP</Line2>
    </QuantityAndName>
  </Warehouse>
</PhytosanitaryRequests>
```

```
<NumberAndDescription>
  <Line1>100 Bales</Line1>
</NumberAndDescription>
<CertifiedOrigin>
  <Line1>USA</Line1>
  <Line2>ONCE INSPECTED PLEASE EMAIL APPLICANT</Line2>
  <Line3>Team@group.com</Line3>
</CertifiedOrigin>
<Shipment>
  <Mark>28B142</Mark>
  <OrderNumber>1758290</OrderNumber>
  <Bales>86</Bales>
</Shipment>
<Shipment>
  <Mark>8B42</Mark>
  <OrderNumber>58290</OrderNumber>
  <Bales>14</Bales>
</Shipment>

</Warehouse>
</PhytosanitaryRequests>
```

HD25 – Phytosanitary Forwarder XML Delivery

The batch 25 will be provided to the forwarder in XML format. All of the data will be under a node called “PhytosanitaryRequests”. **This data is “passed” thru by EWR, Inc. If it is incomplete or wrong, the merchant or shipper should be contacted.**

All files created by EWR will follow the usual filename convention (prefixed with HD25) with an .XML (period XML) extension and will be stored in the usual holders NOTZIP FTP mailbox. There will be a zipped (compressed) copy of this file with the .zip extension in the ZIP FTP Mailbox. For example: HD25.1234.20080801.101022.83838A.XML

Example of a file received. NOTE: There may be more fields included than shown.

```
<?xml version="1.0" encoding="us-ascii"?>
<PhytosanitaryRequests xmlns="EWRInc">
  <ContractNumber>S05261.A04</ContractNumber>
  <Exporter>
    <Line1>ABC Merchant</Line1>
    <Line2>255 GOOD FARMS PARKWAY</Line2>
    <Line3>PO BOX 54</Line3>
    <Line4>CORDOVA, TN 38016 US</Line4>
    <AgentSignature>T0m</AgentSignature>
    <AgentSignatureDate>2018-04-24</AgentSignatureDate>
    <EWRShipperHolderID>M381180 </EWRShipperHolderID>
  </Exporter>
  <Applicant>
    <Line1>BIG LOGISTIC</Line1>
    <Line2>75 FARMS PARKWAY</Line2>
    <Line3 />
    <Line4>CORDOVA, TN 38016 US</Line4>
    <PhoneNumber>(999) 999-5000</PhoneNumber>
    <EWRFreightForwarderHolderID>F000001</EWRFreightForwarderHolderID>
  </Applicant>
  <ForeignConsignee>
    <Line1>SAV Savannah</Line1>
    <Line2>US</Line2>
  </ForeignConsignee>
  <DateOfDeparture>2018-06-03</DateOfDeparture>
  <PortOfExport>SAV Savannah US</PortOfExport>
  <ConveyanceMeans>Ocean Vessel</ConveyanceMeans>
  <PortOfEntry>QCT PORT QASIM PK</PortOfEntry>
  <trailer RecordCount="1" />
  <Warehouse>
    <EWRTrackingNumber>396</EWRTrackingNumber>
    <AcceptsElectronicPhytosanitary>>false</AcceptsElectronicPhytosanitary>
    <Line1>DISTRIBUTION CENTER</Line1>
    <Line2>101 South Street</Line2>
    <Line3>WEST MEMPHIS, AR 72301 US</Line3>
    <Code>167035</Code>
    <EWRAction>NEW</EWRAction>
    <ProduceQuantity>88</ProduceQuantity>
    <QuantityAndName>
      <Line1>88 Bales Cotton</Line1>
      <Line2>Gossypium SPP</Line2>
    </QuantityAndName>
  </Warehouse>

```

```
</QuantityAndName>
<NumberAndDescription>
  <Line1>88 Bales</Line1>
</NumberAndDescription>
<CertifiedOrigin>
  <Line1>USA</Line1>
  <Line2>ONCE INSPECTED PLEASE EMAIL APPLICANT</Line2>
  <Line3>Email group.com</Line3>
</CertifiedOrigin>
<Shipment>
  <Mark>6Y353</Mark>
  <OrderNumber>1759522</OrderNumber>
  <Bales>88</Bales>
</Shipment>
</Warehouse>
</PhytosanitaryRequests>
```

HD- Delivery of Block Receipt Detail Data Information

Created from Batch Types 08, 09, 10, 14, 15, 22, 50 & 51, 60 when a Disposition Holder is entered.
Received by the Disposition Holder.

Note: Batch Types 09 & 14, without a Disposition Holder, will not produce a “Delivery” of detail due to the fact that the entire batch rejects if one error is detected in the original batch sent to the host.

HEADER LAYOUT FOR HD Block

Record Size = 271

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID - user receiving download
3	Batch Number	N	4	9-12	Batch assigned by sender
4	Batch Type	N	2	13-14	41 = Detail Block Receipt Data received
5	Request Flag	A	1	15	Blank
6	Request Field	AN	11	16-26	Batch 50 only = Action Code; Batch 15 change Holder ID of person making change otherwise blank
7	Holder Selection	A	1	27	Blank
8	Batch Date	N	8	28-35	Holder supplied batch date; MMDDYYYY
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
10	Draft Number	AN	10	42-51	Bank Draft Number - if delivered via bank draft
11	Draft Amount	N	10	52-61	Draft Amount - if delivered via bank draft
12	Filler	A	1	62	Reserved for EWR, Inc. use
13	From Holder	AN	7	63-69	Holder who transferred the data.
14	Filler	A	1	70	Reserved for EWR, Inc. use
15	Originating Batch Type	N	2	71-72	Batch type initiating this download (08, 09, 14, 15, 50, 51, 52)
16	Holder Type	A	15	73-87	Output of holder selection type
17	Holder Name	A	40	88-127	Name of holder
18	Criteria Type	A	15	128-142	Selection Criteria
19	Criteria Description	A	37	143-179	
20	Filler	A	1	180	Reserved for EWR, Inc. use
21	Block Receipts	A	1	181	Always Y
22	Filler	A	1	182	Reserved for EWR, Inc. use
23	EWR Transaction	N	9	183-191	Assigned by EWR, Inc.
24	Receipt Count	N	6	192-197	
25	Filler	A	74	198-271	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD Block

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Detail Type	A	1	2	R = Regular Block
3	Warehouse Code	N	6	3-8	Warehouse Code of the Block
4	Electronic Receipt Number	N	7	9-15	Electronic Block Number
5	Crop Year	N	4	16-19	Crop Year of the Block
6	Issue Date	N	8	20-27	Date entered by the warehouse, not assigned by EWR. Storage date of the bale - MMDDYYYY
7	Receiving Fee	N	4	28-31	9999 (2 decimal places); Warehouse defined charge Example 0250 = \$2.50 - Charge is per bale (US currency)
8	Storage Fee	N	4	32-35	9999 (2 decimal places); Warehouse defined charge Example 0250 - \$2.50. If storage Charge Frequency is daily, the entry will display as cents/day, e.g. 0950 =9.50 cents per day - Charge is per bale. (US currency)
9	Storage Charge Frequency	A	1	36	D=Daily; C=Calendar Months; S=Actual Months (same day); F=Actual Months (following day); M=Monthly (legacy support) See Appendix J – Files Sent To EWR
10	Receiving Paid	A	1	37	Y = Receiving paid or waived N = not paid or waived
11	Loading Paid	A	1	38	Y = Paid N = Not Paid
12	Classing Paid	A	1	39	Y = Paid N = Not Paid
13	Storage Paid Through	N	8	40-47	Storage paid through date; MMDDYYYY Last date that storage charges against the bale were paid
14	Mark	AN	8	48-55	Shipper assigned mark
15	Purchase Order Number	AN	10	56-65	Purchase Order Number assigned by seller
16	Invoice Number	AN	10	66-75	Invoice Number assigned by seller
17	Received From	AN	30	76-105	Received from name
18	Licensing Authority	AN	2	106-107	Federal Licensing
					US
					Not Licensed
					State Licensing
					NL
					Postal State Code
					(GA is Georgia)
19	Locator ID	AN	8	108-115	Used to identify exact location of a bale in a warehouse

20	Electronic Receipt Status	A	1	116	O = Open C = Cancel
21	Electronic Receipt Flag	A	1	117	E = Electronic P = Paper
22	Receipt Type	A	1	118	G = Negotiable O = Non-Negotiable
23	Paper Receipt Number	N	7	119-125	Paper Receipt Number assigned by warehouse (if any)
24	User Defined Field	AN	12	126-137	12 bytes used to enter any optional information
25	Warehouse/ Depositor	A	1	138	Y = Warehouse & Producer are the same entity N = Warehouse & Producer not the same
26	Graded/Deposit	A	1	139	Y = Graded at the request of the depositor N = Not graded at request of the depositor
27	Bale Count	N	5	140-144	Number of bales in block
28	Lot ID	AN	12	145-156	Lot identifier from the depositor. Often equivalent to the Mark
29	Total Net Weight	N	6	157-162	Total Net Weight of bales in block
30	Total Tare Weight	N	4	163-166	Total Tare Weight of bales in block
31	Control Number	A/AN	10	167-176	A 10-character field used for control number
32	Draft Number	A/N	10	177-186	Bank Draft Number assigned by seller
33	Holder Type	A	1	187	M = Merchant W = Warehouse G = Gin Z = Coop P = Producer C = Government B = Bank
34	Filler	A	84	188-271	Reserved for EWR, Inc. use

DETAIL- BALE DATA This record is not used for non-negotiable block receipts. For negotiable block receipts, there will be one record for each bale in the block receipt.

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Detail Type	A	1	2	B = Bale
3	Warehouse Code	N	6	3-8	Warehouse Code of the Block
4	Block Receipt Number	N	7	9-15	Electronic Block Number
5	Crop Year	N	4	16-19	Crop year in which the cotton was grown: YYYY
6	Tag ID	N	7	20-26	The tag number that is assigned by warehouse to identify each bale in the entire block
7	Net Weight	N	3	27-29	Gross weight of bale minus tare weight. User enters appropriate amount
8	Tare Weight	N	2	30-31	Represents the number pounds subtracted from the gross weight to compensate for bagging and ties on the bale
9	Gin Code	N	5	32-36	USDA assigned code which identifies the site where the cotton was ginned
10	Gin Tag	N	7	37-43	Tag number assigned by gin
11	Filler		228	44-271	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD Block

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of the number of detail records in the batch
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Hash Total	N	15	31-45	Electronic Block number hash total
7	Filler		75	46-271	Reserved for EWR, Inc. use

HD43 - Warehouse Loan Status Delivery

This batch is a download of receipt information that has been placed under loan or redeemed by CCC for a specific warehouse. It is produced when CCC sends a "CL" file (put under loan) or a "CR" file when it is released. The recipient of the batch will be the issuing warehouse that has chosen to receive this file (Holder Preferences). The warehouse will also be billed on a per receipt basis according to the latest tariff.

HEADER LAYOUT FOR HD43

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header record
2	Holder ID	AN	7	2-8	Warehouse holder ID
3	Batch Number	N	4	9-12	Batch number assigned by EWR
4	Batch Type	N	2	13-14	43
5	Activity	AN	11	15-25	CL or CR
6	Filler	AN	1	26	Reserved for EWR Inc. use
7	Filler	A	1	27	Reserved for EWR Inc. use
8	Batch Date	N	8	28-35	Holder supplied batch date; MMDDYYYY
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
10	Filler	AN	61	42-102	Reserved for EWR Inc. use
11	Receipt Count	N	6	103-108	Number of receipts in file
12	Filler	AN	12	80-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD43

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail record
2	Warehouse	N	6	2-7	Warehouse code of the receipt
3	Receipt Number	N	7	8-14	Electronic Receipt Number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Status	A	1	19	L=Under loan, R=Redeem
6	Loan Type	A	1	20	A=Form-A, G=Form-G
7	Filler	A	100	21-120	Reserved for EWR Inc. use

TRAILER LAYOUT FOR HD43

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Warehouse holder ID
3	Batch Number	N	4	9-12	Batch number assigned by EWR
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-120	Reserved for EWR Inc. use

HD57 -Delivery Receipts via CMA Loan Redemption

Received by the CMA only

Batch Type 57, received from the host, is a batch which contains receipts that are to be redeemed by the CMA. The header contains Redemption Date and E-mail address of redeemer. The detail contains warehouse number, receipt number, crop year and redeemer's calculated redemption amount.

HEADER LAYOUT FOR HD57

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID - CMA receiving the download
3	Batch Number	N	4	9-12	Batch number assigned
4	Batch Type	N	2	13-14	57 = CMA Loan Redemption
5	Batch Date	N	8	15-22	Holder supplied batch date: MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time: HHMMSS
7	From Holder	AN	7	29-35	Holder Redeeming Bales/Receipts
8	Redemption Date	N	8	36-43	Date of redemption: MMDDYYYY
9	Redeemer's E-mail	AN	45	44-88	E-mail address of redeemer
10	Filler	A	14	89-102	Reserved for EWR, Inc. use
11	Receipt Count	N	6	103-108	
12	Filler	A	12	109-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD57

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Warehouse Code	A	6	2-7	Warehouse Code of the receipt
3	Electronic Receipt Number	N	7	8-14	Electronic Receipt Number
4	Crop Year	N	4	15-18	Crop Year of the receipt: YYYY
5	Redemption Amount	N	5	19-23	Redeemer's calculated redemption amount 99999 (2decimal) 35025=\$350.25
6	Reconcentrated Loan	A	1	24	Y = is reconcentrated loan N = Not reconcentrated loan
7	Previous Warehouse	N	6	25-30	Code of previous warehouse. Entered only if the bale is reconcentrated

8	Previous Receipt Number	N	7	31-37	Warehouse receipt number from previous warehouse. Entered only if the bale is reconcentrated
9	Gin Code	N	5	38-42	USDA assigned code which identifies the site where the cotton was ginned
10	Gin Tag Number	N	7	43-49	Sequential tag number assigned by the gin.
11	Issue Date	N	8	50-57	Date entered by the warehouse, not assigned by EWR. Storage date of the bale-MMDDYYYY
12	Filler	A	63	58-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD57

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Must be the same as enter in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Total Weight	N	9	22-30	Total net weight of bales
6	Hash Total	N	15	31-45	Electronic receipt number has total
7	Filler	A	75	46-120	Reserved for EWR, Inc. use

HD64 - Warehouse Profile Requested

This file is generated from the original Batch Type 64 (Warehouse Profile - Request). This batch is a text file and contains general (public) information about a specific warehouse. Any user on the system can request warehouse information for any warehouse that uses EWR, Inc. as its provider.

HEADER LAYOUT FOR HD64

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID of requestor
3	Batch Number	N	4	9-12	Batch number , holder supplied
4	Batch Type	N	2	13-14	64=Request Warehouse Profile
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Filler	A	92	29-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 1)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Record Number	N	2	2-3	01=First Record
3	Warehouse Code	N	6	4-9	Warehouse Code
4	Effective Date	N	8	10-17	Effective date MMDDYYYY
5	Type Code	A	1	18	F=Federal, S=State, O=Other
6	Name	AN	40	19-58	Warehouse Name (trade name)
7	City	AN	40	59-98	Warehouse Location (city)
8	State	A	2	99-100	Warehouse Location (state)
9	Receiving Rate	N	4	101-104	
10	Storage Rate	N	5	105-109	
11	Compression Rate	N	4	110-113	
12	Loading Rate	N	4	114-117	
13	Storage Charge Frequency	A	1	118	D=Daily; C=Calendar Months; S=Actual Months (same day); F=Actual Months (following day); M=Monthly (legacy support) See Appendix J – Files Sent To EWR
14	Filler	A	2	119-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 2)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Record Number	N	2	2-3	02=Second Record

3	Warehouse Code	N	6	4-9	Warehouse Code
4	Effective Date	N	8	10-17	Effective date; MMDDYYYY
5	City-Issued	AN	40	18-57	City in which receipt is issued
6	State-Issued	A	2	58-59	State in which receipt is issued
7	Signature	A	40	60-99	Name of person signing receipt
8	License Number	AN	6	100-105	Warehouse License Number
9	Fire Insurance	A	1	106	Y=Has Fire Insurance, N=None
10	Open Yard Endorsement	A	1	107	Open Yard Endorsement Y=yes, N= no
11	Open Yard Disclaimer	A	1	108	Open Yard disclaimer Y=yes, N=no
12	Receiving Includes Ties	A	1	109	Y=receiving fees include new ties; N= no
13	Compression Facilities	A	1	110	N=no compression facilities, compression is not available; Y=Compression service available
14	Claims/Liens	A	1	111	The warehouse will have claims or liens on bales other than normal tariff charges Y=yes, N=no
15	Incorporated Type	A	1	112	I = Incorporated; N = No Incorporated U or Empty = Unknown
16	Incorporated State	A	2	113-114	US State abbreviation
17	Filler	A	6	115-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 3)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Record Number	N	2	2-3	03 = Record Number
3	Legal Name	A	80	4-83	
4	EWR Warehouse Profile ID	A	9	84-92	Reserved for EWR, Inc. use
5	Filler	A	28	193-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 4)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Record Number	N	2	2-3	04 = Record Number
3	Legal City	A	80	4-83	Legal entity name text line
4	Filler	A	36	84-119	Reserved for EWR, Inc. use
5	Filler	A	1	120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 5)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail record
2	Record Number	N	2	2-3	05 = Record Number
3	Legal State	A	80	4-83	Legal State – US Abbreviation
4	Filler	A	37	84-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD64 (Record 6-37)

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Record Number	N	2	2-3	Record Numbers = 06 through 37
3	Terms & Condition	AN	80	4-83	No longer used. This field will be filled with the following text: "Please go to www.ewrinc.com/cotton to see terms."
4	Filler	A	37	84-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD64

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer Record
2	Holder ID	AN	7	2-8	The same as enter in the header record
3	Batch Number	N	4	9-12	The same as enter in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Filler	A	99	22-120	Reserved for EWR, Inc. use

HD66 - Delivery of Reconciliation Detail

This batch is a download of all open receipt information contained in the host computer for a specific holder. It is normally produced when a warehouse sends to the host, Batch Type 66. The recipient of the batch will be the holder that sent the request.

HEADER LAYOUT FOR HD66

Record Size = 271

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	Batch number , holder supplied
4	Batch Type	N	2	13-14	66
5	Activity	AN	11	15-25	
6	Action Code	AN	1	26	
7	Filler	A	1	27	Reserved for EWR Inc., use
8	Batch Date	N	8	28-35	Holder supplied batch time;MMDDYYYY
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
10	Filler	AN	8	42-49	Reserved for EWR Inc. use
11	Filler	AN	53	50-102	Reserved for EWR Inc. use
12	Receipt Count	N	6	103-108	Number of receipts in file
13	Filler	AN	163	109-271	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD66

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse	N	6	2-7	Warehouse code of the receipt
3	Electronic Receipt Number	N	7	8-14	Receipt Number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Tare Weight	N	4	19-22	Tare weight of bale or block
6	Net Weight	N	6	23-28	Net weight of bale or block
7	Receiving Fee	N	4	29-32	9999 (2 decimal); (US currency)
8	Storage Fee	N	4	33-36	9999 (2 decimal); (US currency)
9	Storage Charge Freq.	A	1	37	D=Daily; C=Calendar Months; S=Actual Months (same day); F=Actual Months (following day); M=Monthly (legacy support) See Appendix J – Files Sent To EWR
10	Receiving Paid	A	1	38	Y=Paid; N=Not paid
11	Loading Paid	A	1	39	Y=Paid; N=Not paid
12	Classing Paid	A	1	40	Y=Paid; N=Not paid
13	Compression Paid	A	1	41	Y=Paid; N=Not paid

14	Reconcentrated	A	1	42	R=Bale is reconcentrated Space = Not reconcentrated
15	Previous Warehouse	N	6	43-48	Code of previous warehouse – Entered only if the bale is reconcentrated.
16	Previous Receipt Number	N	7	49-55	Warehouse receipt number from previous warehouse, entered for reconcentrated cotton only
17	Gin Code Number	N	5	56-60	USDA assigned code where the cotton was ginned
18	Gin Tag Number	N	7	61-67	Sequential tag number assigned by the gin
19	Storage Paid Through	N	8	68-75	Storage paid through date; MMDDYYYY. Last date that storage charges against the bale were paid to the warehouse
20	Mark	AN	8	76-83	Shipper assigned mark
21	Locator ID	AN	8	84-91	Warehouse bale location
22	Electronic Receipt Status	A	1	92	O=Open; C=Cancel; D=Deactivated; V=Void
23	Electronic Receipt Flag	A	1	93	E=Electronic P = Paper
24	Receipt Type	A	1	94	See Appendix D – Receipt Types in “Files Sent to EWR” document.
25	Current Holder Type	A	1	95	M = Merchant W = Warehouse G = Gin Z = Coop P = Producer C = Government B = Bank
26	Loan Transfer	A	1	96	Y = Yes. This bale was transferred while under loan (Reconcentrated Loan Transfer)
27	Filler	N	5	97-101	
28	Weight Date	N	8	102-109	Weight date assigned by warehouse; MMDDYYYY
29	Tenderable	AN	2	110-111	AMS assigned
30	Rain Grown	AN	1	112	R = Rain grown; N = Not rain grown; Unknown
31	Under S/O	A	1	113	Y = Under open shipping order
32	Block Receipt	A	1	114	Is this receipt a block receipt
33	Block Bales	N	5	115-119	Number of bales on block
34	Is Stored Outside	A	1	120	Y/N
35	EWR Container ID	N	8	121-128	EWR unique number assigned to each container
36	Filler	AN	12	129-140	
37	World Tenderable	A	1	141	T= Tenderable N = Non-Tenderable

38	Lot #	N	6	142-147	Replaces field #27
39	World Gin Tag	AN	12	148-159	
40	Type Bagging	A	1	160	
41	Type of Ties	A	1	161	
42	Bagging Condition	A	1	162	Bag condition – User defined. Examples are: A = Bale is completely covered B = Bale may have minor tears and an exposed sample opening C = Exposed cotton in addition to sample opening
43	Compression Code	A	1	163	
44	Filler		108	164-271	

TRAILER LAYOUT FOR HD66

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	The same as enter in the header record.
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Filler	A	15	31-45	Reserved for EWR, Inc. use
7	Filler	A	226	46-271	Reserved for EWR Inc. use

HD67 - EWR ASCII Text Message Received from EWR

HD67 is used to inform users of special events, such as if the database was temporarily unavailable during a time of maintenance.

HEADER LAYOUT FOR HD67

Record Size = 85

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H-Header Record
2	Holder ID	AN	7	2-8	Holder ID of participant receiving the message from EWR
3	Batch Number	N	4	9-12	Batch number assigned - Cannot be duplicated within the same day
4	Batch Type	N	2	13-14	67=ASCII Text Message from EWR, Inc. Host Computer
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Date Entered	AN	8	29-36	Date EWR created the message
8	Filler	A	49	37-85	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD67 (Maximum of 32 lines) Records 1-32

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Record Number	N	2	2-3	Record number
3	Text Line	AN	80	4-83	80 character text line
4	Filler	A	2	84-85	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD67

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Filler	A	64	22-85	Reserved for EWR, Inc. use

HD68 - Holder Information Requested

Batch Type 68 is generated by a Batch Type 60 request for holder information on receipts. That is, Batch Type 60 will allow a user who is either the Current Holder or Current Subholder to request Holder ID's for all entities which occupy these three fields in the Host computer. (Created by a Batch Type 60 when Holder Type = A)

HEADER LAYOUT FOR HD68

Record Size =120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H-Header Record
2	Holder ID	AN	7	2-8	Holder ID of requestor
3	Batch Number	N	4	9-12	Batch number assigned
4	Batch Type	N	2	13-14	68=Holder Information Request
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Filler	A	74	29-102	Reserved for EWR, Inc. use
8	Receipt Count	N	6	103-108	
9	Filler	A	12	109-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD68

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse Code	N	6	2-7	Warehouse Code of the Receipt
3	Electronic Receipt Number	N	7	8-14	Electronic Receipt Number
4	Crop Year	N	4	15-18	Crop year of the Receipt
5	Current Holder ID	AN	7	19-25	Holder ID of the current Holder of the electronic receipt(s)
6	Subholder ID	AN	7	26-32	Holder ID of the current Subholder of the electronic receipt(s)
7	Previous Holder ID	AN	7	33-39	Holder ID of the previous Holder of the electronic receipt(s)
8	Electronic Receipt Status	A	1	40	O=Open C=Cancel D=Deactivated V=Void
9	Electronic Receipt Flag	A	1	41	E=Electronic P=Paper
10	Receipt Type	A	1	42	See Appendix D – Receipt Types in “Files Sent to EWR” document.
11	Filler	A	78	43-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD68

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of the number of detail records in the batch
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Hash Total	N	15	31-45	Electronic Receipt number hash total
7	Filler	A	75	46-120	Reserved for EWR, Inc. use

HD86 - Shipping Order Release Request (Received by Banks Only)

A Batch Type 86 is an acknowledgment sent to the bank as a result of a Batch Type 21, Shipping Order Receipt. The bank will only receive the Batch Type 86 if it is the Current Holder of all receipts on the shipping order. This acknowledgment serves as the subholder's (shipper) request to have the bank release certain receipts for shipment.

The EWR PC Software utilizes the Batch Type 86 in two (2) ways:

- As a Batch Type 21 (Shipping Order) download , i.e., "Delivery" of the receipts in the shipping order
- As a Shipping Order Release Request

Using the EWR, Inc. EWRPlus software, the bank can view the actual receipts contained in a shipping order through the "Delivery" menu option. Using the Shipping Order Release Request (found under the Receive Option in the PC software), the bank can easily take action on the shipping order, such as release or return to seller

HEADER LAYOUT FOR HD86

Record Size = 60

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID of Bank	AN	7	2-8	Holder ID of Bank Holding the Receipts as Collateral
3	Batch Number	N	4	9-12	Batch Number assigned by Host
4	Batch Type	N	2	13-14	86=Shipping Orders Held by Bank
5	Batch Date	N	8	15-22	Date batch was created; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created; HHMMSS
7	Warehouse Code	N	6	29-34	Warehouse code of facility where cotton is stored
8	Shipping Order Numbers	AN	10	35-44	S/O Number - This data is received in a batch type 21 sent to host
9	Shipper's Mark	AN	8	45-52	Shipper's mark sent to host in a batch type 21
10	Holder ID of Shipper	AN	7	53-59	Holder ID of shipper
11	Block Receipts	A	1	60	Blank =Regular Receipts Y =Block Receipts

DETAIL LAYOUT FOR HD86

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Electronic Receipt Number	N	7	2-8	Electronic Receipt Number
3	Net Weight	N	3	9-11	Net weight of bale
4	Crop Year	N	4	12-15	YYYY
5	Filler	A	45	16-60	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD86

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Must be the same as entered in batch header
3	Batch Number	N	4	9-12	Must be the same as entered in batch header
4	Record Count	N	9	13-21	Control total record count of the detail records in the batch
5	Total Weight	N	9	22-30	Total net weight of bales in the batch if entered in the original batch from the shipper
6	Hash Total	N	15	31-45	Electronic receipt number hash total
7	Filler	A	15	46-60	Reserved for EWR, Inc. use

HD87 - Bank Draft (Inbound only) (Received by Banks Only)

A Batch Type 87 is received by a bank as a result of a Batch Type 51 (Deliver Receipts Via Bank Draft). This allows the bank to take the necessary action on the draft without re-keying any data. The actions are:

- Regular Release
- Return to Seller
- Hold as Collateral (should not be used, before contacting EWR, Inc)

When action is taken by the bank, a Batch Type 71 is created.

FILE LAYOUT FOR HD87 (HEADER RECORD ONLY)

Record Size = 150

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Bank Holder ID	AN	7	2-8	Holder ID of Purchaser's Bank
3	Batch Number	N	4	9-12	Batch number assigned by user's PC sending the request or batch type 51
4	Batch Type	N	2	13-14	Type=87 Bank Draft
5	Batch Date	N	8	15-22	Date batch was created; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created: HHMMSS
7	Purchaser's Holder ID	AN	7	29-35	Holder ID of Purchaser, input by creator of batch type 51
8	Purchaser Name	AN	20	36-55	Purchaser Name from the holder control file in the host
9	Seller Name	AN	20	56-75	Seller Name
10	Holder ID of Seller	AN	7	76-82	Holder ID of Seller, or the holder who created the batch type 51
11	Draft Number	AN	10	83-92	Bank Draft Number entered in batch type 51 by seller
12	Draft Amount	N	10	93-102	Draft Amount entered in batch type 51 by seller 99999999V99, must be at least \$1.00
13	Presenting Bank Name	AN	24	103-126	Presenting Bank Name - The bank on which the draft is drawn
14	Block Receipts	A	1	127	Blank=Regular Receipt Batch Y=Block Receipt Batch
15	Receipt Count	N	6	128-133	Count of receipts in Draft
16	Draft Control Number	N	10	134-143	Host assigned number to flag the receipts in the draft
17	Filler	A	7	144-150	Reserved for EWR, Inc. use

HD91 - Bank Draft (Outbound Only) (Received by Banks Only)

A HD91 is received by the bank as a result of a Batch Type 51 (Deliver Receipts Via Bank Draft), when the draft is made up of bales which the bank currently holds as collateral. This allows the bank to take the necessary action on the draft without re-keying any data. The actions are:

- Regular Release
- Return to Seller

Unlike an Inbound draft, Outbound drafts cannot be held as collateral.

When the bank takes action on the outbound draft, a Batch Type 71 is created

HEADER RECORD ONLY

Record Size = 150

Field	Field Name	Type	Size	Pos	Descriptions
1	Record Type	A	1	1	H=Header Record
2	Bank Holder ID	AN	7	2-8	Holder ID of Purchaser's Bank
3	Batch Number	N	4	9-12	Batch number assigned by user sending the request or Batch Type 51
4	Batch Type	N	2	13-14	Type=91 Bank Draft - OUTBOUND DRAFTS
5	Batch Date	N	8	15-22	Date batch was created; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created: HHMMSS
7	Purchaser's Holder ID	AN	7	29-35	Holder ID of the buyer (Purchaser), input by creator of Batch Type 51
8	Purchaser's Name	A	20	36-55	Purchaser name of the holder.
9	Seller's Name	A	20	56-75	Seller name of the holder
10	Holder ID of Seller	AN	7	76-82	Holder ID of Seller, or the holder who created the Batch Type 51
11	Draft Number	N	10	83-92	Bank draft number in Batch Type 51 by seller
12	Draft Amount	N	10	93-102	Draft amount entered in Batch Type 51 by seller 99999999V99
13	Presenting Bank Name	AN	24	103-126	Presenting Bank Name - The bank on which the draft is drawn
14	Block Receipts	A	1	127	Blank=Regular Receipt Batch Y=Block Receipt Batch
15	Receipt Count	N	6	128-133	Count of receipts in Draft
16	Draft Control Number	N	10	134-143	EWR assigned number to flag the receipts in the draft
17	Purchaser's Bank's Holder ID	AN	7	144-150	The Holder ID of the Purchaser's bank. Can be the same Bank ID as that of the seller

HD92 - Collateral Release Request (Received by Banks Only)

A Batch Type 92 is received by a bank as a result of a Batch Type 22 (Bank Release of Collateral.) The bank will only receive the Batch Type 92 if it is the Current Holder of all receipts in the request. This file serves as the subholder's request to have the bank release holdership of certain receipts to another party or to them. (Subholder becomes Holder).

The Batch Type 92 displays two (2) ways in the EWRPlus software,

- As a Batch Type 22 (Bank Release of Collateral) download , i.e., "Delivery" of the receipts to be released, and
- As a Collateral Release Request.

Through the Delivery of receipts, the bank can view the actual receipts contained in the bank release of collateral. Using the Collateral Release Request (found under the Receive Option in the EWRPlus software), the bank can easily take action on the request, such as release or return to subholder.

HEADER LAYOUT FOR HD92

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID of Bank	AN	7	2-8	Holder ID of Bank Holding the Receipts as Collateral
3	Batch Number	N	4	9-12	Batch Number assigned by Host
4	Batch Type	N	2	13-14	92=Collateral Release Request
5	Batch Date	N	8	15-22	Date batch was created; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created; HHMMSS
7	Release Number	AN	10	29-38	A collateral release number assigned by the Host to cross reference acknowledgments
8	Holder ID of Requestor / Subholder	AN	7	39-45	Holder ID of Merchant requesting the release of collateral
9	Tracking Code/Number	AN	10	46-55	An optional entry to be entered by the subholder/merchant for referencing collateral release requests, entered in Batch Type 22
10	To Holder ID	AN	7	56-62	Holder ID of the party which is to receive Holdership. This could be the same holder ID of the From Holder ID
11	Block Receipts	A	1	63	Y=Block Receipts Batch Blank=Regular Receipts Batch
12	Filler	A	57	64-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD92

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse Code	N	6	2-7	Warehouse Code of the Receipt
3	Electronic Receipt Number	N	7	8-14	Electronic Receipt Number
4	Crop Year	N	4	15-18	YYYY
5	Filler	A	102	19-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HD92

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Must be the same as entered in batch header
3	Batch Number	N	4	9-12	Must be the same as entered in batch header
4	Record Count	N	9	13-21	Control total record count of the detail records in the batch
5	Hash Total	N	15	22-36	Electronic receipt number hash total
6	Filler	A	84	37-120	Reserved for EWR, Inc. use

HD97 – Batch 23 Compliance Detail

“Early warning” copies of this file are available for a fee (See current Tariff document). The HD97 file is generated nightly (after midnight) and lists any Shipping/Staging Orders (with a request date) OR Batch 23 files that have not been responded to by a Batch 23. The Shipping/Staging Order/Batch 23 must have been received by the provider within the past two business days.

“Early warning” indicates that the recipient has not responded but still has time to respond to remain in compliance. All recipients will receive an “out of compliance” file, free of charge, once two business days have elapsed.

HEADER LAYOUT FOR HD97

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	
3	Batch Number	N	4	9-12	Batch number, holder supplied
4	Batch Type	N	2	13-14	97
5	Filler	AN	13	15-27	Reserved for EWR Inc. use
6	Batch Date	N	8	28-35	Holder supplied batch time; MMDDYYYY
7	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
8	Early Warning	A	1	42-43	Y=Early Warning report. Field will be blank for out of compliance reports (free option).
9	Filler	AN	79	44-120	Reserved for EWR Inc. use

DETAIL LAYOUT FOR HD97

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse ID	N	6	2-7	
3	Shipper ID	AN	7	8-14	Shipper ID on the shipping order
4	Mark	N	8	15-22	
5	Order Number	N	10	23-32	
6	Received Date	N	8	33-40	Date 21 / 31 / 23 file received by EWR
7	Batch Type	N	2	41-42	21 / 23 / 31 = Batch Type indicator
8	Requested Date	N	8	43-50	Shipper Requested Date from 31 / 21 / 23
9	Scheduled Date	N	8	51-58	Warehouse Scheduled Date (if on file)

TRAILER LAYOUT FOR HD97

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	The same as enter in the header record.
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Filler	A	15	31-45	Reserved for EWR, Inc. use
7	Filler	A	75	46-120	Reserved for EWR Inc. use

HD98 - Delivery of Custom Report Detail

This file is created by the provider system and is not the result of a request batch. It contains all open receipts for a specific holder or subholder. It is normally produced at the end of a month or year, upon request by a holder. There is a fee for each report.

HEADER LAYOUT FOR HD98

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	Batch number, holder supplied
4	Batch Type	N	2	13-14	66
5	Activity	AN	11	15-25	
6	Action Code	AN	1	26	W=Warehouse Reconciliation H = Holder only receipts in 98 file S = Subholder only and not on shipping order X = Subholder including receipts under order
7	Filler	A	1	27	Reserved for EWR Inc., use
8	Batch Date	N	8	28-35	Holder supplied batch time; MMDDYYYY
9	Batch Time	N	6	36-41	Holder supplied batch time; HHMMSS
10	Filler	AN	8	42-49	Reserved for EWR Inc. use
11	Filler	AN	53	50-102	Reserved for EWR Inc. use
12	Receipt Count	N	6	103-108	Number of receipts in file
13	Filler	AN	12	109-120	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HD98

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Warehouse	N	6	2-7	Warehouse code of the receipt
3	Electronic Receipt Number	N	7	8-14	Receipt Number
4	Crop Year	N	4	15-18	Crop year of the receipt
5	Tare Weight	N	4	19-22	Tare weight of bale or block
6	Net Weight	N	6	23-28	Net weight of bale or block
7	Receiving Fee	N	4	29-32	9999 (2 decimal); (US currency)
8	Storage Fee	N	4	33-36	9999 (2 decimal); (US currency)
9	Storage Charge Freq.	A	1	37	D=Daily; C=Calendar Months; S=Actual Months (same day); F=Actual Months (following day); M=Monthly (legacy support) See Appendix J – Files Sent To EWR
10	Receiving Paid	A	1	38	Y=Paid; N=Not paid
11	Loading Paid	A	1	39	Y=Paid; N=Not paid

12	Classing Paid	A	1	40	Y=Paid; N=Not paid
13	Compression Paid	A	1	41	Y=Paid; N=Not paid
14	Reconcentrated	A	1	42	R=Bale is reconcentrated Space = Not reconcentrated
15	Previous Warehouse	N	6	43-48	Code of previous warehouse – Entered only if the bale is reconcentrated.
16	Previous Receipt Number	N	7	49-55	Warehouse receipt number from previous warehouse, entered for reconcentrated cotton only
17	Gin Code Number	N	5	56-60	USDA assigned code where the cotton was ginned
18	Gin Tag Number	N	7	61-67	Sequential tag number assigned by the gin
19	Storage Paid Through	N	8	68-75	Storage paid through date; MMDDYYYY. Last date that storage charges against the bale were paid to the warehouse
20	Mark	AN	8	76-83	Shipper assigned mark
21	Locator ID	AN	8	84-91	Warehouse bale location
22	Electronic Receipt Status	A	1	92	O=Open; C=Cancel; D=Deactivated; V=Void
23	Electronic Receipt Flag	A	1	93	E=Electronic P = Paper
24	Receipt Type	A	1	94	See Appendix D – Receipt Types in “Files Sent to EWR” document.
25	Current Holder Type	A	1	95	M = Merchant W = Warehouse G = Gin Z = Coop P = Producer C = Government B = Bank
26	Loan Transfer	A	1	96	Y = Yes. This bale was transferred while under loan (Reconcentrated Loan Transfer)
27	Lot Number	N	5	97-101	ICE Lot number entered by warehouse
28	Filler	N	8	102-109	
29	USDA Tenderable	A	2	110-111	AMS assigned
30	Rain Grown	A	1	112	R = Rain grown; N = Not rain grown
31	Under S/O	A	1	113	Y = Under open shipping order
32	Block Receipt	A	1	114	Is this receipt a block receipt
33	Block Bales	N	5	115-119	Number of bales on block
34	Is Stored Outside	A	1	120	Y/N

TRAILER LAYOUT FOR HD98

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	Holder ID who sent the batch
3	Batch Number	N	4	9-12	The same as enter in the header record.
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-30	Reserved for EWR, Inc. use
6	Filler	A	15	31-45	Reserved for EWR, Inc. use
7	Filler	A	75	46-120	Reserved for EWR Inc. use

SECTION 4 FILE TYPE HA (SUCCESSFUL ACKNOWLEDGEMENT FILES)

This section explains how the EWR, Inc. host system handles successful acknowledgement files.

Successful acknowledgements are batches that completed with NO errors. There are 4 basic layouts for acknowledgement files:

- Type 85 (The standard, default layout)
- Type 81 Collateral acknowledgement layout
- Type 18 BMAS acknowledgement layout
- Type 25/26 Phytosanitary acknowledgement layout

When the host generates acknowledgements, it consists of the following types lines:

- Batch Header (H)
- Acknowledgment (AC)
- Batch Trailer (T)

Acknowledgment s are received by all users who create and transmit batches to the host and in some cases by the users whose Holder IDs are involved in the transactions.

HA – Default Successful Acknowledgments

This type of acknowledgment is also known as Type 85.

This acknowledgment is sent to users to inform them of the status of batches which involve their Holder ID. This type of acknowledgment is received by the holder who creates a batch, and a similar acknowledgment is generated and sent to any user, if any, whose Holder ID was included in the batch. For example, if a producer transfers holdership of his/her bales to a merchant, both users would receive a Holder Acknowledgment. Holder acknowledgments tell the user who sent the batch (From Holder), who the batch was sent to (To Holder), when it was sent, the number of receipts in the batch, and the type of batch.

The batch number segment of the file name is the initiating batch type; for instance, if the file name starts with HA21, then the sending batch was a type 21 batch (Shipping order). Excluding bank releases, in that instance a bank release of shipping order is HA70, while a draft is HA71.

HEADER LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number of sending holder
4	Batch Type	N	2	13-14	85
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Filler	A	1	29	Reserved for EWR Inc. use
8	EWR ID	N	9	30-38	Internal ID assigned by EWR, Inc
9	Original Batch Number	N	4	39-42	Valid only on bank release batches (70-72)
10	Original Batch Type	N	2	43-44	Valid only on bank release batches (70-72)
11	Sender	A	1	45	Holder initiated the batch (Y/N)

DETAIL LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	AC=Acknowledgments
2	Orig. Transmission Number	N	6	3-8	Transmission Number
3	Date Acknowledged	N	8	9-16	Date Host Completed Batch Processing Request
4	Time Acknowledged	N	6	17-22	Time Host Completed Batch Processing Request
5	Original Batch Type	N	2	23-24	Batch Type (sent from PC to host)
6	Original Batch Number	N	4	25-28	Batch Number (sent from PC to host)

7	From Holder ID	AN	7	29-35	Holder ID who sent batch
8	From User ID	AN	6	36-41	User ID who sent batch
9	Name of From Holder	AN	20	42-61	Name of From Holder - stored in the host control file, input by the host
10	To Holder ID	AN	7	62-68	To Holder ID
11	Name of To Holder	AN	20	69-88	Name of To Holder - stored in the host control file, input by the host
12	Activity ID	AN	10	89-98	Identifying characters such as SO number, Mark, Draft #, CCC Collateral Release Code, EWR Container ID
13	Total Detail Records Sent	N	8	99-106	Total detail records in batch sent to host
14	Total Detail Processed	N	8	107-114	Total detail records that processed in the batch
15	Action Flag	A	1	115	If field 5 is 34,35,38: C=Container created D=Container Dissolved Otherwise: B=Block Receipts (HA71 B= Pending Release) R=Regular or Release if HA70 or HA71 C=Bank holds collateral (buyer becomes subholder) T=Returned to seller or Rejected by Bank; S=Sent to CCC for Loan Approval – Batch 53 A=Approved by CCC for loan – Batch 53 N=No Download (Batch 50 only) L=Loan Option Delivery (Batch 63 only) U=Warehouse updating Locator ID (Batch 03 & 04 only)
16	Bale Count	A	5	116-120	Number of bales/receipts (not records) in the batch

TRAILER LAYOUT

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Holder ID receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number assigned
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-120	Reserved for EWR Inc., use

HA18 – BMAS Receipted and Non-Receipted Bales Acknowledgment

This acknowledgment is sent to users to inform them of the status of batches which involve their Holder ID. The HA18 provides the final BMAS in the last field “BMAS Bale Count”. Also, the individual numbers used to calculate the final BMAS number are provided in this acknowledgement file.

HEADER LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number of sending holder
4	Batch Type	N	2	13-14	18
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Filler	A	1	29	Reserved for EWR Inc. use
8	Filler	N	9	30-38	Reserved for EWR Inc. use
9	Filler	N	4	39-42	Reserved for EWR Inc. use
10	Filler	N	2	43-44	Reserved for EWR Inc. use
11	Filler	A	1	45	Reserved for EWR Inc. use

DETAIL LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	AC=Acknowledgments
2	Filler	N	6	3-8	Transmission Number
3	Date Acknowledged	N	8	9-16	Date Host Completed Batch Processing Request
4	Time Acknowledged	N	6	17-22	Time Host Completed Batch Processing Request
5	Original Batch Type	N	2	23-24	Batch Type (sent from PC to host)
6	Original Batch Number	N	4	25-28	Batch Number (sent from PC to host)
7	From Holder ID	AN	7	29-35	Holder ID who sent batch
8	From User ID	AN	6	36-41	User ID who sent batch
9	Name of From Holder	AN	20	42-61	Name of From Holder - stored in the host control file, input by the host
10	Flow Reporting Date	N	8	62-69	Sent by Warehouse in Batch 18 Header
11	Total Bales Not Picked Up	N	5	70-74	Sent by Warehouse when submitting flow report
12	Total Bales Shipped	N	5	75-79	Sent by Warehouse when submitting flow report
13	Total Previously Reported Bales	N	5	80-84	Calculated when 18 is processed. Previously reported bale within past 12 months

14	Bales In Error	N	5	85-89	Bales that resulted in an error code
15	Effective Capacity	N	6	90-95	Current warehouse effective capacity as recorded on the provider system
16	Filler	A	3	96-98	
17	Total Details Rec Sent	N	8	99-106	(Same position as default HA)
18	Total Detail Rec Process	N	8	107-114	(Same position as default HA)
19	Filler	N	1	115	
20	BMAS Bale Count	N	5	116-120	Final BMAS – Calculated when 18 is processed. (Total Shipped + Total Not Picked Up) – (Previously Reported + Bales In Error)

TRAILER LAYOUT

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Holder ID receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number assigned
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-120	Reserved for EWR Inc., use

Calculating Flow Percentage:

To calculate the warehouse flow percentage, divide the BMAS Bale Count (Field 20) by the Effective Capacity (Field 15), then multiply by 100.

Example:

Effective Capacity = 50,000

BMAS Bale Count = 2,250

$$2250 / 50000 = 0.045$$

$$0.045 \times 100 = 4.5\%$$

HA25/26 – Phytosanitary Holder Acknowledgment

Batch Type 25 is an acknowledgment sent to users to inform them of the status of batches which involved their Holder ID. This acknowledgment is received by the merchant. A summary of the acknowledgment is as follows:

Batch Type 25 AC to the Merchant:

- “From Holder” will be the merchant (buyer’s) Holder ID.
- “EWR Tracking Number” is the unique EWR assigned number assigned to each phytosanitary request. This number should be saved by the merchant and referenced when sending any updates or cancels for phyto request.

Batch Type 26 AC to the Merchant:

- “From Holder” will be the warehouses Holder ID.
- “EWR Tracking Number” is the unique EWR assigned number assigned to each phytosanitary request.

HEADER LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number of sending holder
4	Batch Type	N	2	13-14	25/26
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	From User	AN	6	29-34	User ID that sent batch
8	EWR Trans ID	N	9	35-43	EWR Transaction ID
9	Records Sent	N	8	44-51	Total detail records sent to host
10	Records Process	N	8	52-59	Total detail records processed
11	Sender	A	1	60	Holder initiated the batch (Y/N)
11	Filler	A	1	61-120	Reserved for EWR, Inc. use

DETAIL LAYOUT

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	AC=Acknowledgments
2	Filler	N	6	3-8	Reserved for EWR, Inc. use
3	Date Acknowledged	N	8	9-16	Date Host Completed Batch Processing Request
4	Time Acknowledged	N	6	17-22	Time Host Completed Batch Processing Request
5	From Holder ID	AN	7	23-29	Holder ID who sent batch (sent from PC to host)

6	Name of From Holder	AN	17	30-46	Name of From Holder – stored in the host control file, input by the host
7	Forwarder Holder ID	AN	7	47-53	Holder ID of Freight Forwarder
8	Forwarder Name	AN	17	54-70	Name of Forwarder
9	EWR Tracking Number	N	8	71-78	Unique tracking number assigned by EWR to each phyto request (per whse)
10	Total Marks	N	2	79-80	Total number of marks on phyto
11	Bale Count	N	5	81-85	Number of bales/receipts (not records) in the batch.
12	Warehouse ID	N	8	86-91	Warehouse inspecting phyto
13	Warehouse Name	AN	17	92-108	
14	Activity ID	A	10	109-118	
15	Filler	AN	2	119-120	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HA81

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Holder ID receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number assigned
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-120	Reserved for EWR Inc., use

HA81 - Collateral Holder Acknowledgment

(This acknowledgment is received by collateralized merchants and their banks)

Holders can designate if they want a Bank to automatically receive holdership of ALL receipts transferred to their Holder ID number. For example, if a merchant uses warehouse receipts for collateral, anytime another user sends receipts to the merchants Holder ID number, the host will process the batch and immediately change holdership to the Bank's Holder ID number and move the merchant (buyer) to the subholder field.

Batch Type 81 is an acknowledgment sent to users to inform them of the status of batches which involved their Holder ID. This acknowledgment is received by the merchant and by the bank who holds the receipts as collateral. A summary of the acknowledgment is as follows:

Batch Type 81 AC to the Merchant:

- "From Holder" will be the Holder who delivered/transferred holdership to the merchant.
- "To Holder" will be the merchant (buyer's) Holder ID.
- "Collateral Holder" will be the bank's Holder ID.

Batch Type 81 AC to the Bank:

- "From Holder" will be the Holder who delivered/transferred holdership to the merchant.
- "To Holder" will be the bank's Holder ID.
- "Collateral Holder" will be the merchant (buyer's) Holder ID.

HEADER LAYOUT FOR HA81

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number of sending holder
4	Batch Type	N	2	13-14	81
5	Batch Date	N	8	15-22	Holder supplied batch date; MMDDYYYY
6	Batch Time	N	6	23-28	Holder supplied batch time; HHMMSS
7	Filler	A	1	29-120	Reserved for EWR Inc. use

DETAIL LAYOUT FOR HA81

Record Size = 120

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	AC=Acknowledgments
2	Originating Transmission Number	N	6	3-8	Transmission Number
3	Date Acknowledged	N	8	9-16	Date Host Completed Batch Processing Request

4	Time Acknowledged	N	6	17-22	Time Host Completed Batch Processing Request
5	Original Batch Type	N	2	23-24	Batch Type (sent from PC to host)
6	Original Batch Number	N	4	25-28	Batch number (sent from PC to host)
7	From Holder ID	AN	7	29-35	Holder ID who sent batch (sent from PC to host)
8	From User ID	AN	6	36-41	User ID who sent batch (sent from PC to host)
9	Name of From Holder	AN	17	42-58	Name of From Holder – stored in the host control file, input by the host
10	To Holder ID	AN	7	59-65	Holder ID of Bank which became the holder of the receipts *the To Holder ID will change from the Bank's ID to the Subholder ID to accomodate the IBM Mail Handling System. This change is necessary to ensure that the bank and the merchant receive an AC
11	Name of To Holder	AN	17	66-82	Name of Bank [To Holder] – stored in the host control file, input by the host.
12	Collateral / Subholder ID	AN	7	83-89	Holder ID of Merchant who is the subholder of the receipts *the Subholder ID will change from the Merchant's ID to the Subholder ID to accommodate the host system. This change is necessary to ensure that the bank and the merchant receive an AC
13	Activity ID	AN	10	90-99	Identifying characters such as SO number, Mark, Draft #, etc.
14	Total Detail Records Sent	N	8	100-107	Total detail records in batch sent to host
15	Total Detail Processed	N	8	108-115	Total detail records that processed in the batch
16	Bale Count	A	5	116-120	Number of bales/receipts (not records) in the batch.

TRAILER LAYOUT FOR HA81

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer
2	Holder ID	AN	7	2-8	Holder ID receiving acknowledgement
3	Batch Number	N	4	9-12	Batch number assigned
4	Record Count	N	9	13-21	Number of receipts
5	Filler	A	9	22-120	Reserved for EWR Inc., use

SECTION 5 FILE TYPE HE (ERROR ACKNOWLEDGEMENT FILES)

This section contains information regarding batch processing and rejections, i.e., what causes a batch to reject, and what type of acknowledgments the user will receive.

Errors: How Processing is affected and expected acknowledgments

Errors are caused by any number of mistakes including invalid entries, or lack of required information. The EWR host does not verify information, it only checks to ensure that the entries are within the parameters of the field specifications.

When batches which contain errors are transmitted to the host, errors will be identified and acknowledged to the user. The acknowledgments generated vary by batch.

The following batches do not process any of the data if one error is detected by the host. The host REJECTS the entire batch and no receipts are updated.

BATCH TYPES: 05, 06, 19, 20, 21, 24, 30, 31, 34, 37, 38, 51, 55, 65, 70, 71, and 72

All other batch types will continue processing if errors are detected by the host. However, there is an exception: If the first 11 records in the batch are in error, the host will REJECT the entire batch. For example, if there are 20 records in a batch and records 1,3,5,7,9,11,13,15,17, and 19 have errors, the host will process 10 records and reject 10.

On the other hand, if the first consecutive 11 (1-11) receipts are in error, the host will reject the entire batch. The reason for the entire batch rejecting is that if the first 11 bales are in error, it is very possible that the batch contains many additional errors, therefore the host rejects the batch instead of downloading an error message for all receipts in the batch.

When the host generates an HE file it consists of the following 4 lines (minimum):

- Batch Header (H) – Same layout as HA85
- Acknowledgments (AC) – Same Layout as HA85
- Error(s) line; There are 3 types ET, EB or ED, see the layout below for specifics
- Batch Trailer (T) – Same Layout as HA85

To determine what processed and what failed, the following steps should be taken:
Examine the following fields of the AC line:

14	Total Detail Records Sent	N	8	99-106	Total detail records in batch sent to host
15	Total Detail Processed	N	8	107-114	Total detail records that processed in the batch
16	Action Flag	A	1	115	E
17	Bale Count	A	5	116-120	Number of bales/receipts (not records) in the batch.

The above 4 fields should reflect, the total detail sent (or that the host was able to examine), the total detail lines processed and the bales updated. Notice this is bales and not receipts updated, this is due to block receipts may contain more than 1 bale.

Also remember if the 1st eleven lines are in error, the batch will not process any further, thus the total sent may be 11, processed 0.

Examine the ET, EB and ED lines

There should be a single ET line, if the entire transmission file is corrupt.

There should be a single EB line, if the batch is not formatted correctly.

There may be multiple ED lines for each receipt in error.

ET DETAIL [Error in Transmission]

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	ET=Error in Transmission file, Header or Trailer
2	Originating Transmission Number	N	6	3-8	Transmission Number (sent form PC to the Host)
3	Date Error Occurred	N	8	9-16	Date Error Occurred
4	Time Error Occurred	N	6	17-22	Time Error Occurred
5	Error Code	N	3	23-25	Application Assigned Code, Created by the Host
*6	Error Data	AN	8	26-33	Specific Field in Error
7	Additional Information	A	32	34-65	Can be used to provide additional information about the error
8	Filler	A	55	66-120	Reserved for EWR, Inc. use

*(Format is dependent on value of each Error Code)

EB and ED DETAIL [EB = Error in Batch] [ED = Error in Detail]

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	2	1-2	EB=Error in Batch Header or Batch Trailer ED=Error in Batch Detail
2	Originating Transmission Number	N	6	3-8	Transmission Number (sent from PC to Host)
3	Date Error Occurred	N	8	9-16	Date Error Occurred at Host
4	Time Error Occurred	N	6	17-22	Time Error Occurred at Host
5	Error Code	N	3	23-25	Application Assigned Code determined by the host
6	Original Batch Type	N	2	26-27	Batch Type (sent from PC to host)
7	Original Batch Number	N	4	28-31	Batch number sent from PC to host
8	Originating Holder ID	AN	7	32-38	Holder who sent batch to host
9	Originating User ID	AN	6	39-44	User ID who sent Batch
10	Error Data	AN	40	45-84	Can be used to provide additional info about error; otherwise blanks (format is dependent on Error Code) – Normally will contain warehouse code, receipt number and crop year
11	Error Message	AN	32	85-116	EWR Host error message
12	Filler	A	4	117-120	Reserved for EWR, Inc. use

SECTION 6 FILE TYPE HS (SUMMARY FILES)

HS78 - Block Receipt Summary

A HS78 file provides the holder and subholder of a block receipt with the number of block receipts (negotiable and non-negotiable) and total number of bales (negotiable and non-negotiable) they hold by warehouse.

HEADER LAYOUT FOR HS78

Record Size = 100

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receive summaries
3	Batch Number	N	4	9-12	Batch Number generated by Host
4	Batch Type	N	2	13-14	78=Block Receipts summary for holder
5	Batch Date	N	8	15-22	Date batch was created at host; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created at host; HHMMSS
7	Filler	A	72	29-100	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HS78

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D = Detail Record
2	Holder ID	AN	7	2-8	Holder ID = Holder of block receipts
3	Warehouse Code	N	6	9-14	Warehouse code where block receipts are held
4	Crop Year	N	4	15-18	Crop Year of receipts held
5	Up to Date	N	8	19-26	Totals calculated as of date; MMDDYYYY
6	Up to Date	N	6	27-32	Totals calculated as of time; HHMMSS
7	Current Holder Negotiable Count	N	8	33-40	Current Holder count of negotiable block receipts
8	Current Holder Negotiable Bale Count	N	8	41-48	Current Holder count of negotiable bales
9	Subholder Negotiable Count	N	8	49-56	Subholder count of negotiable block receipts
10	Subholder Negotiable Bale Count	N	8	57-64	Subholder count of negotiable bales
11	Current Holder Non-Negotiable Count	N	8	65-72	Current count of non-negotiable receipts

12	Current Holder Non-Negotiable Bale Count	N	8	73-80	Current count of non-negotiable bales
13	Subholder Non-Negotiable Count	N	8	81-88	Subholder count of non-negotiable receipts
14	Subholder Non-Negotiable Bale Count	N	8	89-96	Subholder count of non-negotiable bales
15	Filler	A	4	97-100	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HS78

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T = Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Filler	A	79	22-100	Reserved for EWR, Inc. use

HS82 - Receipts Held Summary

HS82 is a summary of receipts held or subheld; which is generated each night and delivered to the holder's mailbox. The information contained in the summary is calculated through the previous day's activity.

Received by all Users who have requested that their holder profile be flagged so that this information is given to them on a daily basis

NOTE: Receipts on this page refer to regular receipts (negotiable and non-negotiable)
Block receipts are NOT included in these totals.

For all users, specifically warehouses, summaries do not include receipts which are canceled.

Receipts transferred to the warehouse in a shipping order will be included in a warehouse holder summary until the receipts are canceled.

HEADER LAYOUT FOR HS82

Record Size = 100

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receive summaries
3	Batch Number	N	4	9-12	Batch Number generated by Host
4	Batch Type	N	2	13-14	82=Receipts held summary for holder/subholder
5	Batch Date	N	8	15-22	Date batch was created at host; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created at host; HHMMSS
7	Filler	A	72	29-100	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HS82

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Holder ID	AN	7	2-8	Holder ID of receipts held
3	Warehouse Code	N	6	9-14	Warehouse Code that identifies the storage location
4	Crop Year	N	4	15-18	Crop Year of receipts held
5	Up to Date	N	8	19-26	Totals calculated as of date (MMDDYYYY)
6	Up to Time	N	6	27-32	Totals calculated as of time (HHMMSS)
7	Current Holder Balance	N	8	33-40	Total number of receipts held as of 12:00 midnight of the previous day (this total does not include canceled receipts)
8	Subholder Balance (no CCC or Whse)	N	8	41-48	Total number of receipts held as subholder - This total excludes receipts held by warehouses and CCC
9	Subholder Balance (CCC is Holder)	N	8	49-56	Total number of receipts in Price Support Loan Program (CCC is Holder) and recipient of acknowledgment/summary is the Subholder
10	Electronic Receipts held (Whse Only)	N	8	57-64	Total number of uncanceled Electronic Receipts held (Received by warehouses only)
11	Paper Receipts Held (Whse Only)	N	8	65-72	Total number of uncanceled Paper Receipts held (Received by warehouses only)
12	Reserved	A	8	73-80	Blank
13	Under Shipping Order	N	8	81-88	Total number of receipts under a shipping order
14	Pending Bank	N	8	89-96	Total number of receipts pending a bank release
15	Filler	A	4	97-100	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HS82

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Filler	A	79	22-100	Reserved for EWR, Inc. use

HS83 - Summary of Receipts Issued (Received by Warehouse Users Only)

HS83 is a summary which is generated each night and delivered to the Warehouse's holder mailbox. The information contained in the summary is calculated through the previous day's activity. It contains the total number of receipts issued during the period August 1 through July 31. The total will include all receipts issued during that period regardless of the crop year assigned. We believe that these dates will give the entire Cotton Belt the most accurate totals for a harvest season.

Warehouses are encouraged to retain the July 31 report (Delivered on August 1), as it will be the last report for the period August 1 - July 31.

HEADER LAYOUT FOR HS83

Record Size = 100

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H=Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receive summaries
3	Batch Number	N	4	9-12	Batch Number generated by Host
4	Batch Type	N	2	13-14	83=Receipts held summary for holder
5	Batch Date	N	8	15-22	Date batch was created at host; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created at host; HHMMSS
7	Filler	A	72	29-100	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HS83

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	D=Detail Record
2	Holder ID	AN	7	2-8	Holder ID of receipts issued
3	Warehouse Code	N	6	9-14	Warehouse Code of receipts issued
4	Filler	AN	4	15-18	Reserved for EWR, Inc. use
5	Up to Date	N	8	19-26	Totals calculated as of date; MMDDYYYY
6	Up to Time	N	6	27-32	Totals calculated as of time; HHMMSS
7	*Issued-Regular & Certificated	N	8	33-40	Total number of electronic regular and certificated warehouse receipts issued as of midnight (includes active and canceled receipts)
8	*Issued-Block	N	8	41-48	Number of electronic block receipts issued
9	*Issued-Cancel	N	8	49-56	Number of receipts canceled
10	*Issued-Block Cancel	N	8	57-64	Number of electronic block receipts canceled
11	*Issued-Certificated	N	8	65-72	Number of certificated receipts issued.
12	*Cancel-Certificated	N	8	73-80	Number of certificated receipts cancelled.
13	Filler	A	20	81-100	Reserved for EWR, Inc. use

*Total Issued Year-to-Date; Year is defined as the period beginning August 1 and ending July 31.

TRAILER LAYOUT FOR HS83

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record count of detail records in the batch
5	Filler	A	79	22-100	Reserved for EWR, Inc. use

HS89 - Bank Collateral Summaries (Banks Only)

A HS89 is a summary which provides banks with the number of bales they hold by subholder and by warehouse. The batch is generated each night and placed in the banks Holder ID mailbox. The collateral summaries are provided only once each day and are calculated through the previous day's totals.

HEADER LAYOUT FOR HS89

Record Size = 90

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	H = Header Record
2	Holder ID	AN	7	2-8	Holder ID who will receive summaries
3	Batch Number	N	4	9-12	Batch Number generated by Host
4	Batch Type	N	2	13-14	82 = Receipts held summary for holder/subholder
5	Batch Date	N	8	15-22	Date batch was created at host; MMDDYYYY
6	Batch Time	N	6	23-28	Time batch was created at host; HHMMSS
7	Filler	A	62	29-90	Reserved for EWR, Inc. use

DETAIL LAYOUT FOR HS89

Field	Field Name	Type	Size	Pos	Description s
1	Record Type	A	1	1	D = Detail Record
2	SubHolder ID	AN	7	2-8	Sub Holder ID of the receipts (Bank is holder)
3	Merchant Name	AN	25	9-33	Name of merchant who is the subholder
4	Warehouse Code	N	6	34-39	Warehouse Code of receipts held as collateral
5	Non-Block Balance	N	6	40-45	Current count of receipts in the warehouse
6	Block Balance	N	6	46-51	Current count of block receipts in the warehouse
7	Block Bale Balance	N	6	52-57	Current total of block bales in the warehouse
8	Pending Non Block	N	6	58-63	Current total of pending releases of non-block receipts
9	Pending Block	N	6	64-69	Current total of pending releases of block receipts
10	Pending Block Bales	N	6	70-75	Current total of pending releases of block bales
11	Filler	A	15	76-90	Reserved for EWR, Inc. use

TRAILER LAYOUT FOR HS89

Field	Field Name	Type	Size	Pos	Description
1	Record Type	A	1	1	T=Trailer Record
2	Holder ID	AN	7	2-8	The same as entered in the header record
3	Batch Number	N	4	9-12	The same as entered in the header record
4	Record Count	N	9	13-21	Control total record of detail records in the batch
5	Filler	A	69	22-90	Reserved for EWR, Inc. use