




2x17-position Pin Header

J1302  
CONN\_02x17\_ODD\_EVEN

1

TILE1\_ANA\_MON

2

TILE1\_ADC\_TEST

3

TILE1\_VDDA

4

TILE1\_VDDA

5

TILE1\_VDDA

6

TILE1\_VDDA

7

TILE1\_VDDA

8

TILE1\_VDDA

9

TILE1\_VDDA

10

TILE1\_VDDA

11

TILE1\_VDDA

12

TILE1\_VDDA

13

TILE1\_RST\_SYNCN

14

TILE1\_EXT\_TRIGN

15

TILE1\_CLKN

16

TILE1\_PISO\_0N

17

TILE1\_POSI\_0N

18

TILE1\_PISO\_1N

19

TILE1\_POSI\_1N

20

TILE1\_PISO\_2N

21

TILE1\_PISO\_2N

22

TILE1\_PISO\_3N

23

TILE1\_PISO\_3N

24

TILE1\_PISO\_3N

25

TILE1\_PISO\_3N

26

TILE1\_PISO\_3N

27

TILE1\_PISO\_3N

28

TILE1\_PISO\_3N

29

TILE1\_PISO\_3N

30

TILE1\_PISO\_3N

31

TILE1\_PISO\_3N

32

TILE1\_PISO\_3N

33

TILE1\_PISO\_3N

34

TILE1\_PISO\_3N

GNDPWR

COMPANY: University of California Davis

TITLE: LarPix PACMAN

DRAWN: H.G.Berns

DATED: 10/02/2020

CHECKED: <Checked By>

DATED: <Checked Date>

QUALITY CONTROL: <QC By>

DATED: <QC Date>

RELEASED: H.G.Berns

DATED: 11/13/2020

CODE: <Code>

SIZE: C

DRAWING NO: PacMan\_V3.sch

REV: 3

SCALE: <Scale>

SHEET: 12

CONNECTOR

6

5

4


3

2


1

| REVISION RECORD |         |           |       |
|-----------------|---------|-----------|-------|
| LTR             | ECO NO: | APPROVED: | DATE: |
|                 |         |           |       |
|                 |         |           |       |
|                 |         |           |       |



FRONT PANEL




Ethernet




USB JTAG




SD Card



16-channel 16-bit DAC



Power Input: 24 VDC / 3.75 A  
REVERSE/OVER VOLTAGE PROTECTION



FRONT PANEL  
& PERIPHERALS

|                  |              |        |                |
|------------------|--------------|--------|----------------|
| DRAWN:           | H.G.Berns    | DATED: | 10/02/2020     |
| CHECKED:         | <Checked By> | DATED: | <Checked Date> |
| QUALITY CONTROL: | <QC By>      | DATED: | <QC Date>      |
| RELEASED:        | H.G.Berns    | DATED: | 11/13/2020     |

|                                         |       |               |                |
|-----------------------------------------|-------|---------------|----------------|
| COMPANY: University of California Davis |       |               |                |
| TITLE: LarPix PACMAN                    |       |               |                |
| CODE:                                   | SIZE: | DRAWING NO:   | REV:           |
| <Code>                                  | C     | PacMan_V3.sch | 3              |
| SCALE: <Scale>                          |       |               | SHEET: 2 of 12 |































| REVISION RECORD |         |           |       |
|-----------------|---------|-----------|-------|
| LTR             | ECO NO: | APPROVED: | DATE: |
|                 |         |           |       |
|                 |         |           |       |
|                 |         |           |       |
|                 |         |           |       |

Pin numbers are mirrored on TRENZ board  
Pin 1 on TRENZ connects to pin 2 on this board

Note about supply voltages:  
D3V3: +3.3V input voltage (VIN) for TRENZ module  
+3.3VOUT: coming from TRENZ module JB2 pins 9+11  
+1.8VOUT: coming from TRENZ module JB1 pin 40  
VCCIOA: I/O supply for TRENZ FPGA bank B35  
VCCIOB: I/O supply for TRENZ FPGA bank B34  
VCCIOC: I/O supply for TRENZ FPGA bank B33  
VCCIOD: I/O supply for TRENZ FPGA bank B13

Voltage select via shunt (0R) & open (DNI):  
VCCIOA => B35 default 1.8V  
VCCIOB => B34 default 3.3V  
VCCIOC => B33 default 3.3V  
VCCIOD => B13 default 3.3V

TRENZ

DRAWN: H.G.Berns

CHECKED: <Checked By>

QUALITY CONTROL: <QC By>

RELEASED: H.G.Berns

DATED: 10/02/2020

DATED: <Checked Date>

DATED: <QC Date>

DATED: 11/13/2020

COMPANY: University of California Davis

TITLE: LarPix PACMAN

CODE: <Code>

SIZE: C

DRAWING NO: PacMan\_V3.sch

REV: 3

SCALE: <Scale>

SHEET: 12