

a
n = 550,237
UK Biobank (490,541)
UK10K (3,781)
Internal Chinese (3,188)
SG10K (4,810)
CAAPA (655)
TOPMed (43,131)
HGDP (929)
1000G (3,202)
PC2 (×1,000)
PC1 (×1,000)
b
UKB (490,541)
UK10K (3,781)
Internal Chinese (3,188)
SG10K (4,810)
CAAPA (655)
TOPMed (43,131)
HGDP (929)
1000G (3,202)
PC2 (×1,000)
PC1 (×1,000)
c
UK Biobank
Mean ± SD
Switch error rate (%)
2-5
6-10
11-50
51-100
101-1,000
1,001-2,000
2,001-5,000
5,001-10,000
>10,000
Minor allele count
d
n = 63,809
Candidate windows
Retained windows
Distinct sequences
Count (billions, log scale)
Chromosome
e
Cohort assembly
550,237 samples · 8 cohorts
QC + duplicate removal
UKB
Other cohorts
UKB ancestry-code selection
Retain eligible
63,809 individuals
Haplotype reconstruction
GRCh38 + phased SNVs
Ref.
H1
H2
Preserve cis variants
Overlapping windows
Autosomes (chr1-22)
1,024 bp
128-bp stride
Global deduplication
Exact sequence identity
4.784B distinct sequences
Metadata: counts, ancestry, loci
Stage I input
Equal-weight sampling
2-bit storage