Отчет по практическому заданию №5

«Инструменты разработки мобильных приложений»

Выполнил:
студент группы 381906-1
Пудовкин А. В.

Нижний Новгород
2022

Оглавление

Цель задачи

В данном лабораторной работе требуется научиться организовывать многостраничное приложение, использовать контейнеры Silica, вытягиваемые меню и обложку приложения.

Постановка задачи

1. Создать приложение, которое будет отображать страницу с двумя кнопками "Назад" и "Вперёд". Первая удалит текущую страницу со стека, вторая добавит новую. Также на экране нужно отображать текущую глубину стека.


2. Создать приложение из двух страниц. Первая страница содержит две кнопки "Добавить страницу" и "Убрать страницу". Первая кнопка добавит вторую страницу как прикреплённую, вторая кнопка её удалит. На второй странице должна быть кнопка для возврата на первую страницу без закрытия второй.

3. Создать приложение с одной кнопкой и текстовом поле. После нажатия на кнопку отображается диалог для ввода текста. После согласия с результатом введённый текст отображается в текстовое поле.

4. Создать приложение с одной кнопкой и текстовым полем. После нажатия на кнопку отображается диалог для выбора даты. После согласия с результатом ввода выбранная дата отображается в текстовое поле.

5. Создать приложение с одной кнопкой и текстовым полем. После нажатия на кнопку отображается диалог для выбора времени. После согласия с результатом ввода выбранное время отображается в текстовом поле.

6. Создать приложение со списком **SilicaListView**, из задач на неделю. Задачи должны содержать дату и описание. В списке задачи группировать по датам.

7. Создать приложение с **SilicaWebView** для доступа к вашему любимому сайту.

8. Использовать **SlideshowView** для просмотра и перелистывания задач на неделю. На одном слайде – одна задача.

9. Создать приложение с вытягиваемыми меню сверху и снизу и текстовым полем. После выбора какого-либо элемента меню, его название отобразить в текстовом поле.

10. Создать приложение со списком и контекстным меню. После выбора элемента контекстного меню отобразить в консоли название выбранного элемента меню и индекс элемента списка.

11. Создать приложение с обложной-счётчиком. На обложке отобразить текущий счёт и две кнопки для добавления единицы к счёту и для сброса счётчика.

Описание программной реализации

Добавление страниц и отображение глубины стека

Глубина стека отображается в **Label** используя *pageStack.depth* для получения значения. *pageStack.push(Qt.resolvedUrl("Page2.qml"))* создает новую страницу, *pageStack.pop()* удаляет страницу из стека.

Прикрепленные страницы

pageStack.pushAttached(Qt.resolvedUrl("Page2.qml")) прикрепляет страницу,

pageStack.popAttached() – открепляет.

Диалог для ввода текста

Чтобы измененять ввод в **TextField**, в **Dialog** используем *onAccepted: field.text = firstTextFieldValue*.

Диалог с календарем

Чтобы измененять ввод в **TextField**, в **Dialog** используем

DatePickerDialog с *onAccepted: field.text = date.toDateString()*.

Диалог с часами

TimePickerDialog с *onAccepted: field.text = time.toTimeString()*.

Список задач

Используем **SilicaListView** с **ListModel**.

Браузер

Используем **SilicaWebView** со свойством *url*.

Слайд-шоу

Используем **SlideshowView** с **ListModel**.

Вытягиваемые меню

Используем **SilicaListView** с **PullDownMenu**.

Список с контекстным меню

Используем **SilicaListView** с **ContextMenu**.

Обложка приложения

Используем **CoverActionList** с **CoverAction**.

Руководство пользователя

В первом задании пользователю отображается глубина стека.


Рис. 1: Глубина стека на первой странице

Рис. 2: Глубина стека на второй странице

Во втором задании при нажатии на кнопку прикрепить появляется индикатор перехода на следующую страницу.


Рис. 3: Прикрепление страницы

В третьем задании ввод в текстовом поле управляется диалогом.


Рис. 4: Текстовое поле

Рис. 5: Диалог ввода текста

В четвертом задании ввод в текстовом поле управляется диалогом выбора даты.

Рис. 6: Текстовое поле

Рис. 7: Диалог ввода даты

В седьмом задании на странице находится браузер.

Рис. 8: Браузер

В восьмом задании список дел отображается как слайд-шоу.


Рис. 9: Слайд-шоу

В девятом задании есть два вытягиваемых меню.


Рис. 10: Вытягиваемые меню

В десятом задании на элементах списка открывается контекстное меню.

Рис. 11: Контекстное меню

На обложке приложения находится рабочий счетчик.

Рис. 12: Обложка

Заключение

В процессе выполнения данной лабораторной работы мы научились организовывать много-страничное приложение, использовать контейнеры Silica, вытягиваемые меню и обложку приложения.

Приложение

Task1-1.qml

```
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All
```

```qml
PageHeader {
    objectName: "pageHeader"
    title: qsTr("Страница 1")
}

Column {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.centerIn: parent
    spacing: 20

    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml").arg((pageStac
    }
    Label {
        text: qsTr("Глубина стека: %1").arg(pageStack.depth)
    }
}
}
```

Task1-2.qml

```qml
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****************************************************************************/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Страница 2")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml").arg((pageStac
        }
        Label {
            text: qsTr("Глубина стека: %1").arg(pageStack.depth)
        }
    }
}
```

Task1-2.qml

```qml
/*****************************************************************************
**
```

```qml
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Страница 2")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
```

```qml
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml").arg((pageStac
        }
        Label {
            text: qsTr("Глубина стека: %1").arg(pageStack.depth)
        }
    }
}
```

Task2-1.qml

```
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Первая страница")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Прикрепить"
            onClicked: pageStack.pushAttached(Qt.resolvedUrl(qsTr("Page2.qml")))
        }
        Button {
            text: "Открепить"
            onClicked: pageStack.popAttached()
        }
    }
}
```

Task2-2.qml

```
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Страница 2")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.navigateBack(1)
        }
```

```
    }
}
```

Task03.qml

```
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
```

```qml
        allowedOrientations: Orientation.All

        PageHeader {
            objectName: "pageHeader"
            title: qsTr("Задание 3")
        }

        Column {
            anchors.centerIn: parent

            Button {
                text: "Ввести текст"
                onClicked: dialog.open()
            }
            TextField {
                id: field
                text: "123"
            }
        }

        Dialog {
            id: dialog
            property alias firstTextFieldValue: firstTextField.text

            Column {
                width: parent.width
                spacing: Theme.paddingMedium
                DialogHeader { }
                TextField {
                    id: firstTextField
                    width: parent.width
                }
            }
            onAccepted: field.text = firstTextFieldValue
        }


        Row {
            anchors.horizontalCenter: parent.horizontalCenter
            anchors.bottom: parent.bottom
            spacing: 20

            Button {
                text: "Вперед"
                onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task04.qml")))
            }
        }
    }
```

Task04.qml

```qml
/*******************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*******************************************************************************/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 4")
```

```qml
        }

    Column {
        anchors.centerIn: parent

        Button {
            text: "Ввести дату"
            onClicked: dialog.open()
        }
        TextField {
            id: field
            text: "123"
        }
    }

    DatePickerDialog {
        id: dialog
        onAccepted: field.text = date.toDateString()
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task05.qml")))
        }
    }
}
```

Task05.qml

```qml
/*****************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
```

```qml
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 5")
    }

    Column {
        anchors.centerIn: parent

        Button {
            text: "Ввести время"
            onClicked: dialog.open()
        }
        TextField {
            id: field
            text: "123"
```

```
        }
    }

    TimePickerDialog {
        id: dialog
        onAccepted: field.text = time.toTimeString()
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task06.qml")))
        }
    }
}
```

Task06.qml

```
/*******************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
```

```
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
****************************************************************************/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 6")
    }

    ListModel {
        id: tasksModel
        ListElement { desc: "Помыть посуду"; date: "07.01.21"; }
        ListElement { desc: "Сделать лабы"; date: "07.01.21"; }
        ListElement { desc: "Погулять"; date: "09.01.21"; }
        ListElement { desc: "Поспать"; date: "12.01.21"; }
    }

    Item {
        anchors.centerIn: parent
        width: 500
        height: 700
        SilicaListView {
            anchors.fill: parent
            model: tasksModel
            header: PageHeader { title: "Список дел" }
            section {
                property: 'date'
                delegate: SectionHeader { text: section }
            }
            delegate: Text { text: desc }
        }
    }
```

```qml
        }

        Row {
            anchors.horizontalCenter: parent.horizontalCenter
            anchors.bottom: parent.bottom
            spacing: 20

            Button {
                text: "Назад"
                onClicked: pageStack.pop()
            }
            Button {
                text: "Вперед"
                onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task07.qml")))
            }
        }
}
```

Task07.qml

```qml
/******************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
```

```qml
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 7")
    }

    Item {
        anchors {
            left: parent.left; right: parent.right;
            verticalCenter: parent.verticalCenter;
        }
        height: parent.height * 0.8
        SilicaWebView {
            id: webView
            anchors.fill: parent
            url: "http://sailfishos.org"
        }
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task08.qml")))
        }
    }
}
```

Task08.qml

```qml
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 8")
```

```
}

ListModel {
    id: tasksModel
    ListElement { desc: "Помыть посуду"; date: "07.01.21"; }
    ListElement { desc: "Сделать лабы"; date: "07.01.21"; }
    ListElement { desc: "Погулять"; date: "09.01.21"; }
    ListElement { desc: "Поспать"; date: "12.01.21"; }
}

Item {
    anchors {
        left: parent.left; right: parent.right;
        verticalCenter: parent.verticalCenter;
    }
    height: parent.height * 0.8

    SlideshowView {
        id: view
        anchors.centerIn: parent
        height: width
        itemHeight: width; itemWidth: width;
        model: tasksModel
        delegate: Rectangle {
            width: view.itemWidth;
            height: view.itemHeight;
            Text {
                anchors {
                    top: parent.top;
                    right: parent.right;
                }
                text: date
            }
            Text {
                anchors.centerIn: parent
                text: desc
            }
        }
    }

}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Назад"
        onClicked: pageStack.pop()
```

```
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task09.qml")))
        }
    }
}
```

Task09.qml

```qml
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 9")
    }

    SilicaListView {
        PullDownMenu {
            MenuItem {
                text: "Menu Item 1"
                onClicked: field.text = text
            }
            MenuItem {
                text: "Menu Item 2"
                onClicked: field.text = text
            }
            MenuLabel { text: qsTr("Menu Label") }
        }
        anchors {
            left: parent.left; right: parent.right;
        }
        height: parent.height * 0.2
        y: parent.height * 0.2
        header: PageHeader { title: "Simple List" }
    }

    TextField {
        id: field
        text: "123"
        anchors.centerIn: parent
    }

    SilicaListView {
        PushUpMenu {
            MenuItem {
                text: "Menu Item 3"
                onClicked: field.text = text
            }
            MenuItem {
                text: "Menu Item 4"
                onClicked: field.text = text
            }
            MenuLabel { text: qsTr("Menu Label") }
        }
```

```
        anchors {
            left: parent.left; right: parent.right;
        }
        height: parent.height * 0.2
        y: parent.height * 0.6
        header: PageHeader { title: "Simple List 2" }
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task10.qml")))
        }
    }
}
```

Task10.qml

```
/*****************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
```

```
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 10")
    }

    SilicaListView {
        anchors {
            left: parent.left; right: parent.right;
            verticalCenter: parent.verticalCenter
        }
        height: parent.height * 0.8
        model: 20
        delegate: ListItem {
            id: delegate
            Label {
                x: Theme.paddingLarge
                text: "List Item #" + index
                color: delegate.highlighted ? Theme.highlightColor : Theme.primaryColo
            }
            menu: ContextMenu {
                MenuLabel { text: "Context Menu" }
                MenuItem {
                    text: "Menu Item 1"
                    onClicked: console.log("Menu Item 1 is clicked", index)
                }
                MenuItem {
                    text: "Menu Item 2"
```

```qml
                        onClicked: console.log("Menu Item 2 is clicked", index)
                    }
                }
            }
        }


        Row {
            anchors.horizontalCenter: parent.horizontalCenter
            anchors.bottom: parent.bottom
            spacing: 20

            Button {
                text: "Назад"
                onClicked: pageStack.pop()
            }
        }
    }
}
```

DefaultCoverPage.qml

```qml
/*******************************************************************************
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**    this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**    this list of conditions and the following disclaimer
**    in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**    may be used to endorse or promote products derived from this software
**    without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
```

```
import QtQuick 2.0
import Sailfish.Silica 1.0

CoverBackground {
    objectName: "defaultCover"

    property int counter: 0

    Label {
        id: label
        anchors.centerIn: parent
        text: qsTr("Счётчик: %1").arg(counter)
    }

    CoverActionList {
        CoverAction {
            iconSource: "image://theme/icon-splus-add"
            onTriggered: counter++
        }
        CoverAction {
            iconSource: "image://theme/icon-splus-remove"
            onTriggered: counter--
        }
    }
}
```