

Министерство науки и высшего образования Российской Федерации

Федеральное государственное автономное образовательное учреждение высшего образования  
Национальный исследовательский Нижегородский государственный университет им. Н.И.  
Лобачевского

Институт информационных технологий, математики и механики

**Отчет по практическому заданию №5**  
**«Инструменты разработки мобильных приложений»**

**Выполнил:**

студент группы 381906-2

Шелепин Н. А.

Нижний Новгород  
2022

# Оглавление


Цель задачи . . . . .	3
Постановка задачи . . . . .	4
Описание программной реализации . . . . .	6
Руководство пользователя . . . . .	8
Заключение . . . . .	20
Приложение . . . . .	21

## Цель задачи



В данном лабораторной работе требуется научиться организовывать многостраничное приложение, использовать контейнеры Silica, вытягиваемые меню и обложку приложения.

## Постановка задачи

1. Создать приложение, которое будет отображать страницу с двумя кнопками “Назад” и “Вперёд”. Первая удалит текущую страницу со стека, вторая добавит новую. Также на экране нужно отображать текущую глубину стека.




2. Создать приложение из двух страниц. Первая страница содержит две кнопки “Добавить страницу” и “Убрать страницу”. Первая кнопка добавит вторую страницу как прикреплённую, вторая кнопка её удалит. На второй странице должна быть кнопка для возврата на первую страницу без закрытия второй.



3. Создать приложение с одной кнопкой и текстовым полем. После нажатия на кнопку отображается диалог для ввода текста. После согласия с результатом введённый текст отображается в текстовое поле.
4. Создать приложение с одной кнопкой и текстовым полем. После нажатия на кнопку отображается диалог для выбора даты. После согласия с результатом ввода выбранная дата отображается в текстовое поле.

5. Создать приложение с одной кнопкой и текстовым полем. После нажатия на кнопку отображается диалог для выбора времени. После согласия с результатом ввода выбранное время отображается в текстовом поле.
6. Создать приложение со списком **SilicaListView**, из задач на неделю. Задачи должны содержать дату и описание. В списке задачи группировать по датам.



7. Создать приложение с **SilicaWebView** для доступа к вашему любимому сайту.
8. Использовать **SlideshowView** для просмотра и перелистывания задач на неделю. На одном слайде – одна задача.
9. Создать приложение с вытягиваемыми меню сверху и снизу и текстовым полем. После выбора какого-либо элемента меню, его название отобразить в текстовом поле.
10. Создать приложение со списком и контекстным меню. После выбора элемента контекстного меню отобразить в консоли название выбранного элемента меню и индекс элемента списка.
11. Создать приложение с обложной-счётчиком. На обложке отобразить текущий счёт и две кнопки для добавления единицы к счёту и для сброса счётчика.

## Описание программной реализации

### Добавление страниц и отображение глубины стека

Глубина стека отображается в **Label** используя *pageStack.depth* для получения значения. *pageStack.push(Qt.resolvedUrl("Page2.qml"))* создает новую страницу, *pageStack.pop()* удаляет страницу из стека.

### Прикрепленные страницы

*pageStack.pushAttached(Qt.resolvedUrl("Page2.qml"))* прикрепляет страницу,  
*pageStack.popAttached()* – открепляет.

### Диалог для ввода текста

Чтобы изменять ввод в **TextField**, в **Dialog** используем *onAccepted: field.text = firstTextFieldValue*.

### Диалог с календарем

Чтобы изменять ввод в **TextField**, в **Dialog** используем

**DatePickerDialog** с *onAccepted: field.text = date.toDateString()*.

### Диалог с часами

**TimePickerDialog** с *onAccepted: field.text = time.toString()*.

### Список задач

Используем **SilicaListView** с **ListModel**.

### Браузер

Используем **SilicaWebView** со свойством *url*.

## **Слайд-шоу**

Используем **SlideshowView** с **ListModel**.

## **Вытягиваемые меню**

Используем **SilicaListView** с **PullDownMenu**.

## **Список с контекстным меню**

Используем **SilicaListView** с **ContextMenu**.

## **Обложка приложения**

Используем **CoverActionList** с **CoverAction**.

# Руководство пользователя

В первом задании пользователю отображается глубина стека.




Рис. 1: Глубина стека на первой странице






Рис. 2: Глубина стека на второй странице

Во втором задании при нажатии на кнопку прикрепить появляется индикатор перехода на следующую страницу.




Рис. 3: Прикрепление страницы

В третьем задании ввод в текстовом поле управляется диалогом.




Рис. 4: Текстовое поле




Рис. 5: Диалог ввода текста

В четвертом задании ввод в текстовом поле управляется диалогом выбора даты.




Рис. 6: Текстовое поле



Рис. 7: Диалог ввода даты

В седьмом задании на странице находится браузер.



Рис. 8: Браузер

В восьмом задании список дел отображается как слайд-шоу.




Рис. 9: Слайд-шоу



В девятом задании есть два вытягиваемых меню.




Рис. 10: Вытягиваемые меню

В десятом задании на элементах списка открывается контекстное меню.




Рис. 11: Контекстное меню

На обложке приложения находится рабочий счетчик.




Рис. 12: Обложка

## **Заключение**

В процессе выполнения данной лабораторной работы мы научились организовывать многостраничное приложение, использовать контейнеры Silica, вытягиваемые меню и обложку приложения.

# Приложение

## Task1-1.qml

```
/*
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
**
**
*/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All
}
```

```

PageHeader {
    objectName: "pageHeader"
    title: qsTr("Страница 1")
}

Column {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.centerIn: parent
    spacing: 20

    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml")).arg((pageStack
    })
    Label {
        text: qsTr("Глубина стека: %1").arg(pageStack.depth)
    }
}
}

```

## Task1-2.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

```

```

** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
**
**
import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Страница 2")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml")).arg((pageStack
        )
        Label {
            text: qsTr("Глубина стека: %1").arg(pageStack.depth)
        }
    }
}

```

## Task1-2.qml

```

/*****
**

```





```

anchors.centerIn: parent
spacing: 20

Button {
    text: "Назад"
    onClicked: pageStack.pop()
}
Button {
    text: "Вперед"
    onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Page%1.qml")).arg((pageStack
}
Label {
    text: qsTr("Глубина стека: %1").arg(pageStack.depth)
}
}
}

```

## Task2-1.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;

```

```

** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Первая страница")
    }

    Column {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.centerIn: parent
        spacing: 20

        Button {
            text: "Прикрепить"
            onClicked: pageStack.pushAttached(Qt.resolvedUrl(qsTr("Page2.qml")))
        }
        Button {
            text: "Открепить"
            onClicked: pageStack.popAttached()
        }
    }
}

```

## Task2-2.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided

```



```
}  
}
```

## Task03.qml

```
/*  
**  
** Copyright (C) 2022 Open Mobile Platform LLC.  
** Contact: https://community.omprussia.ru/open-source  
**  
** This file is part of the Aurora OS Application Template project.  
**  
** Redistribution and use in source and binary forms,  
** with or without modification, are permitted provided  
** that the following conditions are met:  
**  
** * Redistributions of source code must retain the above copyright notice,  
**   this list of conditions and the following disclaimer.  
** * Redistributions in binary form must reproduce the above copyright notice,  
**   this list of conditions and the following disclaimer  
**   in the documentation and/or other materials provided with the distribution.  
** * Neither the name of the copyright holder nor the names of its contributors  
**   may be used to endorse or promote products derived from this software  
**   without specific prior written permission.  
**  
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS  
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE  
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
** LOSS OF USE, DATA, OR PROFITS;  
** OR BUSINESS INTERRUPTION)  
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
** (INCLUDING NEGLIGENCE OR OTHERWISE)  
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
**  
***/  
  
import QtQuick 2.0  
import Sailfish.Silica 1.0  
  
Page {  
    objectName: "mainPage"
```

```

allowedOrientations: Orientation.All

PageHeader {
    objectName: "pageHeader"
    title: qsTr("Задание 3")
}

Column {
    anchors.centerIn: parent

    Button {
        text: "Ввести текст"
        onClicked: dialog.open()
    }
    TextField {
        id: field
        text: "123"
    }
}

Dialog {
    id: dialog
    property alias firstTextFieldValue: firstTextField.text

    Column {
        width: parent.width
        spacing: Theme.paddingMedium
        DialogHeader { }
        TextField {
            id: firstTextField
            width: parent.width
        }
    }
    onAccepted: field.text = firstTextFieldValue
}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task04.qml")))
    }
}
}

```

## Task04.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 4")
    }
}
```

```

    }

    Column {
        anchors.centerIn: parent

        Button {
            text: "Ввести дату"
            onClicked: dialog.open()
        }
        TextField {
            id: field
            text: "123"
        }
    }
}

DatePickerDialog {
    id: dialog
    onAccepted: field.text = date.toDateString()
}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Назад"
        onClicked: pageStack.pop()
    }
    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task05.qml")))
    }
}
}

```

## Task05.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:

```

```

**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****

```

```

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 5")
    }

    Column {
        anchors.centerIn: parent

        Button {
            text: "Ввести время"
            onClicked: dialog.open()
        }

        TextField {
            id: field
            text: "123"
        }
    }
}

```



```

    }
}

TimePickerDialog {
    id: dialog
    onAccepted: field.text = time.toTimeString()
}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Назад"
        onClicked: pageStack.pop()
    }
    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task06.qml")))
    }
}
}

```

## Task06.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

```

```

** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

```

```

import QtQuick 2.0
import Sailfish.Silica 1.0

```

```

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 6")
    }

    ListModel {
        id: tasksModel
        ListElement { desc: "Помыть посуду"; date: "07.01.21"; }
        ListElement { desc: "Сделать лабы"; date: "07.01.21"; }
        ListElement { desc: "Погулять"; date: "09.01.21"; }
        ListElement { desc: "Поспать"; date: "12.01.21"; }
    }

    Item {
        anchors.centerIn: parent
        width: 500
        height: 700
        SilicaListView {
            anchors.fill: parent
            model: tasksModel
            header: PageHeader { title: "Список дел" }
            section {
                property: 'date'
                delegate: SectionHeader { text: section }
            }
            delegate: Text { text: desc }
        }
    }
}

```

```

    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task07.qml")))
        }
    }
}

```

## Task07.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

```

```

** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 7")
    }

    Item {
        anchors {
            left: parent.left; right: parent.right;
            verticalCenter: parent.verticalCenter;
        }
        height: parent.height * 0.8
        SilicaWebView {
            id: webView
            anchors.fill: parent
            url: "http://sailfishos.org"
        }
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }

        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task08.qml")))
        }
    }
}

```

## Task08.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 8")
    }
}
```

```

}

ListModel {
    id: tasksModel
    ListElement { desc: "Помыть посуду"; date: "07.01.21"; }
    ListElement { desc: "Сделать лабы"; date: "07.01.21"; }
    ListElement { desc: "Погулять"; date: "09.01.21"; }
    ListElement { desc: "Поспать"; date: "12.01.21"; }
}

Item {
    anchors {
        left: parent.left; right: parent.right;
        verticalCenter: parent.verticalCenter;
    }
    height: parent.height * 0.8

    SlideshowView {
        id: view
        anchors.centerIn: parent
        height: width
        itemHeight: width; itemWidth: width;
        model: tasksModel
        delegate: Rectangle {
            width: view.itemWidth;
            height: view.itemHeight;
            Text {
                anchors {
                    top: parent.top;
                    right: parent.right;
                }
                text: date
            }
            Text {
                anchors.centerIn: parent
                text: desc
            }
        }
    }
}

}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Назад"
        onClicked: pageStack.pop()
    }
}

```

```

    }
    Button {
        text: "Вперед"
        onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task09.qml")))
    }
}
}

```

## Task09.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

```

```

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 9")
    }

    SilicaListView {
        PullDownMenu {
            MenuItem {
                text: "Menu Item 1"
                onClicked: field.text = text
            }
            MenuItem {
                text: "Menu Item 2"
                onClicked: field.text = text
            }
            MenuLabel { text: qsTr("Menu Label") }
        }
        anchors {
            left: parent.left; right: parent.right;
        }
        height: parent.height * 0.2
        y: parent.height * 0.2
        header: PageHeader { title: "Simple List" }
    }

    TextField {
        id: field
        text: "123"
        anchors.centerIn: parent
    }

    SilicaListView {
        PushUpMenu {
            MenuItem {
                text: "Menu Item 3"
                onClicked: field.text = text
            }
            MenuItem {
                text: "Menu Item 4"
                onClicked: field.text = text
            }
            MenuLabel { text: qsTr("Menu Label") }
        }
    }
}

```



```

        anchors {
            left: parent.left; right: parent.right;
        }
        height: parent.height * 0.2
        y: parent.height * 0.6
        header: PageHeader { title: "Simple List 2" }
    }

    Row {
        anchors.horizontalCenter: parent.horizontalCenter
        anchors.bottom: parent.bottom
        spacing: 20

        Button {
            text: "Назад"
            onClicked: pageStack.pop()
        }
        Button {
            text: "Вперед"
            onClicked: pageStack.push(Qt.resolvedUrl(qsTr("Task10.qml")))
        }
    }
}

```

## Task10.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

```

```

** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

Page {
    objectName: "mainPage"
    allowedOrientations: Orientation.All

    PageHeader {
        objectName: "pageHeader"
        title: qsTr("Задание 10")
    }

    SilicaListView {
        anchors {
            left: parent.left; right: parent.right;
            verticalCenter: parent.verticalCenter
        }
        height: parent.height * 0.8
        model: 20
        delegate: ListItem {
            id: delegate
            Label {
                x: Theme.paddingLarge
                text: "List Item #" + index
                color: delegate.highlighted ? Theme.highlightColor : Theme.primaryColor
            }
            menu: ContextMenu {
                MenuItem {
                    text: "Menu Item 1"
                    onClicked: console.log("Menu Item 1 is clicked", index)
                }
                MenuItem {
                    text: "Menu Item 2"
                }
            }
        }
    }
}

```

```

        onClicked: console.log("Menu Item 2 is clicked", index)
    }
}
}
}

Row {
    anchors.horizontalCenter: parent.horizontalCenter
    anchors.bottom: parent.bottom
    spacing: 20

    Button {
        text: "Назад"
        onClicked: pageStack.pop()
    }
}
}

```

## DefaultCoverPage.qml

```

/*****
**
** Copyright (C) 2022 Open Mobile Platform LLC.
** Contact: https://community.omprussia.ru/open-source
**
** This file is part of the Aurora OS Application Template project.
**
** Redistribution and use in source and binary forms,
** with or without modification, are permitted provided
** that the following conditions are met:
**
** * Redistributions of source code must retain the above copyright notice,
**   this list of conditions and the following disclaimer.
** * Redistributions in binary form must reproduce the above copyright notice,
**   this list of conditions and the following disclaimer
**   in the documentation and/or other materials provided with the distribution.
** * Neither the name of the copyright holder nor the names of its contributors
**   may be used to endorse or promote products derived from this software
**   without specific prior written permission.
**
** THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
** AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
** THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
** FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
** IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
** FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
** OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

```

```

** PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
** LOSS OF USE, DATA, OR PROFITS;
** OR BUSINESS INTERRUPTION)
** HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
** WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
** (INCLUDING NEGLIGENCE OR OTHERWISE)
** ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
** EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
**
*****/

import QtQuick 2.0
import Sailfish.Silica 1.0

CoverBackground {
    objectName: "defaultCover"

    property int counter: 0

    Label {
        id: label
        anchors.centerIn: parent
        text: qsTr("Счётчик: %1").arg(counter)
    }

    CoverActionList {
        CoverAction {
            iconSource: "image:///theme/icon-splus-add"
            onTriggered: counter++
        }
        CoverAction {
            iconSource: "image:///theme/icon-splus-remove"
            onTriggered: counter--
        }
    }
}

```