


Relational Schema — Accounts, Teams and Event Settings

Underlined = primary key · FK = foreign key · U = unique constraint


Line colour: teal = relation starting at **users** · amber = relation starting at **teams**



Relational Schema — Judging, Results and Audit

Underlined = primary key · FK = foreign key · U = unique constraint

Line colour: **teal** = relation starting at **users** **amber** = relation starting at **teams** · Outlined boxes are tables shown in full on slide 1



Entities and What Each One Is For

11 tables. Full attribute lists are on the two schema slides.

Entity	Purpose
users	Every person in the system. Holds their Google sign-in, their role, and their profile.
event_settings	Deadlines, team size limits and phase flags. Exactly one row exists.
teams	A competing team. A solo entrant is simply a team of one.
team_members	Who belongs to which team. Every member has the same rights — no leader.
submissions	What a team submits: project title, GitHub repository and deployed link.
judging_criteria	What judges score against, each with a maximum score and a weight.
assignments	Which judge reviews which team, and how far through that review they are.
scores	One judge's mark for one criterion, with the rubric frozen as it was then.
team_results	Final score, rank and outcome — written once when results are published.
notifications_log	A record of every email sent, so failed sends can be found and retried.
audit_log	A record of every significant administrator action, for settling disputes.