Name: Mumtaz Bibi

Class: BSCS

RollNo: 14

Section: C

Lab No: #3

Task No 1:-

Single cin statment

```
#include<iostream>
using namespace std;
int main ( )
{
    int age;
    double pay;
    char section;
    cout << "Enter age pay section:";
cin >> age >> pay >> section;
cout << "output:" << age << "18"
<< pay << "3.44 5 6" << section;
```

Shoi on AWESOME 420

CamScanner

```
return 0;
}
```

Task 02 :- Expression values

```
#include <iostream>
using namespace std;
int main()
{
    cout<< 28/4-2 <<endl;
    cout<< 6+12*2-8 <<endl;
    cout<< 4+8*2 <<endl;
    cout << 6+17/3-2 <<endl;
    cout << 2+22*(9-7)<<endl;
    cout << (8+7)*2 <<endl;
    cout << (16+7)/2 -1<< endl;
    cout << (19-3)^(2+2)/4 endl;
    return 0;
}
```

Out put

```
5
22
20
6
46
30
0
270
16
```

Shot on AWESOME

CamScanner

Task 03:-

```
#include<iostream>
using namespace std;
int main();
{
    int units = 5;
    float mass = 10.5f;
    double weight; => weight_mas* units;
cout << "unit is promoted to float"<<endl;
cout << "Result before storing in weight
        in float";
cout << "After storing in weight it
        become double";
cout << "Answer is C";
cout << "weight="<< weight << endl;
return 0;
}
```

Task 04:- value in A ?

```
#include<iostream>
using namespace std;
int main()
{
```

Shot on AWESOME A70

CamScanner

```
int a, b, c;
float c = 4.2;
a = b * c
cout << a;
return 0;
}
```

output

8

Task 5:- To casting

```
#include <iostream>
using namespace std;
int main ( )
{
    int qty = 7;
    int salsReps = 2;
    double unitsEach;
     unit Each =
   static_cast <double> (qty);
    sals Reps ;
   cout << units Eeach ;
   return 0;
}
```

Shot on AWESOME 420

CamScanner

Home Task:-

Task 1

```
#include<iostream>
using namespace std;
int main ()
{
    double number1, number2, number3;
    cout<< "Enter a number:";
    cin >> number1;
    cout<< "Enter other number:";
    cin >> number2;
    ~~cout<<~~
    Sum = number1+number2;
    cout << " The Sum of two numbers"
        << Sum<< endl;
    return 0;
}
```

Shot on AWESOME 420

CamScanner

Task 2:-

```
#include<iostream>
using namespace std;
int main ( )
{
   int number 1, number 2;
   float quotient;
   cout<< "Enter two number": ;
   cin >> number 1 >> number 2;
    if (number 2 != 0)
    {
        quotient=
static_cast_<float>(number1) / number 2;
    cout<< "Quotient = " quotient<< endl;
    }
      else
    {
       cout<< "Cannot divide by zero"<< endl;
    }
      return 0;
}
```

Shot on AWESOME AZ

CamScanner

Task 3:- Averge of values

```
#include <iostream>
using namespace std;
int main( )
    {
        int a=28
        b=32, c=37, d=24
            e= 33;
        double  avarge ;
        Sum = a+b+c+d;
         avarege ;
static_cast < double>(Sum)/5;
  cout "<< "Sum ="<< Sum << endl;
  cout "<< "Avarge = "<< Avarege<<endl;
  return 0;
}
```

Shot on AWESOME 420

CamScanner

LAb No : 04

Task 1 :- positive number

```
#include <iostream>
using namespace std;
int main ( )
    {
        int number ;
        cout << "Enter a number:" ;
        cin >> number ;
        if ( number >0 )
        {
            cout<< "number is positive ";
        }
          else if  (number<0)
         {
            cout<< "number is nagitive ";
          }
          else
          {
            cout<< "number is zero ";
          }
            return 0 ;
        }
```

Shot on AWESOME A70

CamScanner

Task No. 2

positive Negtive or Zero

```
#include <iostream>
using namespace std;
int main ( )
 {
     int number;
     cout<< "Enter a number: ";
      cin >> number;
      if (number >0 )
     {
       cout<< Number is positive";
     }
       else if ("Number is negtive"
         else if (number <0)
      {
         cout << " Number is negtive";
      }
        else
      {
          cout << "Number is zero";
      }
        return  0;
      }
```

Shot on AWESOME A70

CamScanner

Task 03:- Marks Grads

```
#include <iostream>
using namespace std;
int main ( )
{
    int marks;
    cout << "Enter marks:";
    cin >> marks;
    if (marks >= 75)
    {
        cout << "Grade A";
    }
    else if (mars >= 60)
    {
        cout << "Grade B";
    }
    else if (marks >= 45)
    {
        cout << "Grade C";
    }
    else if (marks < 30)
    {
        cout << "Grade D";
    }
    return 0; else
```

Shot on AWESOME A20

CamScanner

```
cout<< "Grade is not specified";
}
  return 0;
}
```

Task No 4:- Largest number using Nested if else.

```
#include<iostream>
using namespace std;
int main( )
  {
      int a, b, c;
      cout<< Enter three number";
      cin>> a >> b >> c;
      if (a>=b)
      {
          if(a>=c)
        {
            cout<< "Largest=" << a;
        }
          else
        {  cout<< "Largest=" <<c;
        }
      }
      else
```

Shot on AWESOME A70

CamScanner

```
if (b>=c)
  {
   cout<<"Largest="<<b;
  }
    else
       {
        cout<<"Largest="<<c;
       }
    }
  return 0;
 }
```

Task 5:-

```
#include<iostream>
using namespace std;
int main()
{
    int number, Count=0;
    cout<<"Enter a number:";
    cin>>number;
    if(number>0)
    {
                number>0)
                ;
```

Shot on AWESOME 420

CamScanner

```
cout << number of digites = " << count;
}
  else
 {
  cout << Number is not positive";
 }
   return 0;
 }
```

Sind on 4/ESTUM: 471