

Amanah Quran Documentation Pack

Table of Contents

1 Amanah Quran Documentation Pack

Version 1.0 - Sacred Reader MVP

Prepared for Android implementation.

2 Amanah Quran Documentation Pack

Project identity: Amanah-e-Kisa

Public app name: Amanah Quran

Version focus: V1.0 Sacred Reader MVP

Platform: Android

Date: 2026-06-15

This pack converts the project handoff and V1 PRD into implementation-ready documentation for the first Android release of Amanah Quran.

2.1 Pack Contents

File	Purpose
01_Project_Charter.md	Identity, mission, scope discipline, product principles
02_PRD_V1_Sacred_Reader.md	Main product requirements for Version 1
03_Android_Technical_Architecture.md	Android stack, architecture, modules, data flow
04_Data_Model_and_Content_Verification.md	SQLite/Room schema, content import, validation gates
05_UX_Accessibility_and_Reader_Spec.md	Reader UX, Elder Mode, themes, accessibility details
06_Privacy_No_Tracking_and_Compliance.md	Privacy model, permissions, Play Store Data Safety stance
07_QA_Release_Checklist.md	Functional, offline, content, device, privacy, release tests
08_Roadmap_Backlog_and_Milestones.md	Milestones, P0/P1/P2 backlog, future phases

File	Purpose
09_Trust_Center_Template.md	App-facing Trust Center content and metadata template
10_Developer_Kickoff_Prompt.md	Copy-paste prompt for Android development agent
checklists/release_checklist.csv	Release checklist in spreadsheet-friendly CSV format
templates/content_manifest_template.json	Template for Quran text/content source manifest
templates/validation_report_template.json	Template for build-time content validation report
Amanah_Quran_Documentation_Pack.docx	Consolidated formatted document
Amanah_Quran_Documentation_Pack.pdf	Consolidated PDF export

2.2 Locked Guardrails

1. No ads.
2. No tracking.
3. No in-app purchases.
4. No monetization pressure.
5. No forced login.
6. No unnecessary permissions.
7. No public release without verified Quranic content.
8. No modification of displayed Quran text.
9. Search-normalized text must remain separate from display text.
10. Trust Center must disclose sources, versions, checksums, and validation status.

2.3 Recommended Immediate Use

1. Share the PRD and architecture docs with the development team.
2. Use the content verification document before selecting any Quran text/font source.
3. Use the QA checklist as the release gate.
4. Use the developer kickoff prompt when starting the first Android repository.

3 Project Charter

4 Amanah Quran - V1 Sacred Reader MVP

4.1 1. Project Identity

Item	Decision
Project identity	Amanah-e-Kisa

Item	Decision
Public app name	Amanah Quran
Preferred domain	amanahquran.org
Project nature	Charity / Sadaqah Jariyah
Commercial model	Completely free, no ads, no in-app purchases, no monetization pressure
First product release	Android Sacred Reader MVP

4.2 2. Mission

Amanah Quran is a verified, offline, ad-free Quran app built as an Amanah: a sacred trust to preserve, present, and make Quranic reading accessible without commercialization, tracking, or distraction.

4.3 3. Strategic Thesis

The Quran app market is crowded, but trust is still underserved. Amanah Quran should not compete by feature overload. It should compete through verified content, offline reliability, IndoPak friendliness, elder accessibility, respectful design, and transparent sourcing.

4.4 4. Primary Users

1. Muslims in Pakistan who prefer IndoPak script.
2. Urdu-speaking users globally.
3. Elders who need large text and simple navigation.
4. Daily Quran readers who want no ads or interruptions.
5. Parents and teachers who want a clean Quran app for children.
6. Users who distrust commercial religious apps due to privacy or monetization concerns.

4.5 5. Public Positioning

Amanah Quran should be presented as universal and inclusive for all Muslims. Amanah-e-Kisa remains the spiritual project identity, while Amanah Quran remains the public-facing app name.

4.6 6. Non-Negotiable Product Guardrails

1. No ads ever.
2. No ad SDK ever.
3. No analytics SDK in V1.
4. No tracking or advertising ID usage.
5. No forced login.
6. No donation popups during recitation.
7. No unnecessary permissions.
8. No unverified Quran text.
9. No modified Quran display text.

10. No sectarian or political content.
11. No cloud-dependent core reading.
12. No feature that distracts from recitation, understanding, memorization, accessibility, or trust.

4.7 7. V1 Scope Boundary

Version 1 is only the Sacred Reader MVP. It includes offline Quran reading, IndoPak and Uthmani scripts, navigation, last read, bookmarks, search, Elder Mode, themes, and Trust Center. It excludes audio, translations, tafsir, hifz tools, AI, prayer times, qibla, calendar, accounts, donations, analytics, ads, and notifications.

4.8 8. Decision Logic

A feature may enter V1 only if the answer to all questions is yes:

1. Does it directly support offline Quran reading, accessibility, or trust?
2. Can it work without login and without internet?
3. Can it be implemented without introducing tracking, monetization, or unnecessary permissions?
4. Can it be tested reliably before release?
5. Does it avoid increasing risk to Quran text authenticity?

4.9 9. Success Definition

V1 succeeds when a user can install the app, read the full Quran offline, switch between IndoPak and Uthmani scripts, resume reading, bookmark ayahs/pages, search offline, enable Elder Mode, change reading themes, and verify source transparency in Trust Center - all without ads, tracking, login, or monetization.

5 Product Requirements Document

6 Amanah Quran - Version 1 Sacred Reader MVP

6.1 1. Document Control

Item	Detail
Product	Amanah Quran
Project identity	Amanah-e-Kisa
Version	V1.0 Sacred Reader MVP
Platform	Android
Product model	Free, ad-free, no in-app purchases, no monetization
Data model	Offline-first local Quran database

Item	Detail
Primary audience	Pakistan / Urdu-speaking / IndoPak-script users
Secondary audience	Global Muslims preferring Uthmani script
Release type	Public MVP only after content verification
Core promise	Verified offline Quran reading without ads, tracking, login, or distraction

6.2 2. Product Vision

Amanah Quran V1 will be a trustworthy, fast, beautiful, offline Android Quran reader focused on one sacred task: allowing users to read the Holy Quran with confidence, clarity, and peace.

The first version must not become a full Islamic super-app. It must establish trust by doing the core reader exceptionally well.

6.3 3. Version 1 Scope

6.3.1 3.1 In Scope

1. Full Quran Arabic text offline.
2. IndoPak script support.
3. Uthmani script support.
4. Script switching.
5. Surah navigation.
6. Juz navigation.
7. Page navigation.
8. Ayah-level reading.
9. Last-read position.
10. Ayah and page bookmarks.
11. Offline search.
12. Elder Mode.
13. Light, dark, sepia, and system themes.
14. Trust Center.
15. Source attribution.
16. No ads, no tracking, no login architecture.

6.3.2 3.2 Out of Scope

1. Audio recitation.
2. Urdu translation.
3. English translation.
4. Tafsir.
5. Word-by-word meaning.
6. Hifz tools.

7. AI features.
8. Prayer times.
9. Qibla.
10. Islamic calendar.
11. Hadith database.
12. Social feed.
13. Cloud sync.
14. User accounts.
15. Donations inside the app.
16. Analytics SDK.
17. Ads SDK.
18. Push notifications.

6.4 4. Core Feature Requirements

6.5 Feature 1 - Offline Quran Reading

6.5.1 Description

The app must provide the complete Arabic Quran offline after installation.

6.5.2 Functional Requirements

1. Full Quran must be available without internet.
2. User can read by Surah, Juz, and page.
3. Reader supports vertical scrolling.
4. Reader supports ayah-level display.
5. Ayah numbers are visually clear and not confused with Quran text.
6. Reader supports IndoPak and Uthmani script switching.
7. Reader preserves reading position across app backgrounding.
8. Reader restores last-read position after app restart.
9. No popups appear during recitation.
10. No login is required.

6.5.3 Acceptance Criteria

1. With internet disabled, user can open any Surah.
2. With internet disabled, user can open any Juz.
3. With internet disabled, user can open any page.
4. Arabic text renders correctly in both scripts.
5. The app never displays search-normalized text as Quran text.
6. Reader remains usable on small and low-end phones.

6.6 Feature 2 - IndoPak and Uthmani Script Support

6.6.1 Functional Requirements

1. User can switch script from Reader and Settings.
2. Script selection persists locally.
3. Current script applies to Reader, Search result previews, and Bookmarks.
4. Script switching never changes bookmark identity.
5. Bookmark identity is based on canonical ayah key, not visual text.
6. Both script packs have independent Trust Center metadata.

6.6.2 Acceptance Criteria

1. User switches IndoPak to Uthmani without restarting.
2. User switches Uthmani to IndoPak without losing reading position.
3. Bookmarked ayahs remain bookmarked after script switch.
4. Trust Center shows source/checksum records for both scripts.

6.7 Feature 3 - Navigation

6.7.1 Required Navigation Types

1. Surah navigation.
2. Juz navigation.
3. Page navigation.

6.7.2 Surah List Fields

1. Surah number.
2. Arabic Surah name.
3. Readable name.
4. Ayah count.
5. Quick open action.

6.7.3 Juz List Fields

1. Juz number.
2. Starting Surah and ayah.
3. Ending Surah and ayah, if available.
4. Quick open action.

6.7.4 Page List Fields

1. Page number.
2. Starting Surah and ayah.
3. Ending Surah and ayah, if available.
4. Quick open action.

6.7.5 Acceptance Criteria

1. User can reach any Surah within three taps from Home.

2. User can reach any Juz within three taps from Home.
3. User can reach any page within three taps from Home.
4. Navigation works offline and remains readable in Elder Mode.

6.8 Feature 4 - Last-Read Position

6.8.1 Functional Requirements

1. Save last-read when user opens an ayah, scrolls meaningfully, backgrounds the app, or exits the reader.
2. Store Surah number, ayah number, ayah key, Juz number, page number, script, optional scroll offset, and timestamp.
3. Home screen shows Continue Reading.
4. Reader resumes near the correct ayah.
5. If scroll offset cannot be restored safely, app falls back to ayah-level resume.

6.8.2 Acceptance Criteria

1. Closing and reopening the app preserves last-read position.
2. Script switching preserves the ayah identity.
3. Last-read works offline.

6.9 Feature 5 - Bookmarks

6.9.1 Functional Requirements

1. User can bookmark an ayah.
2. User can remove an ayah bookmark.
3. User can bookmark a page.
4. User can remove a page bookmark.
5. Bookmarks are stored locally.
6. Bookmarks persist after restart.
7. Bookmarks do not depend on current script.
8. Bookmark list shows Surah name, ayah/page reference, short preview, and date added.
9. User can open bookmark directly in Reader.

6.9.2 Acceptance Criteria

1. User bookmarks Ayah 2:255 and can find it in Bookmarks.
2. User switches script and bookmark still opens Ayah 2:255.
3. Removing bookmark updates the list immediately.
4. Bookmarks work in airplane mode.

6.10 Feature 6 - Search

6.10.1 Required Search Types

1. Surah name search.
2. Surah number search.

3. Ayah reference search, such as 2:255.
4. Juz number search.
5. Page number search.
6. Arabic text search.
7. Normalized Arabic search.

6.10.2 Arabic Search Rules

1. Display Quran text must never be changed for search.
2. Search may use a separate normalized text column.
3. Normalization may remove tatweel and optionally ignore harakat.
4. Normalized text must never be displayed as Quran text.

6.10.3 Acceptance Criteria

1. Search works offline.
2. Search opens ayah reference correctly.
3. Arabic search returns matching ayahs.
4. Search results display the selected script.
5. Search result performance remains acceptable on low-end phones.

6.11 Feature 7 - Elder Mode

6.11.1 Functional Requirements

1. Arabic font size increases.
2. UI text size increases.
3. Buttons and touch targets become larger.
4. Reader toolbar becomes simpler.
5. Navigation cards become larger.
6. Contrast improves.
7. Search input remains large and easy to tap.
8. Bookmark action remains clear.

6.11.2 Acceptance Criteria

1. Elder Mode can be enabled and disabled in Settings.
2. Elder Mode persists after restart.
3. Reader remains stable at large font sizes.
4. Important actions do not become hidden on small phones.

6.12 Feature 8 - Themes

6.12.1 Required Themes

1. Light.
2. Dark.
3. Sepia / Paper.
4. System default.

6.12.2 Acceptance Criteria

1. Theme changes immediately.
2. Theme persists after restart.
3. Quran text remains readable in every theme.
4. Elder Mode works with every theme.

6.13 Feature 9 - Trust Center

6.13.1 Required Sections

1. Quran Text Sources.
2. No Modification Statement.
3. Verification Status.
4. Privacy Pledge.
5. App Integrity.

6.13.2 Acceptance Criteria

1. Trust Center is accessible from Home and Settings.
2. User can view source details for IndoPak and Uthmani script.
3. User can view checksums and validation status.
4. User can view no-modification statement.
5. User can view privacy pledge.
6. Trust Center works offline.

6.14 5. Release Definition

Amanah Quran V1 is complete when a user can install the app, open it without login, read the full Quran offline, choose IndoPak or Uthmani script, navigate by Surah/Juz/page, resume last read, bookmark ayahs and pages, search offline, enable Elder Mode, use themes, open Trust Center, and use the app without ads, tracking, monetization, or distraction.

7 Android Technical Architecture

8 Amanah Quran - V1 Sacred Reader MVP

8.1 1. Architecture Goals

1. Offline-first Quran reading.
2. Fast startup and smooth reader scrolling.
3. Reliable Arabic rendering for IndoPak and Uthmani scripts.
4. No network dependency for core V1.
5. No analytics, ads, account, or monetization SDKs.
6. Simple enough for a small development team to maintain.
7. Structured enough to expand later into translation, audio, hifz, and optional backup.

8.2 2. Recommended Stack

Layer	Decision
Language	Kotlin
UI	Jetpack Compose
Local database	Room SQLite with prepackaged database
Settings	Jetpack DataStore Preferences
Architecture	MVVM or MVI-lite
Navigation	Jetpack Navigation Compose
Dependency injection	Hilt or lightweight manual DI
Background jobs	Not required in V1
Network	Not required in V1 core
Audio	Not included in V1
Analytics	Not allowed in V1
Ads	Never allowed

8.3 3. App Modules

For V1, use a single Android app module to reduce complexity. Keep code organized internally by package boundaries.

Suggested future modularization only after the reader is stable:

1. core-database
2. core-ui
3. feature-reader
4. feature-search
5. feature-trust

8.4 4. Package Structure

```
app/  
  core/  
    database/  
    datastore/  
    model/  
    navigation/  
    theme/  
    typography/  
    utils/  
  feature/  
    home/  
    reader/
```

navigation/
search/
bookmarks/
settings/
trust/
content/
manifest/
validation/

8.5 5. Data Flow

Compose UI

- > ViewModel
- > Repository
 - > Room DAO / DataStore
 - > Local SQLite database / preferences

No V1 screen should require a network call.

8.6 6. Core Screens

Screen	Purpose
Home	Continue Reading, Quran navigation, Search, Bookmarks, Trust Center
Reader	Offline Quran reading in selected script
Quran Navigation	Surah, Juz, and Page lists
Search	Offline reference and Arabic text search
Bookmarks	Local ayah/page bookmarks
Settings	Script, theme, font size, Elder Mode
Trust Center	Source, checksums, validation, privacy pledge

8.7 7. ViewModels

ViewModel	Responsibility
HomeViewModel	Last-read summary, shortcuts, current script/theme state
ReaderViewModel	Load ayahs, script switching, bookmark state, last-read updates
QuranNavigationViewModel	Surah/Juz/page list state
SearchViewModel	Query parsing, search results, reference lookup
BookmarksViewModel	Bookmark list, add/remove/open actions
SettingsViewModel	Script, theme, font size, Elder Mode state
TrustCenterViewModel	Source metadata, validation status, privacy

ViewModel	Responsibility
	pledge content

8.8 8. Repositories

Repository	Data Source
QuranRepository	Room: surahs, ayahs, quran_texts, page/juz metadata
SearchRepository	Room: search_index and metadata
BookmarkRepository	Room: bookmarks
LastReadRepository	DataStore or Room single-row table
SettingsRepository	DataStore
TrustRepository	Room/content manifest

8.9 9. Offline-First Rules

1. Reader must not depend on internet.
2. Search must not depend on internet.
3. Bookmarks must not depend on internet.
4. Last-read must not depend on internet.
5. Trust Center must not depend on internet.
6. External source links may open through browser intent but are not required for core use.
7. No network client should be initialized on app launch in V1.

8.10 10. Reader Rendering Strategy

1. Load only the current Surah/Juz/page range, not the full Quran.
2. Use Compose lazy lists for long ranges.
3. Keep display Quran text immutable.
4. Avoid expensive runtime Arabic normalization during rendering.
5. Store normalized search text separately.
6. Test Arabic shaping, line wrapping, ayah markers, and diacritics on target OEMs.

8.11 11. Script Switching Strategy

1. Use canonical ayah identity: surah_number + ayah_number or ayah_key.
2. Reader state stores ayah identity, not text position alone.
3. Switching script reloads display text while preserving ayah identity.
4. Bookmarks reference ayah/page IDs, not text strings.
5. Trust Center stores separate metadata per script.

8.12 12. Settings Strategy

Use DataStore for:

1. Selected script.
2. Theme.
3. Arabic font scale.
4. Elder Mode enabled/disabled.
5. First-launch message seen.

Use Room for:

1. Bookmarks.
2. Quran content.
3. Search index.
4. Trust Center source metadata.
5. Content validation status.

8.13 13. Build-Time Content Gate

The build pipeline should fail release builds if:

1. Quran database is missing.
2. Content manifest is missing.
3. Surah count is not 114.
4. Ayah count is not 6236.
5. Script text is missing for IndoPak or Uthmani.
6. Any required source/license/checksum field is empty.
7. Trust Center metadata is incomplete.
8. Validation report contains a failed critical check.

8.14 14. Dependency Guardrails

Do not include:

1. Ad SDKs.
2. Analytics SDKs.
3. Social SDKs.
4. Account/login SDKs.
5. Push notification SDKs.
6. Unnecessary crash-reporting SDKs in V1.

Allowed with caution:

1. AndroidX.
2. Compose.
3. Room.
4. DataStore.
5. Navigation Compose.
6. Hilt, if the team is comfortable.

8.15 15. Performance Targets

Area	Target
Cold start	Under 2 seconds on mid-range Android phone
Reader load	Under 500 ms after database warmup
Search response	Under 1 second for common queries
Offline app use	100% of V1 features except external links
Runtime permissions	None for core V1

8.16 16. Target Device Testing

Test on:

1. Samsung mid-range.
2. Vivo.
3. Oppo.
4. Xiaomi/Redmi.
5. Infinix.
6. Tecno.
7. Small-screen phone.
8. Large-screen phone.

8.17 17. Future-Proofing Without V1 Bloat

Design extension points for later phases but do not implement them in V1:

1. Translation packs.
2. Tafsir packs.
3. Audio packs.
4. Hifz/revision status.
5. Local export/import.
6. Optional encrypted cloud sync.

Tables for future features may be planned separately, but do not expose UI for future features in V1.

9 Data Model and Content Verification

10 Amanah Quran - V1 Sacred Reader MVP

10.1 1. Core Principle

Quran display text is sacred content and must be treated as immutable after verified import. Search optimization, normalization, indexing, and highlighting must never modify or replace the displayed Quran text.

10.2 2. Data Strategy

Use a prepackaged Room SQLite database bundled with the app. The database should be produced through a controlled import pipeline and frozen for release after verification.

10.3 3. Required Tables

10.4 3.1 surahs

Field	Type	Required	Notes
id	Integer	Yes	1 to 114
name_arabic	Text	Yes	Verified Arabic name
name_simple	Text	Yes	Search/display name
name_urdu	Text	No	Optional V1 metadata
revelation_type	Text	No	Only if verified
ayah_count	Integer	Yes	Count per Surah

10.5 3.2 ayahs

Field	Type	Required	Notes
id	Integer	Yes	Internal primary key
ayah_key	Text	Yes	Format: surah:ayah, e.g. 2:255
surah_number	Integer	Yes	1 to 114
ayah_number	Integer	Yes	Ayah number within Surah
juz_number	Integer	Yes	1 to 30
page_number	Integer	Yes	Based on selected

Field	Type	Required	Notes
hizb_number	Integer	No	Optional metadata
ruku_number	Integer	No	Optional metadata
sajdah_type	Text	No	Optional marker

10.6 3.3 quran_texts

Field	Type	Required	Notes
id	Integer	Yes	Primary key
ayah_key	Text	Yes	Links to ayahs.ayah_key
script_type	Text	Yes	INDOPAK or UTHMANI
display_text	Text	Yes	Immutable verified text
source_id	Integer	Yes	Links to content_sources.id
checksum	Text	No	Optional per ayah; pack checksum required

10.7 3.4 search_index

Field	Type	Required	Notes
id	Integer	Yes	Primary key
ayah_key	Text	Yes	Links to ayah
normalized_arabic	Text	Yes	Search only
normalized_uthmani	Text	No	Optional separate script search
normalized_indopak	Text	No	Optional separate script search
surah_search_terms	Text	No	For Surah lookup

10.8 3.5 bookmarks

Field	Type	Required	Notes
id	Integer	Yes	Primary key
bookmark_type	Text	Yes	AYAH or PAGE
ayah_key	Text	Conditional	Required for ayah bookmark
page_number	Integer	Conditional	Required for page bookmark
created_at	Long	Yes	Timestamp
updated_at	Long	Yes	Timestamp

10.9 3.6 last_read

Field	Type	Required	Notes
id	Integer	Yes	Single row or DataStore equivalent
ayah_key	Text	Yes	Canonical last ayah
surah_number	Integer	Yes	Redundant but useful
ayah_number	Integer	Yes	Redundant but useful
juz_number	Integer	Yes	Redundant but useful
page_number	Integer	Yes	Redundant but useful
script_type	Text	Yes	Current selected script
scroll_offset	Integer	No	Optional
updated_at	Long	Yes	Timestamp

10.10 3.7 content_sources

Field	Type	Required	Notes
id	Integer	Yes	Primary key
content_type	Text	Yes	Quran text, metadata, font, etc.
script_type	Text	Conditional	Required for script text
source_name	Text	Yes	Public source

Field	Type	Required	Notes
			name
source_url	Text	Yes	Public source URL
license	Text	Yes	License/reuse status
version	Text	Yes	Source version
checksum	Text	Yes	Pack checksum
import_date	Text	Yes	Date imported
validation_status	Text	Yes	Pass/fail/pending
reviewer_status	Text	Yes	Manual review state

10.11 3.8 content_validation

Field	Type	Required	Notes
id	Integer	Yes	Primary key
validation_name	Text	Yes	e.g. surah_count
expected_value	Text	Yes	Expected value
actual_value	Text	Yes	Observed value
passed	Boolean	Yes	Result
severity	Text	Yes	Critical/warning/info
checked_at	Long	Yes	Timestamp

10.12 4. Content Import Pipeline

1. Select source after license review.
2. Download source outside the app build.
3. Record source metadata.
4. Generate source file checksum.
5. Import into staging database.
6. Validate Surah count = 114.
7. Validate total ayah count = 6236.
8. Validate ayah keys are complete.
9. Validate no duplicate ayah keys.
10. Validate no empty display text.
11. Validate script-specific text exists for IndoPak and Uthmani.
12. Generate normalized search text separately.
13. Generate final Room SQLite database.

14. Generate content manifest JSON.
15. Run checksum verification.
16. Submit for manual content review.
17. Freeze database for release.

10.13 5. Required Validation Rules

Rule	Expected	Severity
Surah count	114	Critical
Ayah count	6236	Critical
Duplicate ayah keys	0	Critical
Missing IndoPak text	0	Critical
Missing Uthmani text	0	Critical
Missing page mapping	0	Critical
Missing Juz mapping	0	Critical
Missing source metadata	0	Critical
Missing license field	0	Critical
Missing checksum	0	Critical
Search index row count	Must match ayah count	Critical

10.14 6. Build Gate

Release build must fail if any critical validation fails. The app should never ship with placeholder source data, missing checksums, missing license fields, incomplete Trust Center metadata, or unverified Quran display text.

10.15 7. Search Normalization Rules

Allowed only for search index:

1. Remove tatweel.
2. Normalize common Arabic letter variants.
3. Optionally remove/ignore harakat for search.
4. Optionally create FTS-compatible search text.

Forbidden:

1. Displaying normalized text as Quran text.
2. Replacing verified display text with normalized text.
3. Modifying Quran display text to improve search highlighting.
4. Saving user-visible ayah text from search index.

10.16 8. Content Manifest Requirements

Each content pack must include:

1. Pack ID.
2. Content type.
3. Script type, if applicable.
4. Source name.
5. Source URL.
6. License.
7. Source version.
8. Import date.
9. File checksum.
10. Ayah count.
11. Surah count.
12. Validation status.
13. Manual review status.
14. Reviewer name/role, if available.
15. Notes.

10.17 9. Manual Review Workflow

Before public release:

1. Freeze imported text.
2. Generate validation report.
3. Export representative samples from every Juz.
4. Review beginning, middle, and end of selected Surahs.
5. Review special cases: Sajdah ayahs, Bismillah handling, long ayahs, page boundaries.
6. Document reviewer status in content_sources.
7. Do not release if review status is pending.

10.18 10. Recommended Source Review Checklist

Before using any Quran text/font/source:

1. Is the source reputable?
2. Is the license compatible with free public app distribution?
3. Is redistribution inside APK allowed?
4. Is modification prohibited, restricted, or allowed only for technical formatting?
5. Does the source provide versioning?
6. Can checksums be recorded?
7. Are IndoPak and Uthmani scripts separate assets?
8. Are fonts licensed for embedding in Android apps?
9. Are page mappings tied to a known mushaf standard?

10. Can source attribution be shown inside Trust Center?

11 UX, Accessibility, and Reader Specification

12 Amanah Quran - V1 Sacred Reader MVP

12.1 1. UX Vision

Amanah Quran should feel calm, sacred, trustworthy, and easy to use. The reading experience must be free from visual noise, popups, ads, donation prompts, social mechanics, and unnecessary settings.

12.2 2. Information Architecture

Primary navigation:

1. Read.
2. Search.
3. Bookmarks.
4. Settings.
5. Trust Center.

Elder Mode navigation:

1. Continue Reading.
2. Open Quran.
3. Bookmarks.
4. Search.
5. Settings.

12.3 3. Home Screen Requirements

Required cards/actions:

1. Continue Reading.
2. Open Quran.
3. Search.
4. Bookmarks.
5. Trust Center.
6. Current script indicator.
7. Current theme-aware layout.

Acceptance criteria:

1. Continue Reading opens previous location in one tap.

2. Quran navigation opens in one tap.
3. Trust Center is accessible within two taps.
4. No ad-like placeholder, promotional banner, or donation card is shown.
5. Elder Mode increases readability and button size.

12.4 4. Reader Screen Requirements

Reader top bar:

1. Back button.
2. Current Surah/Juz/page label.
3. Script switch.
4. Bookmark action.
5. Reader settings action.

Reader content:

1. Arabic display text.
2. Ayah number markers.
3. Comfortable line height.
4. Optional mini progress indicator.
5. No unrelated cards.
6. No popups during reading.
7. No bottom area reserved for ads.

12.5 5. Arabic Typography Requirements

1. Font must support Arabic shaping correctly.
2. Diacritics must render clearly.
3. IndoPak script must be readable and familiar for Pakistan users.
4. Uthmani script must remain visually authentic.
5. Line height must prevent collision of diacritics.
6. Font size must be adjustable.
7. Elder Mode must use larger defaults.
8. Avoid letter spacing that damages Arabic shaping.
9. Avoid decorative backgrounds behind Quran text.
10. Test on common OEMs.

12.6 6. Theme Requirements

Required themes:

1. System.
2. Light.
3. Dark.
4. Sepia / Paper.

Theme principles:

1. Reading comfort is more important than decorative design.
2. Dark mode should not use harsh pure-white text if it causes fatigue.
3. Sepia should support long recitation sessions.
4. Ayah numbers and controls must maintain contrast.
5. Elder Mode must work with every theme.

12.7 7. Elder Mode Specification

When enabled:

1. Home cards become larger.
2. Reader font becomes larger.
3. Line spacing increases.
4. Tap targets increase.
5. Navigation labels become more explicit.
6. Icon-only actions should gain labels where space allows.
7. Settings screen should simplify choices.
8. Search input becomes larger.
9. Bookmark action remains obvious.
10. Trust Center text remains readable.

Recommended Elder Mode defaults:

Element	Elder Mode Behavior
Arabic font size	Larger default
UI text	Increased size
Buttons	Large, clear labels
Touch targets	Minimum 48dp, preferably larger
Reader controls	Fewer visible controls
Search field	Tall field, clear placeholder
Theme	High readability with system default respected

12.8 8. Search UX

Search screen should support:

1. Simple text box.
2. Reference lookup examples.
3. Results grouped by type if useful: Surah, Ayah, Juz, Page.
4. Arabic ayah preview in selected script.
5. Tap result to open reader.

Avoid:

1. Complex filters in V1.
2. Cloud search.
3. Search suggestions requiring internet.
4. Highlighting that distorts Quran text.

12.9 9. Bookmark UX

Bookmarks screen should show:

1. Bookmark type: Ayah or Page.
2. Surah/page reference.
3. Short preview in selected script.
4. Date added.
5. Open action.
6. Remove action.

Empty state:

No bookmarks yet. Open any ayah or page and tap Bookmark to save your place.

12.10 10. Trust Center UX

Trust Center should feel transparent and reassuring, not technical overload. Show summary first, then details.

Recommended structure:

1. Trust Summary.
2. Quran Text Sources.
3. Verification Status.
4. Privacy Pledge.
5. App and Database Integrity.
6. Detailed metadata.

12.11 11. First Launch

Do not use long onboarding. First launch may show a simple non-blocking statement:

Amanah Quran is free, offline, ad-free, and built without tracking. Quran text sources and verification details are available in the Trust Center.

Do not ask for:

1. Login.
2. Permissions.
3. Donations.
4. Notifications.

5. Personal information.

12.12 12. Accessibility Requirements

1. Support Android font scaling where safe.
2. Provide content descriptions for major actions.
3. Use text labels where icons may be unclear.
4. Maintain contrast in all themes.
5. Keep touch targets accessible.
6. Support predictable back navigation.
7. Do not rely only on color for state.
8. Avoid motion-heavy transitions.
9. Test TalkBack for basic screen navigation.
10. Avoid tiny Arabic controls or low-contrast ayah markers.

12.13 13. Small-Screen Requirements

On small phones:

1. Reader controls must not overlap.
2. Font size controls must remain usable.
3. Elder Mode must not hide critical actions.
4. Long Surah names should truncate gracefully.
5. Bookmark and script switch actions should remain reachable.

12.14 14. UX Anti-Patterns to Avoid

1. Home screen overloaded with future features.
2. Donation prompt on launch.
3. Popup during recitation.
4. Social sharing feed.
5. Streaks or badges that trivialize Quran reading.
6. Ads-like empty spaces.
7. Too many first-run choices.
8. Mixing Study/Hifz/Masjid features into V1 navigation.

13 Privacy, No-Tracking, and Compliance

14 Amanah Quran - V1 Sacred Reader MVP

14.1 1. Privacy Position

Amanah Quran V1 should be designed so the user can read the Quran offline without creating an account, granting dangerous permissions, being tracked, or sharing any personal data.

14.2 2. Product Privacy Commitments

1. No ads.
2. No ad SDK.
3. No tracking.
4. No analytics SDK in V1.
5. No advertising ID usage.
6. No forced login.
7. No account creation.
8. No personal data collection.
9. No cloud sync in V1.
10. No donation prompts during reading.
11. No unnecessary notifications.
12. No selling or sharing user data.

14.3 3. Permissions Policy

V1 should require no dangerous runtime permissions.

Do not request:

1. Location.
2. Contacts.
3. Camera.
4. Microphone.
5. Phone.
6. SMS.
7. Storage access.
8. Notifications.
9. Nearby devices.
10. Advertising ID.

14.4 4. Local Data Stored

The app may store locally:

1. Last-read position.
2. Bookmarks.
3. Theme preference.
4. Script preference.
5. Arabic font size preference.
6. Elder Mode preference.
7. First-launch message seen state.

This data must remain on the device in V1.

14.5 5. Network Policy

Core V1 features must work without network:

1. Reader.
2. Navigation.
3. Search.
4. Bookmarks.
5. Last-read.
6. Settings.
7. Trust Center.

External links in Trust Center may open in the device browser, but this must not be required to use the app.

14.6 6. Play Store Data Safety Target

V1 should be engineered so the Play Store Data Safety form can honestly declare:

1. No data collected.
2. No data shared.
3. No location collected.
4. No personal information collected.
5. No financial information collected.
6. No contacts collected.
7. No app activity analytics collected.
8. No advertising data collected.

14.7 7. SDK Audit Checklist

Before release, confirm the APK/AAB does not contain:

1. Google AdMob.
2. Meta/Facebook SDK.
3. Firebase Analytics.
4. Any third-party analytics SDK.
5. Any attribution SDK.
6. Any social login SDK.
7. Any push notification SDK.
8. Any tracking or fingerprinting library.

Allowed dependencies should be limited to Android app infrastructure such as Compose, Room, DataStore, Navigation, and other non-tracking AndroidX components.

14.8 8. Privacy Policy Draft Points

The public privacy policy should state:

1. Amanah Quran does not show ads.
2. Amanah Quran does not collect personal data in V1.
3. Amanah Quran does not require login.
4. Amanah Quran does not use analytics or advertising identifiers in V1.
5. Bookmarks and reading position are stored locally on the user's device.
6. Offline Quran reading works without internet.
7. External source links, if opened, are handled by the user's browser.

14.9 9. Release Gate

Do not release if:

1. Any analytics SDK is present.
2. Any ad SDK is present.
3. Any unnecessary permission is present.
4. Any core feature requires internet.
5. Any user data is transmitted from the app.
6. Any privacy statement cannot be truthfully supported by the build.

15 QA and Release Checklist

16 Amanah Quran - V1 Sacred Reader MVP

16.1 1. Release Philosophy

Amanah Quran should not be released because the code compiles. It should be released only when the Quran content, offline behavior, reader stability, privacy model, and Trust Center are verified.

16.2 2. Functional QA

ID	Test	Expected Result	Status
F-001	First app launch	App opens without login, permissions, ads, or donation prompt	Pending
F-002	Open Surah Al-Fatihah	Surah opens offline in selected script	Pending
F-003	Open Surah Al-Baqarah	Long Surah scrolls smoothly	Pending
F-004	Open Surah Yaseen	Surah opens correctly	Pending
F-005	Open Juz 30	Juz opens correctly	Pending

ID	Test	Expected Result	Status
F-006	Open page 1	Page opens correctly	Pending
F-007	Switch IndoPak to Uthmani	Text changes, position remains stable	Pending
F-008	Switch Uthmani to IndoPak	Text changes, position remains stable	Pending
F-009	Bookmark ayah	Bookmark appears in list	Pending
F-010	Remove bookmark	Bookmark disappears	Pending
F-011	Bookmark page	Page bookmark appears	Pending
F-012	Resume last-read	Opens previous location	Pending
F-013	Search Surah name	Correct Surah appears	Pending
F-014	Search ayah reference	Correct ayah opens	Pending
F-015	Search Arabic text	Matching ayahs appear	Pending
F-016	Enable Elder Mode	Text/buttons become larger	Pending
F-017	Disable Elder Mode	UI returns to standard mode	Pending
F-018	Change theme	Theme changes and persists	Pending
F-019	Open Trust Center	Source/verification/privacy data visible	Pending
F-020	Airplane mode full use	Core V1 features work offline	Pending

16.3 3. Content QA

ID	Test	Expected Result	Severity	Status
C-001	Surah count	114	Critical	Pending
C-002	Ayah count	6236	Critical	Pending
C-003	Duplicate ayah keys	0	Critical	Pending
C-004	Missing IndoPak	0	Critical	Pending

ID	Test	Expected Result	Severity	Status
	text			
C-005	Missing Uthmani text	0	Critical	Pending
C-006	Missing page mapping	0	Critical	Pending
C-007	Missing Juz mapping	0	Critical	Pending
C-008	Search index row count	Matches ayah count	Critical	Pending
C-009	Content manifest	Present and complete	Critical	Pending
C-010	Checksums	Match source manifest	Critical	Pending
C-011	Trust Center metadata	Complete for both scripts	Critical	Pending
C-012	Manual review	Completed before public release	Critical	Pending

16.4 4. Privacy QA

ID	Test	Expected Result	Status
P-001	Runtime permissions	No dangerous permissions requested	Pending
P-002	Ad SDK scan	No ad SDK present	Pending
P-003	Analytics SDK scan	No analytics SDK present	Pending
P-004	Advertising ID usage	Not used	Pending
P-005	Login/account flow	Not present	Pending
P-006	Network dependency	Core V1 features work without internet	Pending
P-007	Data transmission	No user data transmitted	Pending
P-008	Play Store Data Safety	Can declare no data collected/shared	Pending

16.5 5. Device QA

Test minimum:

1. Samsung mid-range phone.
2. Vivo phone.
3. Oppo phone.
4. Xiaomi/Redmi phone.
5. Infinix phone.
6. Tecno phone.
7. Small-screen Android phone.
8. Large-screen Android phone.

For each device:

1. Install fresh build.
2. Launch app.
3. Open reader.
4. Switch scripts.
5. Search Arabic text.
6. Bookmark and remove bookmark.
7. Enable Elder Mode.
8. Test dark and sepia themes.
9. Kill and reopen app to test last-read.
10. Use app in airplane mode.

16.6 6. Accessibility QA

1. Elder Mode usable on small screens.
2. Tap targets large enough.
3. Text readable in all themes.
4. No icon-only critical actions without labels where clarity is needed.
5. TalkBack can navigate core screens.
6. Android font scaling does not break critical screens.
7. Back navigation predictable.
8. No essential state depends only on color.

16.7 7. Release Blockers

Do not release if any of the following are present:

1. Quran content validation failure.
2. Missing or unverified script pack.
3. Missing Trust Center metadata.
4. Unclear source license.
5. Any ad SDK.
6. Any analytics SDK.
7. Any forced login.
8. Any unnecessary permission.

9. Any crash in reader flow.
10. Search displaying normalized Quran text as display text.
11. Bookmarks or last-read failing offline.
12. Elder Mode hiding critical controls.

16.8 8. Final Release Sign-Off

Area	Owner	Status	Notes
Product scope	Product lead	Pending	
Quran text verification	Content reviewer	Pending	
Android functionality	Developer	Pending	
Privacy review	Product/technical reviewer	Pending	
Device QA	QA tester	Pending	
Play Store readiness	Release owner	Pending	

17 Roadmap, Backlog, and Milestones

18 Amanah Quran - V1 Sacred Reader MVP

18.1 1. Roadmap Principle

Build small, polished, trustworthy releases. Do not add features simply because other Quran apps have them. Every feature must serve recitation, understanding, memorization, accessibility, or trust.

18.2 2. Phase 1 - Sacred Reader MVP

Goal: Build the most trustworthy and smooth offline Quran reader.

Scope:

1. Offline Quran text.
2. IndoPak and Uthmani scripts.
3. Surah/Juz/page navigation.
4. Last-read.
5. Bookmarks.
6. Search.
7. Elder Mode.

8. Themes.
9. Trust Center.
10. Source attribution.
11. No ads/no tracking/no login.

18.3 3. V1 Milestones

18.3.1 Milestone 1 - Project Foundation

Deliverables:

1. Android project setup.
2. Kotlin + Compose setup.
3. Theme system.
4. Navigation shell.
5. DataStore settings.
6. Room database integration.

Exit criteria:

1. App launches.
2. Home, Reader, Search, Bookmarks, Settings, and Trust Center routes exist.
3. No internet, ad, or analytics dependency included.

18.3.2 Milestone 2 - Quran Database and Import

Deliverables:

1. Quran source selection.
2. IndoPak script import.
3. Uthmani script import.
4. Metadata import.
5. Search normalization.
6. Content manifest.
7. Validation script.

Exit criteria:

1. 114 Surahs present.
2. 6236 ayahs present.
3. Both scripts available.
4. Checksums generated.
5. Database packaged with app.

18.3.3 Milestone 3 - Reader MVP

Deliverables:

1. Surah reader.
2. Juz reader.
3. Page reader.
4. Script switch.
5. Font size setting.
6. Last-read tracking.

Exit criteria:

1. User can read offline.
2. User can switch scripts.
3. User can resume reading.
4. Reader works on small screens.

18.3.4 Milestone 4 - Bookmarks

Deliverables:

1. Ayah bookmark.
2. Page bookmark.
3. Bookmarks list.
4. Bookmark open/remove actions.

Exit criteria:

1. Bookmarks persist locally.
2. Bookmarks work offline.
3. Bookmarks survive script switching.

18.3.5 Milestone 5 - Search

Deliverables:

1. Surah search.
2. Ayah reference search.
3. Juz search.
4. Page search.
5. Arabic text search.
6. Search result opening.

Exit criteria:

1. Search works offline.
2. Search returns correct references.
3. Search does not alter displayed Quran text.

18.3.6 Milestone 6 - Elder Mode and Themes

Deliverables:

1. Elder Mode toggle.
2. Larger typography.
3. Larger controls.
4. Simplified reader controls.
5. Light theme.
6. Dark theme.
7. Sepia theme.
8. System theme.

Exit criteria:

1. Elder Mode improves usability.
2. Themes persist.
3. Reader remains readable in all themes.

18.3.7 Milestone 7 - Trust Center

Deliverables:

1. Source details screen.
2. Checksum display.
3. No-modification statement.
4. Privacy pledge.
5. App/content version display.
6. Validation status display.

Exit criteria:

1. Trust Center works offline.
2. All content sources visible.
3. Privacy pledge visible.
4. No required metadata missing.

18.3.8 Milestone 8 - Release Hardening

Deliverables:

1. Device testing.
2. Offline testing.
3. Content verification.
4. Privacy review.
5. Play Store readiness.
6. Final build.

Exit criteria:

1. No critical bugs.
2. No unverified content.
3. No unwanted permissions.
4. No ads/tracking/login.
5. Release checklist complete.

18.4 4. Developer Backlog

18.5 P0 - Must Build

1. Android project scaffold.
2. Compose navigation.
3. Room prepackaged database.
4. Quran data models.
5. Quran reader screen.
6. IndoPak/Uthmani script switch.
7. Surah navigation.
8. Juz navigation.
9. Page navigation.
10. Last-read save/restore.
11. Ayah bookmark.
12. Page bookmark.
13. Bookmarks screen.
14. Offline search.
15. Elder Mode.
16. Light/dark/sepia themes.
17. Trust Center.
18. Content validation.
19. No-permission privacy review.

18.6 P1 - Important Polish

1. Smooth reader scrolling.
2. Better page progress indicator.
3. Search result highlighting if safe.
4. Quick Surah chips for common Surahs.
5. Better Arabic typography tuning.
6. Better empty states.
7. Better first-launch defaults.
8. Better small-screen layout.

18.7 P2 - Not for V1 Unless Time Allows

1. Urdu interface.

2. Share ayah text.
3. Share ayah image.
4. Export bookmarks.
5. Import bookmarks.
6. Open-source license screen.
7. Advanced accessibility testing.

18.8 5. Future Phases

18.8.1 Phase 2 - Understanding Layer

1. Urdu UI.
2. Urdu translation.
3. English translation.
4. Translation toggle.
5. Tafsir packs only after license review.
6. Word-by-word meaning.
7. Notes.
8. Tags.
9. Reading plans.
10. Export/import notes and bookmarks.

18.8.2 Phase 3 - Hifz and Revision Layer

1. Ayah repeat.
2. Range repeat.
3. Page repeat.
4. Hide/reveal ayah.
5. Memorization status.
6. Weak ayah list.
7. Mistake log.
8. Sabaq/sabqi/manzil tracking.
9. Spaced repetition scheduler.
10. Teacher checklist mode.

18.8.3 Phase 4 - Masjid and Family Layer

1. Masjid Mode.
2. Silent Mode.
3. Brightness lock.
4. Keep screen awake.
5. Child-safe mode.
6. Family device usability.
7. Large button navigation.

18.8.4 Phase 5 - Advanced Study and Optional AI

Only after core app stability:

1. Offline voice search.
2. On-device recitation matching.
3. Optional AI hifz assistant.
4. Tajweed feedback.
5. Optional encrypted cloud backup.

AI must not be part of V1.

19 Trust Center Template

20 Amanah Quran - V1 Sacred Reader MVP

20.1 1. Trust Center Purpose

Trust Center gives users transparent access to Quran text sources, verification status, checksums, app integrity information, and the privacy pledge. It should be available offline and should not require login.

20.2 2. Trust Summary

Suggested app-facing summary:

Amanah Quran is built to provide verified offline Quran reading without ads, tracking, login, or monetization. Quran text sources, versions, checksums, and validation details are shown here for transparency.

20.3 3. No Modification Statement

Required app-facing statement:

Amanah Quran displays Quranic text exactly as imported from verified source data. Search normalization is stored separately and is never used as display Quran text.

20.4 4. Privacy Pledge

Required app-facing bullets:

1. No ads.
2. No tracking.
3. No analytics SDK in Version 1.
4. No advertising ID use.
5. No forced login.
6. No selling or sharing user data.

7. Offline reading works without internet.
8. Bookmarks and last-read position remain stored locally on your device.

20.5 5. Quran Text Source Card

Use one card per script pack.

Field	Value
Script	IndoPak / Uthmani
Source name	To be completed
Source URL	To be completed
Source version	To be completed
License	To be completed
Import date	To be completed
Pack checksum	To be completed
Ayah count	6236
Surah count	114
Validation status	Pending / Passed / Failed
Manual review status	Pending / Reviewed / Approved

20.6 6. Verification Status Card

Check	Expected	Actual	Status
Surah count	114	To be completed	Pending
Ayah count	6236	To be completed	Pending
Duplicate ayah keys	0	To be completed	Pending
Missing IndoPak text	0	To be completed	Pending
Missing Uthmani text	0	To be completed	Pending
Missing page mapping	0	To be completed	Pending
Missing Juz mapping	0	To be completed	Pending
Search index count	6236	To be completed	Pending
Checksum verification	Match	To be completed	Pending

20.7 7. App Integrity Card

Field	Value
App version	1.0.0
Quran database version	To be completed
Content manifest version	To be completed
Build date	To be completed
Release channel	Internal / Closed / Public
Source code/license page	To be completed if applicable

20.8 8. Source Attribution Text Template

Quran text source: [SOURCE NAME], version [VERSION]. Used under [LICENSE].
Pack checksum: [CHECKSUM]. Imported on [DATE]. Validation status: [STATUS].

20.9 9. Manual Review Text Template

Manual content review status: [PENDING / REVIEWED / APPROVED]. Reviewer notes: [NOTES]. This release should not be published publicly until manual review is approved.

20.10 10. Trust Center Release Gate

Trust Center is complete only when:

1. Both IndoPak and Uthmani source cards are filled.
2. All required license fields are complete.
3. Checksums are shown.
4. Validation status is passed.
5. Manual review status is not pending for public release.
6. Privacy pledge is shown.
7. No-modification statement is shown.
8. App/database/content manifest versions are shown.

21 Developer Kickoff Prompt

22 Amanah Quran - V1 Sacred Reader MVP

Use this prompt to start implementation with an Android development agent.

You are building Amanah Quran V1.0, the Sacred Reader MVP, for Android.

Project identity: Amanah-e-Kisa.

Public app name: Amanah Quran.

Nature: charity / Sadaqah Jariyah project.

Commercial model: completely free, no ads, no in-app purchases, no monetization pressure.

Build only the Sacred Reader MVP. Do not add future features unless explicitly requested.

Core V1 scope:

1. Full Quran Arabic text offline.
2. IndoPak script support.
3. Uthmani script support.
4. Script switching.
5. Surah navigation.
6. Juz navigation.
7. Page navigation.
8. Ayah-level reader.
9. Last-read position.
10. Ayah and page bookmarks.
11. Offline search by Surah, ayah reference, Juz, page, and Arabic text.
12. Elder Mode with large text and large buttons.
13. Themes: system, light, dark, sepia/paper.
14. Trust Center with source, version, license, checksum, validation status, no-modification statement, and privacy pledge.

Hard guardrails:

1. No ads ever.
2. No ad SDK.
3. No analytics SDK in V1.
4. No tracking.
5. No advertising ID usage.
6. No login.
7. No account system.
8. No donations inside the reading experience.
9. No unnecessary permissions.
10. No network dependency for core V1 features.
11. No modification of Quran display text.
12. Search-normalized text must be stored separately and never displayed as Quran text.
13. No public release without content verification and manual review.

Recommended Android stack:

1. Kotlin.
2. Jetpack Compose.
3. Room SQLite with prepackaged database.
4. DataStore Preferences for settings.

5. Navigation Compose.
6. MVVM or MVI-lite.

Required screens:

1. Home.
2. Reader.
3. Quran Navigation: Surah/Juz/Page.
4. Search.
5. Bookmarks.
6. Settings.
7. Trust Center.

Required data model:

1. surahs.
2. ayahs.
3. quran_texts.
4. search_index.
5. bookmarks.
6. last_read.
7. content_sources.
8. content_validation.

Content validation release gate:

1. Surah count must be 114.
2. Ayah count must be 6236.
3. No duplicate ayah keys.
4. No missing IndoPak text.
5. No missing Uthmani text.
6. Search index must match ayah count.
7. Source metadata must include source name, URL, license, version, checksum, import date, validation status.
8. Trust Center must display source and verification details.

Implementation approach:

1. Create project scaffold and navigation shell.
2. Add Room schema and prepackaged database support.
3. Build Reader with script switching.
4. Add last-read persistence.
5. Add bookmarks.
6. Add offline search.
7. Add Elder Mode and themes.
8. Add Trust Center.
9. Add content validation checks.

10. Run offline, privacy, device, and release QA.

Deliver only V1. Do not implement audio, translations, tafsir, hifz, AI, prayer times, qibla, Islamic calendar, accounts, cloud sync, or notifications in this release.