

Institutional Tracker v12 - Setup & Usage Guide

What the Script Does

- Tracks institutional phases: accumulation, distribution, breakout (Phase 3).
- Detects patterns: absorption clusters, spoofing, iceberg orders, stop hunts, anomalies.
- Separates bullish vs bearish institutional activity.
- Saves trades, zones, alerts into SQLite database (persistent storage).
- Writes JSON alert files with entries, invalidations, targets.
- Supports Telegram/desktop alerts (optional).
- Integrates with Bookmap via Python API (receives depth and trade data).

Software Requirements

1. Core

- Python 3.8+ (≥ 3.6 required by Bookmap Python API)
- Bookmap Desktop Platform (v7.1.0+ recommended)
- Bookmap Python API Addon

2. Python Packages

- numpy (math/statistics)
- sqlite3 (built-in)
- requests (for Telegram/webhooks)
- plyer (optional desktop notifications)
- logging, json (built-in)

3. Optional

- Telegram bot setup (token + chat_id) for alerts

Installation Steps

1. Install Python:

- Download from <https://www.python.org/downloads/>
- Verify with: `python --version`

2. Install Dependencies:

`pip install numpy requests plyer`

3. Install Bookmap & Python API Addon:

- Install Bookmap desktop from bookmap.com
- Open Bookmap → Settings → Configure Add-ons → Manage Add-ons
- Install Python API Add-on (.jar)
- Restart Bookmap

4. Add the Script as Bookmap Addon:

- Place `institutional_tracker_v12.py` into your Bookmap Python folder:

`F:\Bookmap\Python\` or

`C:\Users\<you>\AppData\Roaming\Bookmap\Python\`

- In Bookmap → Settings → Configure Add-ons → Add...
- Select Python addon runtime
- Choose `institutional_tracker_v12.py`

- Build/Run to generate addon JAR
- Enable addon in Configure Add-ons and subscribe to an instrument

5. Database Setup:

- Script auto-creates required SQLite DBs on first run:
institutional_trades.db, institutional_patterns.db, institutional_tracker.log
- Ensure directory exists (F:\TradingAgent or ~/.bookmap/institutional_tracker)

Result

Once active, the addon:

- Logs institutional activity
- Saves historical zones
- Generates JSON playbook alerts (entries, invalidations, targets)
- Sends Telegram alerts if configured