





GLOBAFIX PLUS

Premium Mycotoxin Binding Agent



High
net-binding
efficiency



Reinforce mucous membranes

Strengthen tight junctions

Anti-inflammatory properties

Macrophage
activation




beta-glucans stimulate
innate immune system
without inflammatory
cytokine production



GLOBAFIX PLUS

Premium Mycotoxin Binding Agent



MODE OF ACTION

(1) High Net Binding Efficiency

Globafix-plus binds common mycotoxins (aflatoxin, trichothecenes). It used for control of zearalenone, Fumonisin, Ochratoxin and Deoxynivalenol (DON)

(2) Intestinal Protection

Globafix-plus reinforces the strength of intestinal wall, closing tight junctions and exerting intestinal anti-inflammatory properties that help to block in-vivo mycotoxin penetraton.

(3) Immuno-Stimulation

Globafix-plus contains B-glucans rich yeast cell wall, which helps to enhance immuno-stimulation and consequently limits the immuno-suppressive effect of mycotoxin toxicity.



GLOBALFIX PLUS


Premium Mycotoxin Binding Agent

PYROLYSED CARBON

Specific carbon to reinforce the binder-action

- Supplementary mycotoxin binding effect
- Bacterial toxin-binder
- Pathogenic bacterial reduction

Net binding efficiency of Globafix-Plus (In-Vitro-Test)
(Dose : 1kg / Ton of feed)



GLOBALFIX PLUS

T2: 100 ppb, aflatoxin 200 ppb, ochratoxin: 400 ppb, ZEA 1000 ppb, Fumonisin: 1000 ppb

Benefits of Using GLOBALFIX-PLUS

- * Efficient against broad range of mycotoxins including aflatoxins, Ochratoxins, Zearalenone, Fumonisin, T2 etc.
- * Improve the barrier function in intestinal tract (strengthening the tight junctions)
- * No nutrient binding even at maximum dosage in feed.

DOSE

Dairy Cow/Buffalo : 15-25 gram/head/day
Concentrate Feed : 1 kg / ton of feed



GLOBALFIX PLUS

Premium Mycotoxin Binding Agent

Origin, type & effects of Mycotoxin in dairy cows

Mold (Fungi)	Mycotoxin	Effects on Dairy Cow
Aspergillus	Aflatoxin	- Poor Production - Liver Damage - Immune Suppression - Increased rate of mortality
Fusarium	Trichothecenes (DON, T-2, HT-2 Vomitoxin)	- Low feed intake - Reduced weight gain - Intestinal haemorrhages - Diarrhea - Reduced milk production
	Zearalenone	- Abortion - Reduced Embryo Survival - Vaginal Reddening and Prolapse - Infertility
Penicillium	Ochratoxin	- Liver damage - Kidney damage - Immune suppression

- ◀ گلوبافکس پلس کا استعمال جانوروں میں مائیکوٹاکسنز کے بُرے اثرات سے نجات دیتا ہے۔
- ◀ ایک وسیع الاثر مائیکوٹاکسن باسٹڈر ہے جو جانوروں کی خوراک میں موجود زہریلے مادوں کے ساتھ مل کر ان کو جانور کے جسم سے خارج کروا دیتا ہے یا ایسے کیمیکلز میں تبدیل کر دیتا ہے جو جانور کیلئے نقصان دہ نہیں رہتے ہیں۔

فوائد

- ◀ خوراک کی افادیت کو متاثر کیے بغیر مائیکوٹاکسن سے نجات
- ◀ نظامِ انہضام میں مختلف pH پر مائیکوٹاکسنز کا بہتر انجذاب
- ◀ دامی ٹاکسن، آکراٹاکسن، افلاٹاکسن اور زیارا لینون کے خلاف مؤثر بچاؤ
- ◀ Mannan Oligosaccharides کے ذریعے چھوٹی آنت کو نقصان پہنچانے والے جراثیم سے بچاؤ
- ◀ ساڑو سے بچاؤ
- ◀ دودھ کی کوالٹی اور ذائقے میں بہتری
- ◀ دودھ میں افلاٹاکسن M1 کی کمی
- ◀ فیومونیسینز کی انزائمز کی مدد سے توڑ پھوڑ
- ◀ تولیدی صحت میں بہتری
- ◀ جانور میں عمومی صحت کی بہتری

Packing: 25kg Bag

خوراک	عمومی سطح کی مائیکوٹاکسنز کی ملاوٹ	بہت زیادہ مائیکوٹاکسنز
گائے/بھینس	10-15 گرام فی جانور روزانہ	20-30 گرام فی جانور روزانہ
ونڈا	0.5-1 کلوگرام فی ٹن خوراک	1-2 کلوگرام فی ٹن خوراک

HEAD OFFICE
GHAZNAVI BLOCK PLOT #. 29,
COMMERCIAL AREA BAHRIA TOWN, LAHORE
Cell: 0345-8432667, Tel: 042-36448267

SITE OFFICE
55/5-L - 2KM SAHIWAL TO OKARA TOLL PLAZA
MAIN GT ROAD, SAHIWAL. CELL: 0300-9692667

HOT LINE
0303-8847336

info@greenlandzone.com
www.greenlandzone.com