

rotamin+

Z-Tox



Mycotoxin Risk Solution
Comprehensive Protection for Animals



Selective adsorption for mycotoxins except for Nutrients

Lower cases of Mastitis

Better reproduction of dairy cows

Better cow health

Z-Tox



Effectively binds
aflatoxins



Protects the animal against
negative effects of aflatoxins



Prevents aflatoxin carry-
over & conversion of AFM1




Contributes to safe milk
for human consumption

Z-Tox

Mycotoxin Risk Solution

Composition

- Pure form of clinoptilolites, a unique complex crystalline structure.
- Clinoptilolite is honeycomb frame work of cavities & channels (like cages) work at cellular level trapping toxins.



Mode of Action

- Z-Tox has clinoptilolites which is negatively charge in nature. Zeolites acts as magnets drawing toxins to it, capturing them in honeycomb cage and removing toxins from body.
- Z-Tox bind mycotoxin forming highly stable complexes.
- Clinoptilolites has natural negative charge which gives it a high Cation Exchange Capacity (CEC).
- Mycotoxins, heavy metals and ammonium ions are all positively charged, easily trapped by cation exchange.
- Clinoptilolites are selective polar binder, which has binding capacity for positively charged ions (cations).

Speciality of Z-Tox


Z-Tox has clinoptiolites that bind aflatoxins but has no binding affinity for antibiotics, coccidiostats, vitamins, minerals, amino acids, other nutrients & feed additives.

Clinoptiolites vs. Other Clays

Clinoptiolites	Others
3 dimensional frame work	2 dimensional layers
Small pores	Large spaces between layers
Does not bind large molecules e.g. Vitamins, enzymes	Likely to bind large nutrient molecules
High affinity for ammonia High Cation Exchange Capacity (CEC)	High water holding capacity

Features and Benifits

- Z-Tox has special modifying technology for aluminosilicates that make the absorbtion of aflatoxins more powerful.
- Z-Tox increased milk-yield and milk quality of dairy cows.
- Z-Tox decreases occurance of mastitis.
- Z-Tox improves breeding of dairy cows by reducing the cases of abortion in dairy herd.



Dose

Dairy Cow/Buffalo : 30 to 80 grams/head/day
Concentrate Feed: 1-2kg/ton of feed

Z-Tox

Mycotoxin Risk Solution

- Z-Tox کا استعمال جانوروں میں مائیکوٹاکسنز کے برے اثرات سے نجات دیتا ہے۔
- Z-Tox ایک وسیع الاثر مائیکوٹاکسن بائینڈر ہے جو جانوروں کی خوراک میں موجود زہریلے مادوں کے ساتھ مل کر ان کو جسم سے خارج کروا دیتا ہے یا ایسے کیمیکلز میں تبدیل کر دیتا ہے جو جانور کے لیے نقصان دہ نہیں رہتے ہیں۔

فوائد

- خوراک کی افادیت کو متاثر کیے بغیر مائیکوٹاکسنز سے نجات۔
- دودھ کی کوالٹی اور ذائقے میں بہتری۔
- ساڑو سے بچاؤ۔
- نظام انہضام میں مختلف pH پر مائیکوٹاکسنز کا بہتر انجذاب۔
- دودھ میں افلاٹاکسن M1 کی کمی۔
- تولیدی صحت میں بہتری۔
- جانور کی عمومی صحت میں بہتری۔

خوراک

- گائے/بھینس 30 تا 80 گرام فی جانور روزانہ
- لائو سٹاک فیڈ/ونڈا 1 تا 2 کلو گرام فی ٹن خوراک

پیکنگ: 25 کلو گرام بیگ

HEAD OFFICE

GHAZNAVI BLOCK PLOT #. 29,
COMMERCIAL AREA BAHRIA TOWN, LAHORE
CELL: 0345-8432667, , Tel: 042-36448267

SITE OFFICE

55/5-L - 2KM SAHIWAL TO OKARA TOLL PLAZA
MAIN GT ROAD, SAHIWAL. CELL: 0300-9692667

HOT LINE

0303-8847336

info@greenlandzone.com
www.greenlandzone.com