MNP Port-In Integration Guide

Lyca USA | Plintron MNP Proxy Spec V1.1 + USA API Spec V1.3

Generated: September 2026

1. Overview

This guide covers Mobile Number Portability (MNP) Port-In integration for Lyca USA using Plintron MNP Proxy APIs. Port-Out APIs are NOT documented in the provided specification PDFs.

Integration flow:
Step 0 (optional): GET_CUSTOMER_DETAILS
Step 1: INITIATE_PORTIN_REQUEST
Step 2: CHECK_PORTIN_STATUS (poll until terminal state)
Step 3: GET_ACCOUNT_DETAILS (verify MNP_IND = 1 after completion)

2. Environment Variables

Replace placeholders with values from your Plintron/Lyca integration pack:

```
MNP_BASE_URL=https://<mnp-proxy-host>/<path>
ITG_BASE_URL=https://<itg-gateway-host>/<path>
AUTH_TOKEN=<your-bearer-or-basic-token>
ENTITY=ITGSIM
CHANNEL_REF=CCARE
```

3. Common Headers (All MNP Calls)

Header	Value	Notes
Content-Type	application/json	Required (XML for GET_CUSTOMER_DETAILS)
Authorization	Bearer {token}	Confirm auth type with Plintron
Accept	application/json	Recommended

4. Step 0 - GET_CUSTOMER_DETAILS (Optional)

Purpose

Retrieve customer details before port-in for validation.

Request Parameters

Parameter	Required	Description
MSISDN	Yes	Number to port (with country code)
Country	Yes	e.g. USA

Curl

```
curl --location "${MNP_BASE_URL}" \
  --header "Content-Type: application/xml" \
  --header "Authorization: Bearer ${AUTH_TOKEN}" \
  --data-raw '<GetCustomerDetails>
  <MSISDN>18855776204</MSISDN>
  <Country>USA</Country>
```

```
</GetCustomerDetails>'
```

5. Step 1 - INITIATE_PORTIN_REQUEST

Purpose

Submit a new port-in request. Save REFERENCE_CODE from the response.

Mandatory Parameters

Parameter	Description
ICC_ID	New Lyca SIM ICCID
P_MSISDN	Number being ported from donor
ACCOUNT_NUMBER	Account number with donor operator
PWD_PIN	PIN/password for donor verification
CHANNEL	e.g. MNP

Optional Parameters

MSISDN, P_ICC_ID, DONOR, ZIP_CODE, SSN_TAX_ID, PORTIN_DATE (YYYY-MM-DD), PORTIN_TIME (HH:MM), ORDER_TYPE, NAME, STREET_NUMBER, STREET_NAME, STREET_DIRECTIONAL, CITY, STATE, COUNTRY, CHANGE_TYPE, PACKAGE, CONTACTNO

Curl - Flat JSON

```
curl --location "${MNP_BASE_URL}" \
  --header "Content-Type: application/json" \
  --header "Authorization: Bearer ${AUTH_TOKEN}" \
  --data '{
    "SUBMIT_PORTIN_REQUEST": {
      "ICC_ID": "8914800000123456789",
      "P_MSISDN": "19123456780",
      "ACCOUNT_NUMBER": "ACC998877",
      "PWD_PIN": "1234",
      "ZIP_CODE": "29201",
      "STREET_NUMBER": "42",
      "STREET_NAME": "Main Street",
      "STREET_DIRECTIONAL": "N",
      "CITY": "Columbia",
      "STATE": "SC",
      "COUNTRY": "USA",
      "PORTIN_DATE": "2026-09-10",
      "PORTIN_TIME": "10:00",
      "CHANNEL": "MNP"
    }
  }'
```

Success Response

```
{
  "SUBMIT_PORTIN_RESPONSE": {
    "ERROR_CODE": "0",
    "DESCRIPTION": "Port-in request submitted",
    "BODY": {
      "REFERENCE_CODE": "REF20260520ABC123",
      "RETURN_DESC": "Request processed successfully"
    }
  }
}
```

Key Error Codes

Code	Description
0	Success
145	Duplicate request
148	Request in progress
156	Invalid port-in date
211	Port-in conflicts with port-out
310	Port-in eligibility failure
99	Other / generic failure

6. Step 2 - CHECK_PORTIN_STATUS

Purpose

Poll port-in status until terminal state: Completed, Rejected, or Cancelled.

Request Parameters

Parameter	Required	Description
REFERENCE_NUMBER	Yes	REF_CODE, ICC_ID, or P_MSISDN value
REFERENCE_TYPE	Yes	REF_CODE | ICC_ID | PMSISDN

Curl - By Reference Code

```
curl --location "${MNP_BASE_URL}" \
  --header "Content-Type: application/json" \
  --header "Authorization: Bearer ${AUTH_TOKEN}" \
  --data '{
    "GET_PORTIN_DETAILS_REQUEST": {
      "DETAILS": {
        "REFERENCE_NUMBER": "REF20260520ABC123",
        "REFERENCE_TYPE": "REF_CODE"
      }
    }
  }'
```

Status Values

STATUS	Action
Initiated	Keep polling
Authorized	Keep polling
InProgress	Keep polling
Completed	Stop - run Step 3
Rejected	Stop - handle REJECT_REASON
Cancelled	Stop - port-in cancelled

Response Fields

REFERENCE_CODE, MSISDN, P_MSISDN, DONOR, RECIPIENT, STATUS, REQUEST_DATE, PORTIN_DATE, REJECT_REASON, CHANNEL, COUNTRY_SPECIFIC_PARAM.USA.COMPLETED_DATE (when Completed)

Error Codes

Code	Description
0	Success
105	Reference number empty/invalid
106	Reference type empty/invalid
107	No records found

7. Step 3 - GET_ACCOUNT_DETAILS (Post Port-In Verify)

Purpose

After STATUS = Completed, verify MNP_IND = 1 (Ported-in) via OCS/NSS.

Curl

```
curl --location "${ITG_BASE_URL}" \
  --header "Content-Type: application/json" \
  --header "Authorization: Bearer ${AUTH_TOKEN}" \
  --data '{
    "ENVELOPE": {
      "HEADER": {
        "TRANSACTION_ID": "PORTIN-VERIFY-001",
        "ENTITY": "ITGSIM",
        "CHANNEL_REFERENCE": "CCARE"
      },
      "BODY": {
        "GET_ACCOUNT_DETAILS_REQUEST": {
          "MSISDN": "19123456780"
        }
      }
    }
  }'
```

MNP_IND Values

Value	Meaning
0	Regular
1	Ported-in (expected after success)
2	Ported-out

8. Optional APIs

INITIATE_CANCEL_PORTIN

Cancel port-in within donor-defined window. Requires REFERENCE_CODE, P_MSISDN, CHANNEL.

MODIFY_PORTIN_REQUEST

Modify port-in details after submission. Requires REFERENCE_CODE plus updated port-in fields.

9. Postman Collection

Import these files from docs/mnp-portin-integration/:
- MNP_PortIn_Postman_Collection.json
- MNP_PortIn_Postman_Environment.json

In Postman: Import > select both files > set environment variables > run requests in order.

10. Document Sources

MNP Proxy Specification Document V1.1 (USA) - Port-in APIs
API Specification Document USA V1.3 - GET_ACCOUNT_DETAILS, MNP_IND
AFG API Specification Document - No MNP content

Note: Base URLs and auth credentials are NOT in the PDFs. Obtain from Plintron/Lyca integration pack.