

Njoroge John Mungai

Reg No: C026-0718/2012

Assignment: Compiler Construction for MiniJava grammar

Compile lexer

```
njoroge@njoroge-HP-Notebook-PC: ~/compiler-practical/Compiler/3 - □ ×
File Edit View Search Terminal Help
x njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ jflex minijava.l
ex
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
Reading "minijava.lex"

Warning : Macro "InputCharacter" has been declared but never used.
Constructing NFA : 279 states in NFA
Converting NFA to DFA :
.....
.....
160 states before minimization, 143 states in minimized DFA
Writing code to "Lexer.java"
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ █
```

Create parser

```
njoroge@njoroge-HP-Notebook-PC: ~/compiler-practical/Compiler/3 - □ ×
File Edit View Search Terminal Help
x njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ jflex minijava.l
ex
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
Reading "minijava.lex"

Warning : Macro "InputCharacter" has been declared but never used.
Constructing NFA : 279 states in NFA
Converting NFA to DFA :
.....
.....
160 states before minimization, 143 states in minimized DFA
Writing code to "Lexer.java"
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ jacc -vh minijav
a.jacc
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ █
```

Compile parser and scanner

```
Applications ▾ Places ▾ Terminal ▾
njoroge@njoroge-HP-Notebook-PC: ~/compiler-practical/Compiler/2

File Edit View Search Terminal Help

match: --)--
action [83] { return token=''; }
match: --)--
action [81] { return token='{'; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --\u0009--
action [91] { /*ignore spaces*/ }
match: --System.out.println--
action [44] { return token=System.out.println; }
match: --)--
action [82] { return token='('; }
match: --"Hello world!"--
action [59] { string.append(yytext());
              return token=STRING_LITERAL; }
match: --)--
action [83] { return token=''; }
match: --)--
action [71] { return token=''; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --)--
action [80] { return token=''; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --)--
action [80] { return token=''; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: <<EOF>>
action [93] { return token=ENDINPUT; }
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/2$ java MiniJavaParser Test.java >output.txt
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/2$ javac MiniJavaParser.java
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/2$
```

Input file(Test.java):

```
public class Test{
public static void main(String [] args){
    System.out.println("Hello world!");
}
}
```

Scanner output

```
Applications ▾ Places ▾ Terminal ▾
njoroge@njoroge-HP-Notebook-PC: ~/compiler-practical/Compiler/3

File Edit View Search Terminal Help

Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
njoroge@njoroge-HP-Notebook-PC:~/compiler-practical/Compiler/3$ java MiniJavaParser Test.java
Picked up JAVA_TOOL_OPTIONS: -javaagent:/usr/share/java/jayatanaag.jar
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --public--
action [36] { return token=t_public; }
match: -- --
action [91] { /*ignore spaces*/ }
match: --class--
action [37] { return token=t_class; }
match: -- --
action [91] { /*ignore spaces*/ }
match: --Test--
action [55] { lexVal=new String(yytext());
              return token=IDENTIFIER; }
match: --(--
action [81] { return token='{'; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --public--
action [36] { return token=t_public; }
match: -- --
action [91] { /*ignore spaces*/ }
match: -- --
action [91] { /*ignore spaces*/ }
match: --static--
action [42] { return token=t_static; }
match: -- --
action [91] { /*ignore spaces*/ }
match: --void--
action [47] { return token=t_void; }
match: -- --
action [91] { /*ignore spaces*/ }
match: --main--
action [54] { return token=t_main; }
```

```
Applications ▾ Places ▾ Terminal
nJORoge@nJORoge-HP-Notebook-PC: ~/compiler-practical/Compiler/3
File Edit View Search Terminal Help
action [91] { /*ignore spaces*/ }
match: --args--
action [55] { lexVal=new String(yytext());
              return token=IDENTIFIER; }
match: --)--
action [83] { return token=')'; }
match: --(--
action [81] { return token='{'; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --\u0009--
action [91] { /*ignore spaces*/ }
match: --System.out.println--
action [44] { return token=System.out.println; }
match: --(--
action [82] { return token='('; }
match: --"Hello world!"--
action [59] { string.append(yytext());
              return token=STRING_LITERAL; }
match: --)--
action [83] { return token=')'; }
match: --;--
action [71] { return token=';'; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --)--
action [80] { return token='}' ; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: --)--
action [80] { return token='}' ; }
match: --\u000A--
action [91] { /*ignore spaces*/ }
match: <<EOF>>
action [93] { return token=ENDINPUT; }
nJORoge@nJORoge-HP-Notebook-PC:~/compiler-practical/Compiler/3$
```

3 hh...courses/minijava... jflex-manual.pdf nJORoge@nJORoge-H... JFlex 1.6.1 nJORoge@nJORoge-H... nJORoge@nJORoge-H... 1 / 4