

ขั้นที่ 7

The screenshot shows a SQL IDE interface with a toolbar at the top containing icons for SQL, Untitled query, and Run. The main editor area contains the following SQL code:

```
1 CREATE TABLE IF NOT EXISTS members (  
2     member_id VARCHAR(10) PRIMARY KEY, -- เพิ่ม C001  
3     full_name VARCHAR(100) NOT NULL,  
4     gender VARCHAR(10),  
5     address TEXT  
6 );
```

Below the editor, there is a toolbar with buttons for Results, Chart, Export, and a Run button (labeled Run Ctrl + R). The Results tab is selected, and it displays the message: "Success. No rows returned".

ขั้นที่ 8

The screenshot shows a SQL IDE interface with a toolbar at the top containing icons for SQL, Untitled query, and Run. The main editor area contains the following SQL code:

```
1 CREATE TABLE rentals (  
2     rental_id SERIAL PRIMARY KEY,  
3     member_id VARCHAR(10) REFERENCES members(member_id),  
4     book_id VARCHAR(10) REFERENCES books(book_id),  
5     rent_date DATE,  
6     return_date DATE,  
7     daily_rate NUMERIC(6,2)  
8 );
```

Below the editor, there is a toolbar with buttons for Results, Chart, Export, and a Run button (labeled Run Ctrl + R). The Results tab is selected, and it displays the message: "Success. No rows returned".

ขั้น 9

The screenshot shows a SQL IDE interface with a query editor and a results pane. The query editor contains an SQL INSERT statement for a table named 'members'. The results pane shows a success message: 'Success. No rows returned'.

```
1 INSERT INTO members (member_id, full_name, gender, address) VALUES
2 ('C001', 'อรุมา สุดที่รัก', 'หญิง', '56 ม.1 ต.จินดา อ.เมือง จ.พิจิตร'),
3 ('C002', 'มาดี ร่ำรวย', 'ชาย', '15/5 รามคำแหง 60 กทม'),
4 ('C003', 'อรรช อ่อนช้อย', 'หญิง', '4 ม.2 ต.สันทราย อ.เมือง จ.เชียงใหม่');
```

Results Chart Export ▾

Source Primary Database ▾ Role postgres ▾ Run Ctrl #

Success. No rows returned

ขั้น 10

The screenshot shows a SQL IDE interface with a query editor and a results pane. The query editor contains an SQL INSERT statement for a table named 'rentals'. The results pane shows a success message: 'Success. No rows returned'.

```
1 INSERT INTO rentals (member_id, book_id, rent_date, return_date, daily_rate) VALUES
2 ('C002', 'A0001', '2011-10-05', '2011-10-09', 30),
3 ('C001', 'B0003', '2011-10-07', '2011-10-16', 40),
4 ('C001', 'B0001', '2011-10-07', '2011-10-16', 40),
5 ('C001', 'A0002', '2011-10-07', '2011-10-16', 40),
6 ('C003', 'A0003', '2011-10-08', '2011-10-14', 40),
7 ('C003', 'B0001', '2011-10-08', '2011-10-16', 40),
8 ('C002', 'B0001', '2011-10-26', '2011-10-31', 40),
9 ('C002', 'B0003', '2011-10-26', '2011-11-16', 40);
```

Results Chart Export ▾

Source Primary Database ▾ Role postgres ▾ Run Ctrl #

Success. No rows returned