```
<class 'statsmodels.iolib.summary.Summary'>
"""
                          OLS Regression Results
==============================================================================
==================
Dep. Variable:     CURRENT_ENERGY_EFFICIENCY   R-squared:
0.161
Model:                                   OLS   Adj. R-squared:
0.161
Method:                        Least Squares   F-statistic:
2.376e+04
Date:                       Thu, 05 Jan 2023   Prob (F-statistic):
0.00
Time:                               14:21:13   Log-Likelihood:
-4.8337e+05
No. Observations:                     123792   AIC:
9.668e+05
Df Residuals:                         123790   BIC:
9.668e+05
Df Model:                                  1
Covariance Type:                   nonrobust
==============================================================================
====================
                            coef    std err          t      P>|t|
[0.025      0.975]
------------------------------------------------------------------------------
----------------------
intercept                77.7037      0.071   1090.709      0.000
77.564      77.843
HOT_WATER_COST_CURRENT   -0.0846      0.001   -154.153      0.000
-0.086      -0.084
==============================================================================
==========
Omnibus:                            9643.628   Durbin-Watson:
1.919
Prob(Omnibus):                         0.000   Jarque-Bera (JB):
14694.233
Skew:                                 -0.621   Prob(JB):
0.00
Kurtosis:                              4.143   Cond. No.
271.
==============================================================================
==========

Notes:
[1] Standard Errors assume that the covariance matrix of the errors
is correctly specified.
"""
```