

Experiment 15: Information Gathering Using theHarvester

Aim

To gather publicly available information (emails, subdomains, hosts) about a domain using theHarvester.

Procedure

1. Check if theHarvester is available:
`theHarvester -h`
2. Basic search for a domain using Google:
`theHarvester -d example.com -b google -l 100`
3. Search using multiple sources:
`theHarvester -d example.com -b all -l 200`
4. Save results to a file:
`theHarvester -d example.com -b bing -f results.html`
5. Common sources: google, bing, yahoo, duckduckgo, linkedin, twitter, etc.

Sample Output / Results

```
$ theHarvester -d example.com -b google -l 50
[*] Target: example.com
[*] Searching Google.
[*] No results found for emails.
[*] Hosts found: 2
www.example.com
mail.example.com
[*] Search finished.
```

[illegible]

```

kali@kali: ~
Session Actions Edit View Help
-a, --api-scan          Scan for API endpoints.
-q, --quiet             Suppress missing API key warnings and reading the api-keys file.
-b, --source SOURCE     baidu, bevigil, bitbucket, brave, bufferoverrun, builtwith, censys, certspotter, chaos,
                        commoncrawl, criminalip, crtsh, dehashed, dnsdumpster, duckduckgo, fofa, fullhunt,
                        github-code, gitlab, hackertarget, haveibeenpwned, hudsonrock, hunter, hunterhow, intelx,
                        leakix, leaklookup, netlas, onyphe, otx, pentesttools, projectdiscovery, rapiddns,
                        robtex, rocketreach, securityscorecard, securityTrails, shodan, subdomaincenter,
                        subdomainfinder99, thc, threatcrowd, tomba, urlscan, venacus, virustotal,
                        waybackarchive, whoisxml, windvane, yahoo, zoomeye

(kali@kali)-[~]
$ theHarvester -d example.com -b bing
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
*                                     *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* theHarvester 4.10.1                *
* Coded by Christian Martorella      *
* Edge-Security Research             *
* cmartorella@edge-security.com      *
* [ASCII ART]                       *
*****
The following engines are not supported: {'bing'}

[!] Invalid source.

(kali@kali)-[~]
$ theHarvester -d example.com -b bing -f report
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
*                                     *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* [ASCII ART]                       *
* theHarvester 4.10.1                *
* Coded by Christian Martorella      *
* Edge-Security Research             *
* cmartorella@edge-security.com      *
* [ASCII ART]                       *
*****
The following engines are not supported: {'bing'}

[!] Invalid source.

```