

# Reproducibility Lab

**CS 203: Software Tools and Techniques for AI**

Duration: 3 hours

# Lab Overview

By the end of this lab, you will:

- Set up Python virtual environments
- Create requirements.txt and environment.yml
- Build and run Docker containers
- Dockerize an ML project
- Track experiments with MLflow or Weights & Biases
- Set up reproducible pipelines

## Structure:

- Part 1: Environment Management (45 min)
- Part 2: Docker Basics (45 min)
- Part 3: Dockerizing ML Project (60 min)

# Setup (10 minutes)

## Install required tools:

```
# Install Docker Desktop
# Download from: https://www.docker.com/products/docker-desktop

# Verify Docker installation
docker --version
docker run hello-world

# Install additional Python packages
pip install mlflow wandb python-dotenv pyyaml
```

# Exercise 1.1: Create Virtual Environment (10 min)

## Task: Set up isolated Python environment

```
# Create virtual environment
python -m venv ml-env

# Activate (Linux/Mac)
source ml-env/bin/activate

# Activate (Windows)
ml-env\Scripts\activate

# Verify activation
which python # Should point to ml-env
python --version

# Install some packages
pip install numpy pandas scikit-learn matplotlib

# Check installed packages
pip list
```

# Exercise 1.2: Create requirements.txt (10 min)

## Task: Document dependencies

```
# Activate environment
source ml-env/bin/activate

# Install project dependencies
pip install numpy==1.24.3 pandas==2.0.2 scikit-learn==1.2.2 matplotlib==3.7.1

# Export to requirements.txt
pip freeze > requirements.txt

# View file
cat requirements.txt
```

## Test in new environment:

```
# Deactivate current
deactivate
```

# Exercise 1.3: Conda Environment (15 min)

**Task: Create conda environment with YAML**

Create `environment.yml`:

```
name: ml-project
channels:
  - conda-forge
  - defaults
dependencies:
  - python=3.10
  - numpy=1.24
  - pandas=2.0
  - scikit-learn=1.2
  - matplotlib=3.7
  - jupyter
  - pip
  - pip:
    - mlflow==2.5.0
```

# Exercise 1.4: Set Random Seeds (10 min)

Task: Make code reproducible

Create `utils/reproducibility.py` :

```
import random
import numpy as np
import os

def set_seed(seed=42):
    """
    Set random seeds for reproducibility.
    """
    random.seed(seed)
    np.random.seed(seed)
    os.environ['PYTHONHASHSEED'] = str(seed)

    try:
        import torch
        torch.manual_seed(seed)
        torch.cuda.manual_seed_all(seed)
        torch.backends.cudnn.deterministic = True
        torch.backends.cudnn.benchmark = False
    except ImportError:
        pass
```

```
# Test
```

# Exercise 2.1: First Dockerfile (15 min)

**Task: Create simple Docker image**

Create Dockerfile :

```
# Use Python 3.10 slim image
FROM python:3.10-slim

# Set working directory
WORKDIR /app

# Copy a simple script
COPY hello.py .

# Run the script
CMD ["python", "hello.py"]
```

Create hello.py :



## Exercise 2.2: Dockerfile with Dependencies (15 min)

Task: Install Python packages in Docker

Create `requirements.txt`:

```
numpy==1.24.3  
pandas==2.0.2  
scikit-learn==1.2.2
```

Update `Dockerfile`:

```
FROM python:3.10-slim  
  
WORKDIR /app  
  
# Copy requirements first (for caching)  
COPY requirements.txt .  
  
# Install dependencies
```

## Exercise 2.3: Mount Volumes (15 min)

**Task: Share data between host and container**

Create `data/input.csv` :

```
x,y  
1,2  
2,4  
3,6  
4,8
```

Create `process_data.py` :

```
import pandas as pd  
  
# Read from mounted volume  
df = pd.read_csv('/app/data/input.csv')  
print("Input data:")  
print(df)
```

# Exercise 3.1: Dockerize ML Training (20 min)

**Task: Create complete ML training Docker setup**

Create `train.py` :

```
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import accuracy_score
import joblib
import json

# Load data
iris = load_iris()
X_train, X_test, y_train, y_test = train_test_split(
    iris.data, iris.target, test_size=0.2, random_state=42
)

# Train model
model = RandomForestClassifier(random_state=42)
model.fit(X_train, y_train)

# Evaluate
y_pred = model.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)

print(f"Accuracy: {accuracy:.3f}")

# Save model
joblib.dump(model, '/app/models/model.pkl')
```

# Exercise 3.2: Multi-Stage Dockerfile (15 min)

## Task: Optimize Docker image size

Create optimized Dockerfile :

```
# Stage 1: Builder
FROM python:3.10 AS builder

WORKDIR /app

COPY requirements.txt .
RUN pip install --user --no-cache-dir -r requirements.txt

# Stage 2: Runtime
FROM python:3.10-slim

WORKDIR /app

# Copy only necessary files from builder
COPY --from=builder /root/.local /root/.local

# Copy application
COPY train.py .
COPY utils/ ./utils/

# Create directories for outputs
RUN mkdir -p /app/models /app/data
```

# Exercise 3.3: Docker Compose for ML (15 min)

**Task: Set up multi-container environment**

Create `docker-compose.yml`:

```
version: '3.8'

services:
  training:
    build: .
    volumes:
      - ./data:/app/data
      - ./models:/app/models
    environment:
      - RANDOM_SEED=42
    command: python train.py

  mlflow:
    image: ghcr.io/mlflow/mlflow:latest
    ports:
      - "5000:5000"
    volumes:
      - ./mlruns:/mlflow
    command: mlflow server --host 0.0.0.0 --backend-store-uri /mlflow

  notebook:
    image: jupyter/scipy-notebook:latest
```

# Exercise 3.4: .dockerignore (10 min)

**Task: Exclude unnecessary files**

Create `.dockerignore` :

```
__pycache__
*.pyc
*.pyo
*.pyd
.Python
*.so
*.egg
*.egg-info
dist/
build/
.git/
.gitignore
.vscode/
.idea/
*.ipynb_checkpoints
.pytest_cache/
.coverage
htmlcov/
*.log
.env
data/raw/
```

# Exercise 4.1: MLflow Tracking (15 min)

## Task: Track experiments with MLflow

Create `train_with_mlflow.py` :

```
import mlflow
import mlflow.sklearn
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import accuracy_score, f1_score

# Start MLflow
mlflow.set_experiment("iris-classification")

# Parameters
params = {
    'n_estimators': 100,
    'max_depth': 5,
    'random_state': 42
}

with mlflow.start_run():
    # Log parameters
    mlflow.log_params(params)

    # Load and split data
    iris = load_iris()
    X_train, X_test, y_train, y_test = train_test_split(
        iris.data, iris.target, test_size=0.2, random_state=42
    )

    # Train
    model = RandomForestClassifier(**params)
    model.fit(X_train, y_train)

    # Evaluate
    y_pred = model.predict(X_test)
    accuracy = accuracy_score(y_test, y_pred)
    f1 = f1_score(y_test, y_pred, average='weighted')
```

# Exercise 4.2: Weights & Biases (15 min)

## Task: Track experiments with wandb

```
import wandb
from sklearn.datasets import load_iris
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import accuracy_score, confusion_matrix
import matplotlib.pyplot as plt
import seaborn as sns

# Initialize wandb
wandb.init(
    project="iris-classification",
    config={
        "n_estimators": 100,
        "max_depth": 5,
        "random_state": 42
    }
)

config = wandb.config

# Load data
iris = load_iris()
X_train, X_test, y_train, y_test = train_test_split(
    iris.data, iris.target, test_size=0.2, random_state=config.random_state
)

# Train
model = RandomForestClassifier(
    n_estimators=config.n_estimators,
    max_depth=config.max_depth,
    random_state=config.random_state
)
model.fit(X_train, y_train)

# Evaluate
y_pred = model.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)

# Log metrics
wandb.log({"accuracy": accuracy})

# Log confusion matrix
cm = confusion_matrix(y_test, y_pred)
```



# Bonus Exercise 1: DVC Setup (20 min)

## Task: Version control data and models

```
# Initialize DVC
git init
dvc init

# Add data file
dvc add data/large_dataset.csv

# Commit
git add data/large_dataset.csv.dvc data/.gitignore
git commit -m "Add dataset"

# Configure remote storage (S3, GCS, or local)
dvc remote add -d myremote /tmp/dvc-storage
dvc push

# On another machine, pull data
dvc pull
```

# Bonus Exercise 2: Configuration with Hydra (20 min)

**Task:** Manage configurations elegantly

Install:

```
pip install hydra-core
```

Create `configs/config.yaml`:

```
model:  
  name: random_forest  
  n_estimators: 100  
  max_depth: 5
```

```
training:  
  test_size: 0.2  
  random_seed: 42
```

```
data:
```

# Bonus Exercise 3: Pre-commit Hooks (20 min)

**Task:** Automate code quality checks

Install:

```
pip install pre-commit black flake8 mypy
```

Create `.pre-commit-config.yaml`:

```
repos:
- repo: https://github.com/psf/black
  rev: 23.3.0
  hooks:
    - id: black
      language_version: python3.10
- repo: https://github.com/pycqa/flake8
  rev: 6.0.0
  hooks:
    - id: flake8
```

# Project Structure Best Practices

## Create organized project:

```
mkdir -p ml-project/{data/{raw,processed,external},models,notebooks,src/{data,models,utils},tests,configs}
tree ml-project/
```

## Result:

```
ml-project/
├── data/
│   ├── raw/
│   ├── processed/
│   └── external/
├── models/
├── notebooks/
├── src/
│   ├── __init__.py
│   ├── data/
│   └── models/
```

# Deliverables

Submit the following:

**1. GitHub repository with:**

- Organized project structure
- requirements.txt or environment.yml
- Dockerfile and docker-compose.yml
- .dockerignore and .gitignore
- README with setup instructions

**2. Docker setup that:**

- Builds successfully
- Runs training script

# Testing Checklist

Before submission:

- ☐ Virtual environment activates correctly
- ☐ All dependencies in requirements.txt
- ☐ Docker image builds without errors
- ☐ Docker container runs successfully
- ☐ Volumes mount correctly
- ☐ Random seeds set for reproducibility
- ☐ Experiment tracking works
- ☐ Code runs on fresh environment
- ☐ README has complete instructions
- ☐ .gitignore excludes sensitive files

# Common Issues and Solutions

## **Issue: Docker build fails**

- Check Dockerfile syntax
- Ensure files exist before COPY
- Check internet connection for downloads

## **Issue: Permission denied in container**

- Run container as non-root user
- Check volume mount permissions

## **Issue: Package conflicts**

- Use exact versions in requirements.txt
- Clear pip cache

# Resources

## Documentation:

- Docker: <https://docs.docker.com/>
- Docker Compose: <https://docs.docker.com/compose/>
- MLflow: <https://mlflow.org/docs/>
- Weights & Biases: <https://docs.wandb.ai/>
- DVC: <https://dvc.org/doc>

## Tools:

- Docker Desktop: <https://www.docker.com/products/docker-desktop>
- Poetry: <https://python-poetry.org/>
- Hydra: <https://hydra.cc/>



# Excellent Work!

You've mastered reproducible ML development!

**Next week:** Testing & CI/CD for AI

**Questions? Office hours: Tomorrow 3-5 PM**