

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex dob_check.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o dob.exe

C:\Users\MUNI LOKESH>dob.exe
Enter DOB (DD/MM/YYYY or DD-MM-YYYY):
19012005
^Z
Invalid DOB

C:\Users\MUNI LOKESH>dob.exe
Enter DOB (DD/MM/YYYY or DD-MM-YYYY):
25/05/2004
^Z
Valid DOB

C:\Users\MUNI LOKESH>|
```

```
Command Prompt - a.exe
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex calculator.l.txt
"calculator.l.txt", line 14: warning, rule cannot be matched

C:\Users\MUNI LOKESH>flex calculator.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>calc.exe
'calc.exe' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\MUNI LOKESH>a.exe
Enter Expression:
10+20
Result = 30
|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex digit_check.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o digit.exe

C:\Users\MUNI LOKESH>digit.exe
Enter Input:
12345
^Z
Given Input is a Digit

C:\Users\MUNI LOKESH>
```

```
Command Prompt - keyid.exe
C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o keyid.exe

C:\Users\MUNI LOKESH>keyid.exe
Token    Type
-----
int main()
int      Keyword
main     Identifier
^Z

C:\Users\MUNI LOKESH>keyid.exe
Token    Type
-----
int main()
int      Keyword
main     Identifier
{
int a,b;
int      Keyword
a        Identifier
b        Identifier
float total;
float     Keyword
total     Identifier
return 0;
return    Keyword
}
```

```
Command Prompt - a.exe X + v
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex positive_negative.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Enter numbers:
1
1 is a Positive Number
-2
-2 is a Negative Number
|

Command Prompt X + v
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex mobile_check.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o mobile.exe

C:\Users\MUNI LOKESH>mobile.exe
Enter Mobile Number:
7815957021
^Z
Valid Mobile Number

C:\Users\MUNI LOKESH>|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex consonantcount.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o consonant.exe

C:\Users\MUNI LOKESH>consonant.exe
Enter a sentence:
Lexical Analysis
^X
^Z
Number of Consonants = 9

C:\Users\MUNI LOKESH>
```



```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex lexical_analyzer.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o lexical.exe

C:\Users\MUNI LOKESH>lexical.exe
Token      Caption
-----
^Z

C:\Users\MUNI LOKESH>lexical.exe < sample.c
Token      Caption
-----
#                Special Symbol
define          Identifier
PI              Identifier
3              Constant
.              Special Symbol
1d             Constant
#include<stdio.h> Header File
#                Special Symbol
include         Identifier
<              Special Symbol
canio           Identifier
.              Special Symbol
h              Identifier
>              Special Symbol
void            Keyword
main            Keyword
(              Left Parenthesis
)              Right Parenthesis
{              Left Brace
int             Keyword
a              Identifier
,              Comma
b              Identifier
;              Comma
c              Identifier
=              Assignment Operator
30             Constant
;              Semicolon
printf          Identifier
(              Left Parenthesis
"hello"         String Literal
)              Right Parenthesis
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex email_check.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o email.exe

C:\Users\MUNI LOKESH>email.exe
Enter Email Address:
munil8215@gmail.com
^Z
Valid Email Address

C:\Users\MUNI LOKESH>|

Command Prompt - abc.exe
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex abc_to_ABC.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o abc.exe

C:\Users\MUNI LOKESH>abc.exe
Enter a string:
welcome abc to abc world
welcome ABC to ABC world

|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex remove_comments.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe < input.c
Number of Comment Lines = 2
Comments removed and written into output.c

C:\Users\MUNI LOKESH>
```

```
Command Prompt - a.exe
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex capital_words.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Capital Words are:
HELLO world HOW ARE You TODAY
HELLO
HOW
ARE
Y
TODAY
|
```

```
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex html_tags.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
HTML Tags in the file are:
^Z

C:\Users\MUNI LOKESH>a.exe < sample.html
HTML Tags in the file are:
<html>
<body>
<h1>
</h1>
<p>
</p>
</body>
</html>

C:\Users\MUNI LOKESH>|
```

```
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex line_numbers.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe < sample.c
1: #define PI 3.14
2: #include<stdio.h>
3: #include<conio.h>
4:
5: void main()
6: {
7:     int a,b,c = 30;
8:     printf("hello");
9: }
C:\Users\MUNI LOKESH>|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex constants.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Constants in the source file are:

^Z

C:\Users\MUNI LOKESH>a.exe
Constants in the source file are:
^Z

C:\Users\MUNI LOKESH>a.exe
Constants in the source file are:
^Z

C:\Users\MUNI LOKESH>a.exe < sample.c
Constants in the source file are:
Floating Constant: 3.14
Integer Constant: 30

C:\Users\MUNI LOKESH>|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex vowel_count.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Enter a word/sentence:
Lexical Analysis

^Z

Number of Vowels = 6
Number of Consonants = 9
C:\Users\MUNI LOKESH>|
```



```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex macro_header.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe

^Z
Number of Macros Defined: 0
Number of Header Files Included: 0

C:\Users\MUNI LOKESH>a.exe < sample.c
Number of Macros Defined: 1
Number of Header Files Included: 2

C:\Users\MUNI LOKESH>|

Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex remove_comments.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Number of comment lines = 2

C:\Users\MUNI LOKESH>|
```

```
Command Prompt - a.exe X + v
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex capitalwords.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Enter a sentence:
HELLO world THIS is a LEX PROGRAM
Capital Word: HELLO
Capital Word: THIS
Capital Word: LEX
Capital Word: PROGRAM
|

Command Prompt X + v
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex vowels.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c

C:\Users\MUNI LOKESH>a.exe
Enter a sentence:
Hello World

*?
Number of vowels = 3

C:\Users\MUNI LOKESH>
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin
C:\Users\MUNI LOKESH>Flex linenumber.1.txt
C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin
C:\Users\MUNI LOKESH>gcc lex.yy.c
C:\Users\MUNI LOKESH>a.exe
1: #define PI 3.14
2: #include<stdio.h>
3: #include<conio.h>
4:
5: void main()
6: {
7:     int a,b,c = 38;
8:     printf("hello");
9: }
C:\Users\MUNI LOKESH>

Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin
C:\Users\MUNI LOKESH>Flex macro_header.1.txt
C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin
C:\Users\MUNI LOKESH>gcc lex.yy.c
C:\Users\MUNI LOKESH>a.exe
Number of Macros defined: 1
Number of Header files included: 2
C:\Users\MUNI LOKESH>
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8520]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin
C:\Users\MUNI LOKESH>Flex constants.l.txt
C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin
C:\Users\MUNI LOKESH>gcc lex.yy.c
C:\Users\MUNI LOKESH>a.exe
Constant : 3.14
Constant : 38
C:\Users\MUNI LOKESH>

Command Prompt
Microsoft Windows [Version 10.0.26200.8520]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin
C:\Users\MUNI LOKESH>Flex htmltags.l.txt
C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin
C:\Users\MUNI LOKESH>gcc lex.yy.c
C:\Users\MUNI LOKESH>a.exe
HTML Tag: <html>
HTML Tag: <body>
HTML Tag: <h1>
HTML Tag: </h1>
HTML Tag: <p>
HTML Tag: </p>
HTML Tag: </body>
HTML Tag: </html>
C:\Users\MUNI LOKESH>
```

The screenshot displays a Windows desktop environment. At the top, a terminal window is open, showing the execution of a C program. The program prompts for an identifier, which is entered as 'abc123'. It then calculates the sum of numbers from 1 to 10 using a loop and prints the result, 'Final Result = 10'. The terminal window also shows the process exiting after 5.903 seconds with a return value of 0.

Below the terminal window, the Windows taskbar is visible. It includes the Start button, a search bar, and several pinned application icons. The system tray on the right shows the date and time as 11:04 AM on 11-06-2023, along with network and volume icons.

The image shows a Windows desktop environment. At the top, a terminal window is open, displaying a series of commands and their outputs. The commands include directory listings, file searches for 'compiler', and a Java compilation process using the 'javac' command. The compilation process is for a file named 'main.java' and results in a 'Result = 23'. Below the terminal window, the Windows taskbar is visible, showing several application icons including a web browser, a file explorer, and a communication app. The system tray on the right side of the taskbar shows the date and time as 10:37 AM on 10-06-2026. The desktop background is a solid light blue color.

```
C:\Users\MAHESH\winh X + v
Enter text (up to 100 characters, use ~ to end):
void main()
{
int a;
int b;
a = b + c;
c = d * e;
}
~
Total number of words: 12
Total number of lines: 8
Total number of characters: 34

-----
Process exited after 9.5 seconds with return value 0
Press any key to continue . . . |

32°C
Partly sunny
C:\Users\MAHESH\winh X + v
Enter text (use ~ to end):
void main()
{
int a;
int b;
a = b + c;
c = d * e;
}
~
Total number of whitespaces: 11
Total number of newline characters: 7

-----
Process exited after 13.65 seconds with return value 0
Press any key to continue . . . |

32°C
Partly sunny
C:\Users\MAHESH\winh X + v
Enter text (use ~ to end):
void main()
{
int a;
int b;
a = b + c;
c = d * e;
}
~
Total number of whitespaces: 11
Total number of newline characters: 7

-----
Process exited after 13.65 seconds with return value 0
Press any key to continue . . . |

32°C
Partly sunny
```

```
C:\Users\MUNI LOKESH\vscode: X + -  
  
Enter any operator:<=
```

```
Less than or equal
```

```
Process exited after 15.58 seconds with return value 0  
Press any key to continue . . . |
```

33°C
Partly sunny

Search

ENG IN 10:46 AM 10-06-2026

```
C:\Users\MUNI LOKESH\vscode: X + -  
enter the string : a = b + c * e + 100  
identifiers : a b c e  
constants : 100  
operators : = + * +
```

```
Process exited after 36.15 seconds with return value 0  
Press any key to continue . . . |
```

33°C
Partly sunny

Search

ENG IN 10:12 AM 10-06-2026


```
C:\Users\MUNI LOKESH>
Enter comment:hello
It is not a comment
Process exited after 4.228 seconds with return value 0
Press any key to continue . . .

Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex longest_word.l.txt
flex: can't open longest_word.l.txt

C:\Users\MUNI LOKESH>flex longest_word.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o longest.exe

C:\Users\MUNI LOKESH>longest.exe
Enter a sentence:
welcome to lexical analyzer program
^Z
Length of Longest Word = 8

C:\Users\MUNI LOKESH>
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex replace_word.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c -o replace.exe

C:\Users\MUNI LOKESH>replace.exe < input.txt
Word replaced successfully and written into output.txt

C:\Users\MUNI LOKESH>a.exe
Enter Expression:
old is gold but old things are valuable
^Z

C:\Users\MUNI LOKESH>output.txt

C:\Users\MUNI LOKESH>|
```

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\GnuWin32\bin

C:\Users\MUNI LOKESH>flex word_frequency.l.txt

C:\Users\MUNI LOKESH>set path=C:\Program Files (x86)\MinGW\bin

C:\Users\MUNI LOKESH>gcc lex.yy.c
c:/program files (x86)/mingw/bin/../../lib/gcc/mingw32/6.3.0/../../../mingw32/bin/ld.exe: cannot open output file a.exe:
Permission denied
collect2.exe: error: ld returned 1 exit status

C:\Users\MUNI LOKESH>gcc lex.yy.c -o freq.exe

C:\Users\MUNI LOKESH>a.exe
Enter Expression:
hello world hello students hello
^Z

C:\Users\MUNI LOKESH>freq.exe
Enter a sentence:
hello world hello students hello
^Z
Frequency of word 'hello' = 3

C:\Users\MUNI LOKESH>
```

```

MUNJ LOKESH@MUNJ BORT64 ~
$ cd "/c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler"
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ bison -dy ast.y
bison: ast.y: cannot open: No such file or directory
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ mv ast.y.txt ast.y
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ mv ast.1.txt ast.1
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ ls
ast.1  ast.y  calc.exe  calc.1  calc.y  lex.yy.c  y.tab.c  y.tab.h
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ bison -dy ast.y
Enter expression: a+b*c
Preorder : + * + b c
Inorder  : a + b = c
Postorder: a b c = +

```

```

MUNJ LOKESH@MUNJ BORT64 ~
$ cd "/c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler"
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ mv typecheck.1.txt typecheck.1
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ ls
ast.exe  ast.y  calc.1  lex.yy.c  sdd.1  typecheck.1  y.tab.c
ast.1    calc.exe  calc.y  sdd.exe  sdd.y  typecheck.y  y.tab.h
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ bison -dy typecheck.y
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ flex typecheck.1
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ gcc y.tab.c lex.yy.c -o typecheck.exe
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$ ./typecheck.exe
Enter declarations and assignments:
Type A = int;
Type B = int;
x = 1;
y = 1;
x = y;
Checking assignment: x = y
Type of x = A
Type of y = B
Name Equivalence: Not Compatible
Structural equivalence: Compatible
Invalid syntax
MUNJ LOKESH@MUNJ BORT64 /c:/Users/MUNJ LOKESH/OneDrive/Desktop/compiler
$

```

```

MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ cd "C:/Users/MUNI LOKESH/OneDrive/Desktop/compiler"
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ mv coercion.y.txt coercion.y
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ mv coercion.1.txt coercion.1
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ ls
ast.exe ast.y calc.1 coercion.1 lex.yy.c sdd.1 typecheck.exe typecheck.y y.tab.h
ast.1 calc.exe calc.y coercion.y sdd.exe sdd.y typecheck.1 y.tab.c
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ lsdir -d coercion.y
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ flex coercion.1
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ gcc y.tab.c lex.yy.c -o coercion.exe
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$ ./coercion.exe
Enter declarations and assignments:
float temperature
int sensor_value;
temperature = sensor_value/10
Assignments: temperature = sensor_value
Type of temperature = float
Type of sensor_value = int
Implicit type conversion performed: int to float
Final type of temperature = float
Final type of sensor_value = float
Final type of temperature = float
Final type of sensor_value = float
MUNI LOKESHMUNI BCRT64 /c/Users/MUNI LOKESH/OneDrive/Desktop/compiler
$

```