

Mix	Mix ID	Corrected 7-day strength (MPa)	Corrected 28-day strength (MPa)
1	0.5 h, RCF 10%, SS 38.24%, A/B 0.450	12.30 ± 0.85	20.41 ± 0.17
2	1 h, RCF 50%, SS 74.98%, A/B 0.476	12.59 ± 1.03	18.21 ± 2.29
3	5 h, RCF 10%, SS 0%, A/B 0.467	3.19 ± 0.16	9.92 ± 1.10
4	1 h, RCF 16.8%, SS 75.00%, A/B 0.420	11.20 ± 0.47	26.54 ± 2.61
5	NC, RCF 10%, SS 67.53%, A/B 0.434	19.23 ± 0.29	21.24 ± 3.38
6	5 h, RCF 36.6%, SS 49.88%, A/B 0.442	15.60 ± 1.05	16.97 ± 1.19
7	NC, RCF 18.2%, SS 16.38%, A/B 0.419	8.34 ± 2.28	33.96 ± 5.35
8	1 h, RCF 27.8%, SS 32.39%, A/B 0.479	13.60 ± 2.28	15.68 ± 6.50
9	NC, RCF 43.95%, SS 0%, A/B 0.442	3.86 ± 0.04	11.38 ± 0.96
10	0.5 h, RCF 30%, SS 0%, A/B 0.450	4.66 ± 0.12	16.22 ± 2.65
11	1 h, RCF 50%, SS 59.59%, A/B 0.420	16.31 ± 3.03	26.53 (n=1)
12	0.5 h, RCF 10%, SS 37.95%, A/B 0.448	14.70 ± 4.72	17.38 ± 2.58
13	NC, RCF 19%, SS 74.81%, A/B 0.468	14.17 ± 0.20	19.05 ± 7.89
14	0.5 h, RCF 30%, SS 0%, A/B 0.450	6.69 ± 0.21	26.22 ± 0.29

Mix	Mix ID	Corrected 7-day strength (MPa)	Corrected 28-day strength (MPa)
15	1 h, RCF 50%, SS 12.42%, A/B 0.420	9.84 ± 1.06	16.62 ± 2.98
16	NC, RCF 10%, SS 0%, A/B 0.480	3.13 ± 0.17	9.63 ± 3.30
17	5 h, RCF 36.6%, SS 49.88%, A/B 0.442	16.90 ± 2.57	16.88 ± 4.48
18	NC, RCF 50%, SS 16.88%, A/B 0.471	8.62 ± 0.40	17.52 ± 3.18
19	0.5 h, RCF 10%, SS 38.23%, A/B 0.450	10.04 ± 0.61	20.67 ± 7.23
20	NC, RCF 48.55%, SS 72.00%, A/B 0.428	16.54 ± 0.49	27.52 ± 2.86
21	5 h, RCF 10%, SS 0%, A/B 0.420	4.00 ± 0.08	12.82 ± 4.11
22	5 h, RCF 50%, SS 0%, A/B 0.480	8.86 ± 0.40	13.88 ± 1.56
23	1 h, RCF 27.8%, SS 32.63%, A/B 0.480	12.82 ± 0.94	23.90 ± 3.71
24	5 h, RCF 42.805%, SS 0%, A/B 0.440	8.02 ± 0.53	19.90 ± 4.40
25	NC, RCF 44%, SS 63.75%, A/B 0.466	22.20 ± 6.53	36.04 ± 12.72
26	1 h, RCF 25.4%, SS 29.51%, A/B 0.420	12.96 ± 0.08	24.42 ± 6.65
27	5 h, RCF 10%, SS 75.00%, A/B 0.480	10.56 ± 0.13	15.18 ± 3.15
28	5 h, RCF 36.6%, SS 49.83%, A/B 0.442	20.82 ± 1.49	17.75 ± 2.12

Mix	Mix ID	Corrected 7-day strength (MPa)	Corrected 28-day strength (MPa)
29	1 h, RCF 10%, SS 0%, A/B 0.450	3.08 (n=1)	7.64 (n=1)
30	1 h, RCF 50%, SS 0%, A/B 0.450	5.83 ± 0.44	14.00 (n=1)