

SHAP explanations of the strength models

7-day, 28-day and paired 7/28-day models · exact Shapley values · carbonation as a 4-level categorical input · 2026-09-29

- **7-day model.** SS contributes most (mean |SHAP| 0.50 on the ln scale, about 4.6 MPa; ranked first in 99 % of refits), followed by RCF (0.15) and Carbonation (0.08). Largest interactions: SS × Carbonation (0.095 for the pair); RCF × Carbonation (0.058 for the pair); RCF × SS (0.055 for the pair). A/B is not in the model.
- **28-day model.** Carbonation is marginally first, but no input clearly dominates (mean |SHAP| 0.17 on the ln scale, about 3.2 MPa; ranked first in 35 % of refits), followed by SS (0.16), RCF (0.15) and A/B (0.14). The model has no interaction terms, so every interaction value is zero.
- **Paired model.** Inputs by mean |SHAP|: SS (0.35), Curing age (0.32), RCF (0.16), Carbonation (0.08). Curing age interacts only with SS (0.146 for the pair): the 28-day advantage is largest in NaOH-only mixes.

SHAP values here are exact interventional Shapley values of each fitted model, computed over all coalitions of its inputs (16 for four inputs, 32 with curing age) with the 30 real mixtures as the background set (60 mixture × age rows for the paired model). No sampling approximation is involved. The inputs are the actual model inputs: RCF (%), SS (%), A/B and carbonation. Carbonation is one categorical input with four levels (NC, 0.5 h, 1 h, 5 h). When it is absent from a coalition its level is taken from a background mixture, so its level indicators and its carbonated × RCF and carbonated × SS terms always move together. It is never treated as a number. The paired model adds curing age (7 or 28 d) as a fifth input. SHAP interaction values follow Lundberg et al. (2020).


Values are computed on the ln-strength scale, where the models were fitted. On that scale the contributions add up exactly and the interaction values correspond one-to-one to the models' interaction terms. Axes also show the multiplicative factor $\exp(\text{SHAP})$. The waterfalls and the supplementary figures use the MPa scale (median prediction). Checks: every decomposition satisfies Shapley efficiency to machine precision. The values agree with `shap.ExactExplainer` (0.51.0) to within $2.7\text{e-}15$ for values and interaction values. For the additive 28-day model they also equal the closed-form contributions (difference $9.0\text{e-}16$). Importance intervals come from 1,000 case-bootstrap refits stratified by carbonation level (999 usable for the paired model).

SHAP describes how each fitted model uses its inputs, not causal effects. An input a model does not contain gets exactly zero. The values depend on the background set (here the design itself), and the 28-day model predicts new mixtures much less precisely than the 7-day model (predicted R^2 of the fixed terms 0.43 vs 0.91; -0.13 for the 28-day model when its selection is repeated in each fold), so its SHAP pattern is less certain.

Model	Input	Mean SHAP , ln [95 % boot]	Typical factor	Mean SHAP , MPa [95 % boot]	Ranked first in refits
7-day model	RCF	0.153 [0.089–0.218]	×1.17	1.38 [0.79–2.34]	0 %
7-day model	SS	0.496 [0.423–0.552]	×1.64	4.56 [3.94–5.49]	99 %
7-day model	A/B	0 (not in model)	–	0	0 %
7-day model	Carbonation	0.080 [0.055–0.192]	×1.08	0.84 [0.59–2.46]	1 %
28-day model	RCF	0.151 [0.081–0.232]	×1.16	2.71 [1.42–4.39]	16 %
28-day model	SS	0.156 [0.076–0.240]	×1.17	2.92 [1.50–4.59]	28 %
28-day model	A/B	0.140 [0.072–0.244]	×1.15	2.81 [1.36–5.17]	20 %
28-day model	Carbonation	0.167 [0.094–0.263]	×1.18	3.21 [1.69–5.38]	35 %
Paired 7/28-day model	RCF	0.156 [0.083–0.229]	×1.17	2.05 [1.10–3.22]	0 %
Paired 7/28-day model	SS	0.350 [0.271–0.428]	×1.42	4.03 [2.95–5.65]	75 %
Paired 7/28-day model	A/B	0 (not in model)	–	0	0 %
Paired 7/28-day model	Carbonation	0.082 [0.053–0.178]	×1.09	1.19 [0.80–2.93]	0 %
Paired 7/28-day model	Curing age	0.318 [0.277–0.362]	×1.37	3.91 [3.16–5.22]	25 %

Model	Pair	Mean interaction , per half	Full pair effect	Typical factor
7-day model	RCF × SS	0.027	0.055	×1.06
7-day model	RCF × Carbonation	0.029	0.058	×1.06
7-day model	SS × Carbonation	0.048	0.095	×1.10
Paired 7/28-day model	RCF × SS	0.028	0.057	×1.06
Paired 7/28-day model	RCF × Carbonation	0.030	0.060	×1.06
Paired 7/28-day model	SS × Carbonation	0.049	0.098	×1.10
Paired 7/28-day model	SS × Curing age	0.073	0.146	×1.16


Z01. Mean |SHAP| feature importance



Bars: mean |SHAP| over the 30 mixtures (60 mixture × age rows in b). Whiskers: 95 % interval over 1,000 case-bootstrap refits stratified by carbonation level.


Average absolute SHAP value of each input over the 30 mixtures (60 mixture × age rows for the paired model), on the ln-strength scale. Whiskers: 95 % interval over 1,000 case-bootstrap refits stratified by carbonation level. The intervals are conditional on the selected terms, so an input the model does not contain has zero importance by construction (A/B in the 7-day model).

Z02. SHAP summary (beeswarm)




Each dot is one mixture: its horizontal position is the SHAP value of that input, the change in predicted ln strength (top axis: the equivalent multiplicative factor on strength) relative to the average prediction. Colour gives the input's own value (blue low, red high); carbonation is categorical and is shown by level. Inputs are ordered by mean |SHAP|.

Z03. SHAP dependence plots, 7-day and 28-day models on one scale



SHAP value of each input against its value, for every mixture. Vertical spread at a given input value comes from interactions with the other inputs; the 28-day model is additive, so its points fall on single curves. Carbonation (right) is plotted by level, coloured by SS, with the level mean as a bar.


Z04. SHAP interaction matrices



Diagonal: main effect of each feature; off-diagonal: the interaction value of the pair (each half shown in both cells; a row sums to the feature's SHAP value). Zero cells: the model has no term linking the two features.

Mean absolute SHAP interaction values. The diagonal is the main effect of each input; each off-diagonal cell holds one half of the pair's interaction (the full pair effect is twice the cell). A zero cell means the model has no term linking the two inputs.


Z05. SHAP interaction dependence plots



The 28-day model contains no interaction terms, so all of its interaction values are exactly zero on the ln scale (Z04 b).

Full interaction effect (both halves) for the key pairs. a: carbonation raises strength at low SS and lowers it at high SS in the 7-day model; b: RCF helps more when carbonated; c: RCF helps more at low SS; d: in the paired model the 28-day advantage is largest at low SS.


Z06. Waterfall decompositions (MPa)



Exact Shapley decomposition of each model's median prediction in MPa: $E[f]$ is the mean prediction over the 30 mixtures, the bars add up to the prediction $f(x)$.


Exact Shapley decomposition of each model's median prediction in MPa for four mixtures: the highest-strength mix (25), a weak NaOH-only mix (29), a carbonated high-RCF NaOH-only mix (30) and a carbonated silicate-rich mix (27). $E[f]$ is the mean prediction over the 30 mixtures.

Z07. Paired model: curing age



a: SHAP value of curing age against SS, showing that the 7 $\rightarrow$ 28-day contribution is largest in NaOH-only mixes; b: SHAP value of SS coloured by age, showing the flatter SS response at 28 days; c: SHAP value of RCF by carbonation level.


Z08a. Supplementary: importance on the MPa scale



Bars: mean |SHAP| over the 30 mixtures (60 mixture × age rows in b). Whiskers: 95 % interval over 1,000 case-bootstrap refits stratified by carbonation level.

As Z01, with SHAP values of the median prediction in MPa.

Z08b. Supplementary: summary on the MPa scale



As Z02, with SHAP values in MPa. On this scale the log-linear models are no longer additive, so even the 28-day model shows small interactions.