

Nama : Muhamad Munir Riansyah

NIM : 242310027

Kelas : TI24KA

PRAKTIKUM 4 PEMROGRAMAN WEB

```
D:\Kuliah IBIK KESATUAN\Semester 4\lab pemrograman web\Praktikum 4\Mern stack\Backend>node index.js
Server is running on port 3001
Connected to the database
```

```
PS D:\Kuliah IBIK KESATUAN\Semester 4\lab pemrograman web\Praktikum 4\Mern stack\
my-first-app-react> npm run dev

> my-first-app-react@0.1.0 dev
> next dev

▲ Next.js 16.2.4 (Turbopack)
- Local:      http://localhost:3000
- Network:    http://192.168.17.10:3000
✓ Ready in 955ms

GET / 200 in 633ms (next.js: 294ms, application-code: 339ms)
GET / 200 in 129ms (next.js: 10ms, application-code: 119ms)
GET / 200 in 149ms (next.js: 7ms, application-code: 142ms)
GET / 200 in 162ms (next.js: 9ms, application-code: 152ms)
```

localhost:3000

Bahan Ajar - Google... Ngulix_Linux 2 Trunk IAX2 - Briker...

```
Hello World!!
{
  "message": "API MERN Stack Build by Express JS",
  "version": "1.0.0",
  "status": "active",
  "timestamp": "2026-05-05T11:30:44.700Z"
}
```

localhost:3001

Bahan Ajar - Google... Ngulix_Linux 2 Trunk IA

server berjalan

localhost:3001/api/info

Bahan Ajar - Google... Ngulix_Linux 2 Trunk IA

Pretty-print ☐

```
{"message":"API MERN Stack Build by Express JS","version":"1.0.0","status":"active","timestamp":"2026-05-05T11:31:39.549Z"}
```

Backend > JS index.js > ...

```
1  const express = require("express");
2  const mysql = require("mysql2");
3  const app = express();
4  const cors = require("cors");
5
6  app.use(cors({
7    origin: "http://localhost:3000",
8    credentials: true
9  }));
10
11 app.use(express.json());
12
13 const db = mysql.createConnection({
14   host: "localhost",
15   user: "root",
16   password: "",
17   database: "pw_praktikum_db",
18   port: 3306,
19 });
20
21
22 db.connect((err) => {
23   if (err) {
24     console.error("Error connecting to the database:", err);
25     return;
26   }
27   console.log("Connected to the database");
28 });
29
30 app.get("/", (req, res) => {
31   res.send("server berjalan");
32 });
```

```
33
34 app.listen(3001, () => {
35   console.log("Server is running on port 3001");
36 });
37 app.get("/api/info", (req, res) => {
38   res.json({
39     message: "API MERN Stack Build by Express JS",
40     version: "1.0.0",
41     status: "active",
42     timestamp: new Date()
43   });
44 });
45
46
```

Page

```
my-first-app-react > app > page.tsx > Home > getAPIInfo
1  "use client";
2
3  import axios from "axios";
4  import { useEffect, useState } from "react";
5
6  export default function Home() {
7    const [info, setInfo] = useState<any>(null);
8
9    const getAPIInfo = async () => {
10     try {
11       const res = await axios.get("http://127.0.0.1:3001/api/info");
12       setInfo(res.data);
13     } catch (err) {
14       console.error(err);
15       setInfo("Error koneksi ke backend");
16     }
17   };
18
19   useEffect(() => {
20     getAPIInfo();
21   }, []);
22
23   return (
24     <div>
25       <h1>Hello World!!</h1>
26       <pre>{JSON.stringify(info, null, 2)}</pre>
27     </div>
28   );
29 }
```