Api

POST 1 - Signup - /api/auth/signup

{{host}}/api/auth/signup

BODY raw

```
{
    "username": "user1",
    "password1": "Us3r$1",
    "password2": "Us3r$1",
    "email": "user1@example.com"
}
```

Example Request 1 - Signup - /api/auth/signup

```
curl --location -g --request POST '{{host}}/api/auth/signup' \
--data-raw '{
    "username": "user1",
    "password1": "Us3r$1",
    "password2": "Us3r$1",
    "email": "user1@example.com"
```

Documentation Settings ▼

Documentation Settings ▼

 \equiv

POST 2 - Login - /api/auth/login

{{host}}/api/auth/login

BODY raw

```
{
    "username": "user1",
    "password": "Us3r$1"
}
```

2 - Login - /api/auth/login

```
curl --location -g --request POST '{{host}}/api/auth/login' \
--data-raw '{
    "username": "user1",
    "password": "Us3r$1"
}'
```

GET 3 - Get all tasks - /api/tasks

{{host}}/api/tasks

Documentation Settings

Bearer

eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY2NjQwNjE1MSwianRpljoiZTliMDdlNjltZjU5NS00MWFkLTljNDctMjVlNWRjMTl3OTk4liwidHlwZ Sl6ImFjY2VzcylsInN1Yil6eyJpZCl6MSwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY0MDYxNTF9.LVkGxEooQroEhjLUroeEW5SNzRUW8-HMZqVlutzmNWU

BODY formdata

Example Request 3 - Get all tasks - /api/tasks

```
curl --location -g --request GET '{{host}}/api/tasks' \
   --header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY2NjQwNjE1MSwianRpIjoiZTliMDdlNjItZjU5NS00M
```

POST 4 - Create task - /api/tasks

{{host}}/api/tasks

HEADERS

Authorization

Bearer

eyJhbGciOiJIUzl1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY2NjYzNDY3NSwianRpljoiNWZmYTQ4MTgtNmYyMC00ODFmLWFlYzMtYjRhNTAxMTRmM2Nili widHlwZSl6ImFjY2VzcylsInN1Yil6eyJpZCl6MiwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY2MzQ2NzV9.flEN2FYpElOVc7VRMpLqUOVtC4X63bU03XTj7vnERII

BODY formdata

 \equiv

Documentation Settings

newFormat WAV

Example Request 4 - Create task - /api/tasks

```
curl --location -g --request POST '{{host}}/api/tasks' \
   --header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY2NjYzNDY3NSwianRpIjoiNWZmYTQ4MTgtNmYyMC00C
   --form 'fileName=@"-MjT-Kq3o/sample.mp3"' \
   --form 'newFormat="WAV"'
```

GET 5 - Get task - /api/tasks/<id>

{{host}}/api/tasks/1

HEADERS

Authorization

Bearer

eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY2NjQwNjE1MSwianRpljoiZTliMDdlNjltZjU5NS00MWFkLTljNDctMjVlNWRjMTl3OTk4liwidHlwZ Sl6ImFjY2VzcylsInN1Yil6eyJpZCl6MSwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY0MDYxNTF9.LVkGxEooQroEhjLUroeEW5SNzRUW8-HMZqVlutzmNWU

BODY formdata

```
curl --location -g --request GET '{{host}}/api/tasks/1' \
--header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY2NjQwNjE1MSwianRpIjoiZTliMDdlNjItZjU5NS00M
```

PUT 6 - Change format - /api/tasks/<id>

{{host}}/api/tasks/1

HEADERS

Authorization

Bearer

eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY2NjQwNjE1MSwianRpljoiZTliMDdlNjltZjU5NS00MWFkLTljNDctMjVlNWRjMTl3OTk4liwidHlwZ Sl6ImFjY2VzcylsInN1Yil6eyJpZCl6MSwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY0MDYxNTF9.LVkGxEooQroEhjLUroeEW5SNzRUW8-HMZqVlutzmNWU

BODY raw

```
{
    "newFormat": "OGG"
}
```

Example Request 6 - Change format - /api/tasks/<id>

```
curl --location -g --request PUT '{{host}}/api/tasks/1' \setminus
```

Documentation Settings

⁻⁻header 'Authorization: Bearer evlhhGciOilTUzT1NiTsTnR5cCT6TknXVCl9.evlmcmVzaCT67mFsc2UsTmlhdCT6MTY2NiOwNiF1MSwianRnTioi7TliMDdlNiTt7iU5NS00M

Documentation Settings

DEL 7 - Delete task - /api/tasks/<id>

{{host}}/api/tasks/6

HEADERS

Authorization

Bearer

eyJhbGciOiJIUzI1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UsImlhdCl6MTY2NjQwNjE1MSwianRpljoiZTliMDdlNjltZjU5NS00MWFkLTljNDctMjVlNWRjMTl3OTk4liwidHlwZ Sl6ImFjY2VzcylsInN1Yil6eyJpZCl6MSwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY0MDYxNTF9.LVkGxEooQroEhjLUroeEW5SNzRUW8-HMZqVlutzmNWU

BODY formdata

Fxample Request 7 - Delete task - /api/tasks/<id>

```
curl --location -g --request DELETE '{{host}}/api/tasks/6' \
--header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY2NjQwNjE1MSwianRpIjoiZTliMDdlNjItZjU5NS00M
```

GET 8 - Download file - /api/files/<filename>

Documentation Settings

HEADERS

Authorization

Bearer

eyJhbGciOiJIUzl1NilsInR5cCl6lkpXVCJ9.eyJmcmVzaCl6ZmFsc2UslmlhdCl6MTY2NjQwNjE1MSwianRpljoiZTliMDdlNjltZjU5NS00MWFkLTljNDctMjVlNWRjMTl3OTk4liwidHlwZ Sl6ImFjY2VzcylsInN1Yil6eyJpZCl6MSwidXNlcm5hbWUiOiJ1c2VyMSJ9LCJuYmYiOjE2NjY0MDYxNTF9.LVkGxEooQroEhjLUroeEW5SNzRUW8-HMZqVlutzmNWU

BODY formdata

Example Request 8 - Download file - /api/files/<filename>

curl --location -g --request GET '{{host}}/api/files/9ea4dab0-00aa-4d26-acbf-b9a3267a61bc' \
--header 'Authorization: Bearer eyJhbGci0iJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImlhdCI6MTY2NjQwNjE1MSwianRpIjoiZTliMDdlNjItZjU5NS00M

GET 9 - Ping

{{host}}/ping

Example Request 9 - Ping

Documentation Settings ▼

GET 10 - Converter health

{{host}}/converter-health

Example Request 10 - Converter health

curl --location -g --request GET '{{host}}/converter-health'

GET 11 - API health

{{host}}/api-health

Example Request 11 - API health