UNM06

2023-09-14

Design


In this experiment, the differences in recognition memory of predictive and non-predictive cues was examined under both a certain and an uncertain training. Both groups received a training in which two cues are presented in each trial followed by an outcome. Only one of the cues is predictive of the outcome, whereas the other appears the same amount of times with each of the two possible outcomes. In one of this groups, the contingency between the predictive cues and their respective outcomes is of 1, so in each trial that the predictive cue is presented its corresponding outcome follows. For the other group, this contingency is of 0.8, so the predictive cue is followed by the outcome on 80% of the trials. After the training phase, all subjects were presented two cues on each trial, one that was presented on training and one that wasn't, but that was similar to the other cues presented on the training phase (a pair of balls swapped colours in the fouls). Subjects had to choose which one they had seen before and rate how confident they were of their choice.

Group	Training	Test2
Certain	AX - O1	A vs b
		A vs x
		A vs y
	AY - O1	B vs a
		B vs x
		B vs y
	BX - 02	X vs a
		X vs b
		X vs y
	BY - O2	Y vs a
		Y vs b
		Y vs x
Uncertain	0.8 AX - O1 / 0.2 AX - O2	A vs b
		A vs x
		A vs y
	0.8 AY - O1 / 0.2 AY - O2	B vs a
		B vs x
		B vs y
	0.8 BX - O1 / 0.2 BX - O2	X vs a
		X vs b
		X vs y
	0.8 BY - O1 / 0.2 BY - O2	Y vs a
		Y vs b
		Y vs x

Results

Training


Mean accuracy for the 4 blocks of the training phase




One-sample t-test indicates that mean responding of the certain group in the training phase was significantly higher than 0.5, that is, chance level (t(27) = 4.39, p < .001, d = 0.83, BF₁₀ = $6.3 \times 10^3 \pm 0\%$). Same was true for the uncertain group (t(27) = 3.98, p < .001, d = 0.75, BF₁₀ = $7.1 \times 10^1 \pm 0\%$).

Subjects in the certain group showed higher accuracy through training than the uncertain group, reaching an asymptote of 0.85 around block 4. However, the uncertain group showed a slower increase in their accuracy that reached 0.7 in block 8. A mixed methods ANOVA confirmed a significant effect of the Block (F(4.49, 116.66) = 6.93, p < .001, $\eta_p^2 = .21$, BF₁₀ = $4.5 \times 10^4 \pm 0.25\%$) and the main effect of the Condition (F(1, 26) = 10.94, p = .003, $\eta_p^2 = .30$, BF₁₀ = $1.4 \times 10^1 \pm 1\%$), but the interaction between them was non significant (, BF₁₀ = $1 \times 10^0 \pm 77.76\%$).

Test Accuracy






There are no differences in accuracy due to the condition, the predictiveness or the interaction of them, and the bayesian analysis indicates an ecdotal evidence for the null hypothesis in all cases, except for the interaction, where we observe an ecdotal evidence for the alternative hypothesis (respectively, F(1, 26) = 0.02, $p = .890, \eta_p^2 < .01, \mathrm{BF}_{10} = 3.4 \mathrm{x} 10^{-1} \pm 0.92\%$; $F(1, 26) = 0.36, p = .553, \eta_p^2 = .01, \mathrm{BF}_{10} = 3.2 \mathrm{x} 10^{-1} \pm 1.42\%$; $F(1, 26) = 0.86, p = .361, \eta_p^2 = .03, \mathrm{BF}_{10} = 5.1 \mathrm{x} 10^{-1} \pm 2.89\%$).

Memory score


Mean memory score in the test phase



There are no significant differences in memory due to the condition, the predictiveness or the interaction of them, and the bayesian analysis indicates an ecdotal evidence for the null hypothesis in all cases, except for the interaction, where we observe an ecdotal evidence for the alternative hypothesis (respectively, $F(1, 26) = 0.01, \ p = .924, \ \eta_p^2 < .01, \ \mathrm{BF}_{10} = 3.5 \mathrm{x} 10^{-1} \pm 0.68\%; \ F(1, 26) = 0.46, \ p = .503, \ \eta_p^2 = .02, \ \mathrm{BF}_{10} = 3.3 \mathrm{x} 10^{-1} \pm 0.91\%; \ F(1, 26) = 1.01, \ p = .324, \ \eta_p^2 = .04, \ \mathrm{BF}_{10} = 5.2 \mathrm{x} 10^{-1} \pm 3.18\%).$

Corrected memory score (with errors out)


Mean corrected memory score in the test phase



There are no significant differences in memory due to the condition, the predictiveness or the interaction of them, and the bayesian analysis indicates an ecdotal evidence for the null hypothesis in all cases (respectively, $F(1, 26) = 0.00, \ p = .957, \ \eta_p^2 < .01, \ {\rm BF}_{10} = 3.8 \times 10^{-1} \pm 0.57\%; \ F(1, 26) = 0.12, \ p = .736, \ \eta_p^2 < .01, \ {\rm BF}_{10} = 2.7 \times 10^{-1} \pm 0.8\%; \ F(1, 26) = 0.83, \ p = .370, \ \eta_p^2 = .03, \ {\rm BF}_{10} = 4.9 \times 10^{-1} \pm 2.89\%).$

Other corrected memory score

Mean corrected memory score in the test phase



There are no significant differences in memory due to the condition, the predictiveness or the interaction of them, and the bayesian analysis indicates anecdotal evidence for the null hypothesis in all cases, except for the interaction, where we observe anecdotal evidence for the alternative hypothesis (respectively, F(1, 26) = 0.02, p = .883, $\eta_p^2 < .01$, BF₁₀ = $3.7 \times 10^{-1} \pm 1.03\%$; F(1, 26) = 0.23, p = .633, $\eta_p^2 < .01$, BF₁₀ = $2.9 \times 10^{-1} \pm 1\%$; F(1, 26) = 1.51, p = .231, $\eta_p^2 = .05$, BF₁₀ = $6.9 \times 10^{-1} \pm 2.66\%$).

Certain only results

Accuracy

There are no differences in accuracy due to predictiveness, and the bayesian analysis indicates anecdotal evidence for the null hypothesis (t(13) = -0.80, p = .436, d = -0.21, BF₁₀ = $3.6 \times 10^{-1} \pm 0.01\%$).

Memory score

There are no significant differences in memory due to predictiveness and the bayesian analysis indicates anecdotal evidence for the null hypothesis (t(13) = -0.92, p = .377, d = -0.24, BF₁₀ = $3.9 \times 10^{-1} \pm 0.01\%$).

Corrected memory score (with errors out)

There are no significant differences in memory due to predictiveness and the bayesian analysis indicates anecdotal evidence for the null hypothesis (t(13) = -0.31, p = .758, d = -0.08, BF₁₀ = $2.8 \times 10^{-1} \pm 0.01\%$).

Other corrected memory score

There are no significant differences in memory due to predictiveness and the bayesian analysis indicates an ecdotal evidence for the null hypothesis (t(13) = -0.93, p = .370, d = -0.25, BF₁₀ = $3.9 \times 10^{-1} \pm 0.01\%$).