ACADGILD

SESSION 3:
FOUNDATIONAL R PROGRAMMING

Assignment 2

Submitted by: Munmun Ghosal
Login Id: munmun55@gmail.com
(M):+91-8007178659

Data Analytics

Table of Contents

1. Problem Statement

1. Create an m x n matrix with replicate (m, rnorm(n)) with m=10 column vectors of n=10 elements each, constructed with rnorm(n), which creates random normal numbers.

a) Then we transform it into a dataframe (thus 10 observations of 10 variables) and perform an algebraic operation on each element using a nested for loop: at each iteration, every element referred by the two indexes is incremented by a sinusoidal function, compare the vectorized and non-vectorized form of creating the solution and report the system time differences.

2. Solution

A. APPROACH-1: Using rbenchmark library

The R-script for the given problem is as follows:

```
m <- replicate(10, rnorm(10), simplify = "matrix")
m

m <- as.data.frame(m)
View(m)

library(rbenchmark)
benchmark(
  vect = as.vector(m),        # vecotrized form
  conc = (n <- as.vector(for (i in seq(nrow(m))) {
    for (j in seq(ncol(m))) {   # nested for
      print(2*sin(m[i, j]))  # performing algebraic function on each element
    }
  }))
)
```

Explanation:

- `rbenchmark` is intended to facilitate benchmarking of arbitrary R code.

    The library consists of just one function, benchmark, which is a simple wrapper around system.time.

    Given a specification of the benchmarking process (counts of replications, evaluation environment) and an arbitrary number of expressions, benchmark evaluates each of the expressions in the specified environment, replicating the evaluation as many times as specified, and returning the results conveniently wrapped into a data frame

- m x n matrix is created with replicate(m, rnorm(n)) with m=10 column vectors and n=10 elements each, constructed with rnorm(n), which creates random normal numbers.

    m <- replicate(10, rnorm(10), simplify = "matrix")

- Then we transform it into a dataframe (thus 10 observations of 10 variables) using :

    m <- as.data.frame(m)
    View(m)

- Then an algebraic operation is performed on each element using a nested for loop. At each iteration, every element referred by the two indexes is incremented by a sinusoidal function, the vectorized and non-vectorized form of creating the solution are compared and the system time differences are reported using following script:

    library(rbenchmark)
    benchmark(
                vect = as.vector(m),   # vecotrized form
                conc = (n <- as.vector(for (i in seq(nrow(m)))
                {
                for (j in seq(ncol(m)))
                        {   # nested for
                         print(2*sin(m[i, j])) # performing algebraic function on each element
                        }
                }))
)

The output of the R-Script is given as follows:

```
Console   Terminal ×

~/ 
> m <- replicate(10, rnorm(10), simplify = "matrix")
> m
            [,1]        [,2]        [,3]       [,4]       [,5]        [,6]        [,7]        [,8]        [,9]       [,10]
 [1,] -0.08913953  0.17852840 -0.3330458 -0.7651631  0.1609026  0.49489303  0.58475214  0.7442312  0.5474005  0.99168346
 [2,] -0.19463112  0.78286788  0.5451576  0.5666370  0.4790692  0.09617377 -0.07863453 -1.2616526 -2.0790019  0.96535492
 [3,] -0.36349639  0.07132321  0.4602538 -1.1004102  0.5630840 -0.49058915  0.03791804  0.4800590  1.4030853 -0.11609871
 [4,] -0.06079984  1.28273140 -0.4049807 -0.4453792 -0.9164643 -2.41584548  0.92220882  0.5496038 -0.4223738  0.05982698
 [5,]  0.66551158 -0.71696873  0.6269364 -1.0082628  1.7009680  2.16117918  0.20122057  0.2666471 -0.7888810 -0.29723941
 [6,]  0.63135697 -0.11233793  0.4010243  0.5705256  1.3431657 -0.48726694 -0.26466107  0.6085019 -0.3825191 -0.18903918
 [7,] -0.54529999 -0.40747348 -1.3077086  1.2178529 -0.8857726 -0.57038455  0.57998706 -0.1476260 -0.6078100 -2.52208526
 [8,] -0.52984751 -1.47527410  1.0200674  1.2293665 -2.3030236  0.05051781 -0.13821254 -0.4062084 -1.5767537  0.12480130
 [9,] -1.00253067  0.46465830 -0.3902984  0.9789133 -1.4535623  0.90239864 -0.65342060  0.9636103 -1.5888214  0.16989079
[10,]  0.28523755  0.70273672 -0.9797874 -1.8428999 -0.5178634  0.28830255 -0.93924817  0.4789491  0.9339680  0.57616535
> 
```

```
> m <- as.data.frame(m)
> View(m)
```

4

⟵ ⟶ | 🔲 | ▽ Filter

	V1	V2	V3	V4	V5	V6	V7	V8	V9	V10
1	-0.08913953	0.17852840	-0.3330458	-0.7651631	0.1609026	0.49489303	0.58475214	0.7442312	0.5474005	0.99168346
2	-0.19463112	0.78286788	0.5451576	0.5666370	0.4790692	0.09617377	-0.07863453	-1.2616526	-2.0790019	0.96535492
3	-0.36349639	0.07132321	0.4602538	-1.1004102	0.5630840	-0.49058915	0.03791804	0.4800590	1.4030853	-0.11609871
4	-0.06079984	1.28273140	-0.4049807	-0.4453792	-0.9164643	-2.41584548	0.92220882	0.5496038	-0.4223738	0.05982698
5	0.66551158	-0.71696873	0.6269364	-1.0082628	1.7009680	2.16117918	0.20122057	0.2666471	-0.7888810	-0.29723941
6	0.63135697	-0.11233793	0.4010243	0.5705256	1.3431657	-0.48726694	-0.26466107	0.6085019	-0.3825191	-0.18903918
7	-0.54529999	-0.40747348	-1.3077086	1.2178529	-0.8857726	-0.57038455	0.57998706	-0.1476260	-0.6078100	-2.52208526
8	-0.52984751	-1.47527410	1.0200674	1.2293665	-2.3030236	0.05051781	-0.13821254	-0.4062084	-1.5767537	0.12480130
9	-1.00253067	0.46465830	-0.3902984	0.9789133	-1.4535623	0.90239864	-0.65342060	0.9636103	-1.5888214	0.16989079
10	0.28523755	0.70273672	-0.9797874	-1.8428999	-0.5178634	0.28830255	-0.93924817	0.4789491	0.9339680	0.57616535

```r
library(rbenchmark)
benchmark(
            vect = as.vector(m),        # vecotrized form
            conc = (n <- as.vector(for (i in seq(nrow(m))) {
             for (j in seq(ncol(m))) {   # nested for
             print(2*sin(m[i, j]))  # performing algebraic function on each element
               }
             }))
          )
```

```
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
```

```
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
```

```
[1]  1.673897
[1] -0.3868093
[1]  1.410631
[1]  1.037106
[1]  1.073595
[1]  0.9219067
[1]  0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1]  1.644502
[1] -0.7110887
[1]  0.1425255
[1]  0.8883511
[1] -1.782787
[1]  1.067593
[1] -0.9422913
[1]  0.07581791
[1]  0.9236631
[1]  1.971939
[1] -0.2316761
[1] -0.1215248
[1]  1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1]  1.593876
[1]  1.044699
[1] -0.8198536
[1]  0.1195826
[1]  1.234923
[1] -1.314205
[1]  1.173333
[1] -1.691813
[1]  1.983079
[1]  1.661455
[1]  0.3997308
[1]  0.526997
[1] -1.41913
[1] -0.5857636
[1]  1.180481
[1] -0.2242036
[1]  0.7807231
[1]  1.080149
[1]  1.948408
[1] -0.9364253
[1] -0.5231643
[1]  1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1]  1.876719
[1] -1.548808
[1] -1.079912
[1]  1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1]  1.704287
[1]  1.884554
[1] -1.487375
[1]  0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
```

```
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
```

```
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
```

```
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
```

```
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
```

```
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
```

```
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
```

```
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
```

```
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
```

```
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
```

```
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
```

```
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
[1] -0.1780431
[1] 0.3551631
[1] -0.653846
[1] -1.385309
[1] 0.3204185
[1] 0.949875
[1] 1.103985
[1] 1.354813
[1] 1.040939
[1] 1.673897
[1] -0.3868093
[1] 1.410631
[1] 1.037106
[1] 1.073595
[1] 0.9219067
[1] 0.1920512
[1] -0.157107
[1] -1.905189
[1] -1.747238
[1] 1.644502
[1] -0.7110887
[1] 0.1425255
[1] 0.8883511
[1] -1.782787
[1] 1.067593
[1] -0.9422913
[1] 0.07581791
[1] 0.9236631
[1] 1.971939
[1] -0.2316761
[1] -0.1215248
[1] 1.917591
[1] -0.7880021
[1] -0.8616003
[1] -1.586909
[1] -1.327389
[1] 1.593876
[1] 1.044699
[1] -0.8198536
[1] 0.1195826
[1] 1.234923
[1] -1.314205
[1] 1.173333
[1] -1.691813
[1] 1.983079
[1] 1.661455
[1] 0.3997308
[1] 0.526997
[1] -1.41913
```

```
[1] -0.5857636
[1] 1.180481
[1] -0.2242036
[1] 0.7807231
[1] 1.080149
[1] 1.948408
[1] -0.9364253
[1] -0.5231643
[1] 1.143278
[1] -0.7465174
[1] -0.3758306
[1] -1.037349
[1] -0.7925819
[1] -1.931183
[1] 1.876719
[1] -1.548808
[1] -1.079912
[1] 1.096026
[1] -0.2941808
[1] -1.142142
[1] -1.161268
[1] -1.010804
[1] -1.990882
[1] 1.704287
[1] 1.884554
[1] -1.487375
[1] 0.1009927
[1] -0.2755458
[1] -0.7902583
[1] -1.999965
[1] 0.2489552
[1] -1.685671
[1] 0.8962347
[1] -0.7609287
[1] 1.659783
[1] -1.986272
[1] 1.569631
[1] -1.215812
[1] 1.642514
[1] -1.999675
[1] 0.3381494
[1] 0.5627708
[1] 1.292617
[1] -1.660758
[1] -1.926415
[1] -0.9900497
[1] 0.5686505
[1] -1.614229
[1] 0.9216935
[1] 1.607972
[1] 1.089625
```

test	replications	elapsed	relative	user.self	sys.self	user.child	sys.child
2 conc	100	4.01	NA	3.75	0.1	NA	NA
1 vect	100	0.00	NA	0.00	0.0	NA	NA

B. APPROACH-2:

The R-script for the given problem is as follows:

```
#Vectorized form
set.seed(100)
#create matrix
mat_1<- replicate(10,rnorm(10))
#transform into data frame
df_1= data.frame(mat_1)
df_1<- df_1 + 2*sin(0.75*pi)

#non-vectorized form
set.seed(100)
#create matrix
mat_1<- replicate(10,rnorm(10))
#transform into data frame
df_1= data.frame(mat_1)
for(i in 1:10){
  for(j in 1:10){
    df_1[i,j]<- df_1[i,j] + 2*sin(0.75*pi)
    print(df_1)
  }
}
#time difference
system.time(
  df_1[i,j]<- df_1[i,j] + 2*sin(0.75*pi)
)
system.time(
  for(i in 1:10){
    for(j in 1:10){
      df_1[i,j]<- df_1[i,j] + 2*sin(0.75*pi)
    }
  }
)
```

Explanation:
- Here, Vectorized form and non- Vectorized form is created and converted into dataframes respectively.
- Hence, the time difference is calculated using system.time()

The output of the R-Script is given as follows:

```
Console   Terminal ×

~/

1    0.9120212 1.5040997 0.9761236 1.3231000   1.3125843   0.96715138 1.1522178
2    1.5457447 1.5104880 2.1782742 3.1715892   2.8174171 -0.32438438 1.3453695
3    1.3352965 1.2125796 1.6761749 1.2762840 -0.3625621   1.59307841 1.0353300
4    2.3009984 2.1540541 2.1876182 1.3030201   2.0370810   3.31167926 3.9961725
5    1.5311848 1.5375931 0.5998344 0.7241992   0.8919302 -0.85771192 1.5440477
6    1.7328436 1.3848969 0.9757630 1.1924193   2.7364445   2.39467770 0.7011886
7    0.8324229 1.0253593 0.6939920 1.5971212   1.0507732   0.01538795 2.0522078
8    2.1287463 1.9250698 1.6451581 1.8315368   2.7332793   3.23908599 1.6159052
9    0.5889541 0.5003994 0.2564841 2.4796159   1.4579926   2.79551229 1.3442966
10   1.0543514 3.7245104 1.6612896 2.3844156 -0.4644423   0.57536169 1.3217237
              X8              X9          X10
1     1.8631168    2.31103583 0.8570913
2     0.3498579    1.36421780 2.8425150
3     0.2517942    0.06886425 0.5212562
4     3.0627353   -0.51699797 0.2566423
5    -0.6478825    2.12379515 0.8839171
6     1.4269633    1.25630853 3.8598963
7     0.3266852    1.63058144 0.5817178
8     1.6847531    2.23157564 1.8277334
9     2.4226654    3.14138932 0.2355304
10   -0.6601912    1.31044327 0.2401788
> #time difference
> system.time(
+    df_1[i,j]<- df_1[i,j] + 2*sin(0.75*pi)
+ )
   user  system elapsed
      0       0       0
> system.time(
+    for(i in 1:10){
+      for(j in 1:10){
+        df_1[i,j]<- df_1[i,j] + 2*sin(0.75*pi)
+      }
+    }
+ )
   user  system elapsed
   0.02    0.00    0.02
~ I
```